# POPULAR SCIENCE

MONTHLY

15¢
see in eanaea
JUNE

Three magazines in one automobiles · home & shop · mechanics









ETHYL MARKET CORPORATION

THE BETTER THE GAS, THE BETTER YOUR CAR AND WHEN YOU STOP TO BUY GASOLINE, THIS EMBLEM TELLS YOU WHICH PUMP CONTAINS THE BEST

THE ETHYL EMBLEM on a gasoline pump stands for extra quality in anti-knock (octane) and all-round value. Samples are double-checked by your oil company and the Ethyl laboratories.

In your car, "Ethyl" means a cooler-running engine in summer; a quicker-starting engine in winter; extra power and smoothness all year. When you stop for gasoline, the Ethyl emblem tells you which pump contains the best. ETHYL CASOLINE COLFORATION, NEW YORK

# Nobody Working Here!



# You steer ... Fluid Drive does the work!

You're not at work, when you're Fluid Driving, You're steering today's most ingenious and obedient car...and you'll get a big kick out of it!

Fluid Drive is the first new motor car feature in years that does something really big for the driver!

You never quite get over the wonder of gears that are shifted for you... of power applied through oil, so smoothly that you can't make it jerk or buck!

### WHY SHIFT GEARS?

You put on the brakes for a traffic light ...

but you stay in high gear position! You glide away again when the light changes ... but all you've done is to step on the gas! In all normal driving, you drive this way ... and you realize what a relief Fluid Driving brings.

Try Fluid Drise with Vacamatic transmission at your Chrysler dealer's. It's standard equipment on most Chrysler models this year and only a few dollars extra on the lowestprice Chryslers.

A phone call to your Chrysler dealer will bring a Chrysler to your door!



### FOR SAFETY!

Chrysler's Safety Clutch is like a lifeboat on a ship. You will use it very seldom, butyou're mighty glad to have it when you need it. A very valuable safeguard for parking...for maneuvering your cur in close quarters or dangerous places!

\* Tune in on Major Bowes, Columbia Network, Every Thursday, 9 to 10 P. M., E. D. S. T.

BE MODERN—with Fluid Drive and Vacamatic TransmissionBuy Chrysler!

# POPULAR SCIENCE

FOUNDED 1872

MONTHLY

VOL. 138 NO. 6

### Mechanics & Handicraft

THE NEWS PICTURE MAGAZINE OF SCIENCE AND INDUSTRY

# CONTENTS for JUNE, 1941

# News

Sky Cargoes	49
Miracles of the Plant Chemist	58
He Harnessed a Red-Hot Tornado	66
America Listens In	74
Submarines in War	81
Magic Sand with a Thirst	86
Wardrobes for Soldiers	90
Squidding	101
Dogfighting	106
Blood Bank for Emergencies	114
Charge of the Iron Brigade	122

# Automobiles

Summer-Conditioning Your Car	129
Spray of Shot Expands Pistons	134
Battle of the Mighty Midgets	135
Process Gives High-Octane Gas	140
Gus Wilson's Model Garage	142

# Home and Workshop

Plywood and Knotty-Pine Finishes	146
How To Build Outdoor Fireplaces	156
Built-In Bar and Cabinets	162
Children's Backyard Carnival	174
Slide-Rest Shaper for the Lathe	184
Simple All-Balsa Model Plane	191
Battery-Operated Phonograph Unit	202
Movie Lighting To Rival Nature	206

# Departments

Our Readers Say	12
With the Inventors	
Book Reviews	_80
Here's My Story	104
Un-Natural History	
New Household Appliances	176
Radio Department	201



HICKMAN POWELL, who tells the story of Dr. Sanford A. Moss's red-hot tornado on page 66, is a veteran newspaperman now specializing in personality sketches for many magazines. As a reporter for the New York Evening World and later for the Herald Tribune, he covered some of the most sensational stories of recent years. His latest book is "What the Citizen Should Know About the Coast Guard."

MANAGING EDITOR . George H. Walts, Jr. MOSE WORKSHOP EDITOR . Arthur Wakeling ASSOCIATES: Carsien Grande, Art Editor; Fred O. Newman, News; William Morris, Photography; Schuyler Van Duyne, Automobiles; Alden P. Armagnac, Edwin Teale, David M. Stearns, Harry Walton, Group Editors; S. T. Richards, Copy Editor; Michele de Santis, Harry Samuels, Stewart Rouse, Michael Cerniello, Art Assistants.

Published monthly at 353 Fourth Avenue, New York, N. Y., by Popular Science Publishing Co., Inc. Hammond, President and Treasur Wilson, Raymond J. Brown, Vice Presidents; P. W. Briggs, Secretary, Entered as second-class matter Dec. 28, 1918, at the Post Office at New York under the act of March 3, 1879; additional entry as second-class multer at Dayton, Ohio. Entered as second-class matter at the Post Office Department, Canada. Printed in U.S.A. Copyright, 1941, by Popular Science Publishing Co., Inc. All rights reserved in the United States, Great Britain, and in all countries participating in the International Copyright Convention and the Pan American Copyright Convention. Single copy, 15 cents; Canada, 20 cents. Yearly subscriptions to United States and its possessiona, \$1.30; Canada, \$2.00; foreign countries, excepting Canada, \$2.50. Subscribers must notify us of change of address four weeks in advance of the next publication date. He sure to give both old and new address.



You'll wake up some day and find you're Too LATE to succeed! Too old-too tired-too deep in a rut!

DON'T DO IT!

You'll dream away the best years of your life, while opportunity passes by your door!

DON'T LET IT HAPPEN TO YOU!

Wake up! Tell the world you're going to co PLACES! How? By getting the up-to-date TRAIN-ING that will fit you for success!

GO TO IT, BROTHER!

Here's how: Check over this coupon - mark the course that interests you most — and MAIL IT!

RIGHT NOW!

MAIL THIS COUPON FOR FREE BOOKLET



# INTERNATIONAL CORRESPONDENCE SCHOOLS

Bex 7613-K, Screnton, Penna.

Without cost to me, please send full particulars about the course marked X:

### TECHNICAL AND INDUSTRIAL COURSES.

1001101010 1100 110	PARTITION DOGUGES
☐ Agriculture ☐ Air Brake	D Mig. of Pulp and Paper
C Air Conditioning	Marine Engines
Architectural Drafting	Mechanical Drafting
☐ Architecture	D Mech. Engineering
Auto Engine Tune-up	O Mine Foreman
Auto Technician	O Navigation
Avistion	2 Patternmaking
Boilermaking	Pharmacy
Bridge Engineering	O Plumbing
C Building Letimating	D Poultry Farming
Chemistry	1 Practical Telephony
Civil Engineering	Public Works
Cost Mining	Engineering
	D Hadio, General
Concrete Engineering	
Contracting and	☐ Itadio Operating
Building	☐ Itadio Servicing
Cotton Manufacturing	IL IL Sec. Foreman
Dissel Engines	C. R. Signalmen's
C Electrical Engineering	Iterriperation
Electric Lighting	Hanitary Engineering
D Fire Bosses	USheet Metal Work
Dendry Work	Steam Electric
☐ Fruit Growing	☐ Steam Engines
O Heating	Bleens Fitting
☐ Heat Treatment of	Structural Drafting
Metala	Biructural Engineering
☐ Highway Engineering	□ Surveying & Mapping
U House Planning	Telegraph Engineering
☐ Locomotive Engineer	☐ Tentile Designing
C Machinist	□ Toolmaking
Mgt. of Inventions	☐ Welding.
Managing Mon at	Electric and Gas
Wark	Wooles Man'turing

Managing Mon at	Electric and Gas
Work	☐ Woolen Man'suring
BUSINESS	COURSES
☐ Accounting	□ French
☐ Advertising	☐ Grade Sebool
□ Bookkeeping	[] High Bohool
☐ Bus. Correspondence	C Disserting
C Business Management	Lettering Show Cards
☐ Cartousing	Italiway Postal Clerk
Civil Service	□ Salesmanskip
College Preparatory	☐ Becretarial
Commercial	Berrior Station
Cost Accounting	Balcomandip
C. P. Accounting	□ Sign Lettering
C First Year College	C Spanish
☐ Foremanship	D Traffic Management
HOME ECOND	MICS COURSES
□ Advanced	Prol. Presemaking
Dressmaking	and Designing
D Foods and Cookery	Tan Room and Cafe-
☐ Home Drammaking	toria Mgt., Catoring
Name	A pe
Address	
City	
Present Position	
Carrespondence Schools	coupen to the international Canadian, Limited, Man- residents and coupon to

I. C. S., 71 Mingoway, London, W. C. S. England.

Converted rollers.



### National Spark Plug Change Week May 5 to 11

Changing spark plugs every 10,000 miles saves you money and revitalizes your car's performance.

Champion Spark Plug dealers offer special spark plug service during "Change Week" which includes testing, cleaning and adjusting—services which enable you personally to see whether new spark plugs are necessary.

No other spark plugs have the patented Sillment seal which keeps Champions free from trouble-some gas or compression leakage common to ordinary spark plugs. This exclusive feature alone makes Champions your logical choice if you want the performance your high-compression engine and today's modern anti-knock fuels are capable of.

There is a Champion dealer near you who displays the familiar Champion "bow-tie" sign which is the sign of dependable service. Have him revitalize your engine today!

You're always ahead with Champion !

# Contents [CONTINUED]

# Automobiles

Replacing Headlight Rims	138
Tool Removes Tire Valves	138
Swinging Red Reflectors	138
Eyeglass Holder on Dashboard	138
Homemade Left-Turn Signal	139
Attaching Electric Accessories	139
Protecting Loose Luggage	139
Hook for Oil-Can Spout	139
Car Has Built-In Chassis	141
Device Checks Road Surface	141
Vise Bracket Fits Truck Floor	141

# Facts and Ideas

Twenty-Ton Atom Smasher	96
Parabolic Asphalt-Plant Building	99
Safety Chutes for Powder Plant	100
Antisubmarine-Net Tender	100
Gas on Ice	118
Stunt Planes Ride Pickaback	126
Aerodome Houses G. M. Show	127
Punch Bowls of Molded Ice	128

# Inventions

Home-Grown Cigarette Paper	79
Electric Highway-Material Tester	79
Automatic Flashless Welder	89
Farm Machine Shop on Wheels	96
Chemical Bath Makes Wood Plastic	
Picnic Cooker Burns "Heat Tablets"	


# Military

Army Uses Heraldic Insignia	64
Battleship Blasts Dive Bombers	22
Army's Balloon-Barrage Squadron	78
Homemade Tank Bomb	9.7

# Craftwork

Carved Horse Heads on Book Ends.	178
Hammered Pewter Salt-Dish Set	180
Ash Tray Is Lined with Plaster	
(Continued on page 6)	

IMPORTANT NOTICE: The contents of this magazine must not be reprinted without permission. The editors are not responsible for maintified contributions, and cannot guarantee the return of such material or insure against its loss. Contributions not accompanied by unfinited postage will not be returned. In pregenting numerous stories of new products of applied science, Popular Science Monthly does not underwrite the inquires methods of the individuals or concerns producing them. To avoid liability for putent infringement, readers should investigate before making, using, or offering for sale any of the devices, machines, or processes described; Popular Science Monthly takes no responsibility. The use of Popular Science Monthly articles for slock-selling achemes in heree authorised.





The generator under the hood of your car is your power plant for supplying the current to operate lights, ignition, radio, heater and other accessories; in addition, it is called on to keep the battery in a charged condition by replacing the energy consumed by the cranking motor in starting.

As president of this power plant, you have certain responsibilities. First, know the make and capacity of the generator in your car. Second, see that the generator is kept in good condition to supply the current for your requirements; a good battery that requires frequent charging is a sure sign that the generator or regulator needs attention. Third—and very important—

make sure that original equipment parts are used in servicing your generator.

Delco-Remy generators, incorporating in their design the improvements and refinements of Delco-Remy's long manufacturing experience, are original equipment in millions of cars and trucks—nearly half of all cars and trucks sold. Delco-Remy original equipment service parts and replacement units are available at good service dealers everywhere.

# Delco-Remy

World's Largest Manufacturer of Automotive Electrical Equipment



It's not necessary to accept a partially complete portable typewriter . . . not when you can buy the popular Champion equipped with 15 outstanding features of the famous big Underwood of business . . . and on the Underwood Easy Ownership Plan, too. Before you buy any portable, see the Underwood Champion or write us for full information.

# Underwood Champion Portable

UNDERWOOD ELLIOTT FISHER COMPANY One Park Avenue, New York, N. Y.

Please give me full information on Underwood Portable Typowriters and your Easy Ownership Plan.

Address

City State Copyright 1941, Underwood Elifett Fisher Company

# Contents Icontinued

Turned Nautical Match Holder 181
Shelf Sawed from a Single Board 181
Rack for Colonial Toasting Forks. 181
Relish Dish Resembles Water Lily., 182
Old Game Revived for Home Play., 183
Simple All-Balsa Model Plane 191
How to Carve Good Propellers 194
11 12 11.
Home Building
Air Conditioning for Small Homes. 152
Tube-Bending Tool for Plumbers 152
New Pulleys Improve Clothesline 152
Holder for Brush and Paint Can 153
Wax Polish for Refrigerators 153
Flexible Pocket Sharpening Stone., 153
Light Garden Hose Is Easy to Use. 153
How to Build Outdoor Fireplaces,. 156
Miscellaneous
Vacuum Cleaner Has Two Nozzles 176
Magnet Holds Shower Curtain 176
Pressing Board for Velvet 176
Gummed Binding Repairs Rugs 177
Refrigerator Keeps Butter Soft 177
Sifter Mixes Cake Ingredients 177
Experiments Show How Body Works 198
New Shop Ideas
Slide Dont Shanes Pite on Lethe 194
Slide-Rest Shaper Fits on Lathe 184 Squeegee Sweeper for the Shop 188
Plating Improves Indicator Tip 188
Half-Lap Joints Made on Jointer 189
Drafting Aid Made from Nail File., 189
Lengthening a Shaft by Welding 189
Drawing Tools Gauge Small Parts 189
Outdoors
Cruising Sailboat, Part IV 169
Children's Backyard Carnival 174
Cherry Picker Is Easy to Make 190
Hose Improves Watering Bucket . 190
Reel Holds Garden Line Taut 190
Rolling Garden-Tool Holder 190
Photography
Friorograping
Movie Lighting to Rival Nature 206
Border Mask Dates Photo Prints 210
Flash Gun for Amateur Cameras 210
Combination Projector and Viewer. 210
Cord Measures Lighting Distances. 211
New 35-mm. Film Yields Positives. 211
Sturdy All-Metal Print Flattener., 211 (Continued on page 8)
t commune on bage of

PS-4-143



# HIS MOTHER-IN-LAW WAS PLENTY SORE

-but he's out of the dog house now!



"WHERE YA GOIN' with my pipe?" wailed Henry. "To the incinerator — where all smelly things belong," snapped his motherin-law. "That tobacco is impossible."



ONE WEEK LATER. Now Henry's in clover. Even his mother-in-law treats him right since he switched to Sir Walter Raleigh. Try this mild burley blend. Fifty pipe loads, 15¢.





# LET AN EXPERT TAKE CARE OF YOUR CAR'S Mervous Susteme

### IT TAKES A TRAINED EXPERT TO PROPERLY DIAGNOSE STARTING, LIGHTING, IGNITION TROUBLES!

This simple rule saves you money whenever your car needs preventive service. Always have your carchecked by a qualified service man. Insist on original factory parts. This is particularly important in checking electrical



THE AUTO-LITE SERV-ICE MAN uses only original factory parts. He is a skilled technician specially trained in servicing your cor's electrical equipment to give you "like-new"performance.

units, the "nervous system" of your car. It will pay you to get acquainted with the Auto-Lite service man in your neighborhood. He carries a stock of original service parts that are used as standard equipment by more than half of America's car manufacturers. It is his business to help you avoid trouble, to keep you getting top performance from your car. See him regularly to keep minor car troubles from causing major repair bills. THE ELECTRIC AUTO-LITE COMPANY Tolede, Ohio Sarnia, Ontario







ORIGINAL PARTS ASSURE "LIKE-NEW" PERFORMANCE

# Contents ICONTINUEDI

<u> </u>	
Reflector Focuses Flood Lamps	211
Zoom Device for 8-mm. Camera	211
Props Will Improve Your Photos	212
Daylight Screen for Color Slides	215
Improvised Table-Top Tripod	215
Pinhole Camera Takes Color Shots	216
Finnote Camera Takes Color Shots	219
Radio	
Signs and Slang Aid Broadcasts	56
Model Studio for Television	62
Studio Has Adjustable Walls	73
Calendar Lists Weekly Programs	201
Double Speaker for FM Reception	201
Needle Filters Out Record Noise	201
Weight Adjusts Needle Pressure	201
Battery-Operated Phonograph Unit	202
Single-Tube Short-Wave Receiver	205
Shop Data File	
Preservative Finish-Natural	147
Cayuga-Sand Finish for Plywood	148
Finishing Plywood-Autumn Green.	149
Quaker-Gray Finish for Plywood	150
Preservative Finish-Knotty Pine	151
Making a Mortise by Hand	168
Metal Etching with Rubber Stamp	183
How to Grind Lathe Centers	188
The Handy Man	
Plywood and Knotty-Pine Finishes	146
Band of Paint Identifies Can	154
Neat Corners on Table Oilcloth	154
Sink Accessories Dry in Cabinet	154
Typewriter Case Carries Records	154
Emergency Water Tap in Basement	155
Springs Used as Friction Catches	155
Replacing Pins in Tumbler Lock	155
Electrical Cord Forms Hot Pad	155
Drip Collector Recovers Oil	196
Bent Handle Improves Fish Net	196
Lampblack Polishes Reflectors	196
Strap Hinge Forms Punching Die	196
Silent Automatic Mercury Switch	
	197
Repairing Push-Button Contacts	197
What's Electrically Wrong Here? Vent Hole Improves Grease Gun	197
Woodworking	
Built-in Bar and Cabinets	162
A Modern Refreshment Cart	
Noise Control in the Home Shop	
Sanding Disk Holds Small Parts	
PROPERTY AND ALVINO BILLET FALLS	100

Carrolled manage

War Fleet Built from Single Kit .... 225

Blueprints for Cruising Sailboat .... 226



# may be inside these pages!

THAT suggestion, in past years, has prompted thousands of men and women, uncertain how to plan their futures and safeguard their business success, to investigate the career possibilities in Accounting. Having investigated, they went further: took LaSalle training in their spare time: qualified for well-paid positions; and in so doing solved their progress problems successfully.

Among those thousands were more than 1,900 who are now Certified Public Accountants—nearly 10 per cent of all the C.P.A.'s in the country.

# What ARE My Opportunities?

Frankly, they are important ones-and numerous. Beginning opportunities as bookkeeper, cost clerk, billing clerk, time clerk. Advanced opportunities to serve in big and small business firms; advising on finance, analyzing costs, helping to shape policies. Opportunities to qualify in the Governmental accounting jobs

that are opening up more and more. Opportunities in private practice, as a cost consultant or C.P.A.

One has only to study the statistical side of the news about business expansions. new lines of manufacture and marketing, to see that wherever business is busy accountants are busy. For remember: this is the profession back of the financial success and progresa of all other enterprises. And accountancy incomes of \$2,000 to \$10,000, or more, yearly, certainly aren't earnings to be dismissed lightly!

# The Best Auswer of All

These are only a few facts in passing. Facts, however, that certainly invite your very thorough further investigation as to what LaSalle Training for this profession of many opportunities has in store for you.

Complete informa- I tion—a survey covering this subject from different angles-is what you should have now, before making any final decision. You'll find it in this 48-page book. And it is aptly titled "The Profession That Pays" . . . for, as the official Journal of Accountancy has pointed out: "If there be a profession in which the average compensation is higher, it is not known to us." So, if you really are in earnest—and willing to study seriously—fill in and mail the coupon for your copy today. Your future may lie inside its pages!


# LASALLE EXTENSION UNIVERSITY

A Correspondence Institution Dept. 683-HR Chicago, III.

I want to see what Accountancy offers for my future. Please send me your FHI E 48-page booklet, "Accountancy, the Profession that Pays," and full information about your economical, spare time Training.

Name	•	r	+ -	+ -	- 1	•	4	4	 -	-	4	-		-	•	-			-	4.	۸	ı	v	4	4	
Street and No.																	c	30	b							
								1											_	_	_	_	-			
State.										ù			١.					+								

State. .



### FOR YOUR CAR ENGINE

Free wall clip with every can.



Mobil Upperlube reaches upper cylinders as a mist—produces an adsorbed film on the metal surfaces. This adsorbed film provides lubrication at starting, and other times when the regular oil supply may be inadequate, thereby guarding

MOBIL UPPERLUBE

against acuffing and undue wear.



# Coming Next Month—

BLIMPS in the modern, streamline U. S. Navy? Yes, indeed. Lighter-than-air craft have a definite place in the plans for our naval defense. What their work would be in time of war, how the Navy is building them and training the men to man them, is told in an article by John Watson.

DAYLIGHT is no longer the capricious, unmanageable thing it used to be. Architects and builders are now able to direct and control it in homes, offices, and factories by the use of new materials and products developed by the glass industry. An article on "Light Conditioning" describes these new aids to comfort and efficiency.

FLYING POSTMEN, riding their routes at more than 100 miles an hour without stop, now pick up and deliver mail in communities off the regular air-mail routes. Read "R.F.D. Gets Wings." by Charles Morrow Wilson, for the story of this interesting new development in commercial aviation.

OUTDOOR FURNITURE will make your garden more livable. An article shows how to build your own garden suites, servers, lawn chairs and settees—some of them with wheels so that they can easily be moved to choice spots. Construction is simple, but your friends will exclaim over these serviceable, attractive pieces all the same.

INSIDE A MILITARY TANK is about the noisiest place you could find. But did you ever stop to wonder why it isn't just about as noisy made your family car? After all, both pack powerful engines and both are constructed mostly of metal. What's the answer? Why does your new car run so soundlessly? To get the low-down, Schuyler Van Duyne takes you right into the car makers' "quiet rooms" and sound laboratories in "Detroit Sound Detectives Give You Quieter Cars."

NO ELECTRIC SERVICE available at your summer home or farm? You can make a lighting plant of your own from two junked automobile generators and a gasoline engine. Everything you'll want to know is told and well illustrated in a comprehensive article. Best of all, the unit delivers 110-volt alternating current, so that you will be able to plug in your favorite radio just as at home.

# SENSATIONAL CAMERA VALUE!

# Agfa Speedex: \$2900

- This beautifully compact Agfa Speedex takes twelve 21/4 x 21/4" pictures! Here are its All-American features!
- L Brilliant, eye-level view finder.
- 2. Highly-corrected f4.5 ansstigmat lens.
- Precision shutter speeds of ½ to 1/250th of a second, Time and Bulb.
- Focuses 3½ ft. to infinity, Focusing ring in lens mount.
- 5. Built-in shutter release on camera topi

Your dealer will let you see and handle this fine camera. Ask him!

speedex Junion: Same features as above, but with less elaborate lens and shutter for fixed-focus operation. Only \$11.001 Agra Ansco, Binghamton, New York.



AGFA CAMERAS

MADE IN U. S. A.




responsiveness..., thrilling performance that packs more pleasure into every mile! And now you can choose a four-cylinder Evineude right in the same price range with "twins" of comparable power. Evineude offers 4 great "fours" — see them at your dealer, or write for new catalog!

NEW FULL REVERSE! Now yours in two famed light motors, Evintude's advanced development of Full Reverse! Steer in any direction . . . reverse the course . . . back tway from crowded docks . . . the last word in complete maneuverability is built into these two models.

CATALOG FREE! Handsomely illustrated, full-color catalog of 9 Evitatude models—also catalog of 6 Eiro models priced as low as \$26.50

—handy Boatsand-Motor Selector and Boat Guide of Leading Builders—Free. Address. EVINRUDE MOTORS, 4770 N. 2-th St., Missaukee, W. is.

All Pures F. O. B. Factory and subject to change.





# Readers Say:


WHEN R. E. B., of Canfield, Ohio, asked our readers to suggest uses for empty cheese boxes, he started something. Of the scores of letters received, many illustrated with drawings or photographs, it is possible to print only a few representative examples. A few readers also told of uses for the large, round "wheel" cheese boxes. To all these readers, thanks.

# For "Kraftsmen," the Cheese Is Only a By-Product

I have been wondering why no one mentioned making shop cabinets out of cheese boxes, and along comes the query from R.E.B. I have been making these cabinets for ten years and have the shop about full Size of cabinet depends on the number of cheese boxes you intend to use as drawers. Fronts of the boxes are sanded and stained, and I put on brass card holders with the pull lip attached. Such cabinets are ideal for holding screws, bolts, nuts, and other small parts.—8.J.G., Wichita, Kans.

RECENTLY I saw a bed lamp made from a two-pound cheese box. It had a piece of No. 9 wire attached to it, for hanging on the head of the bed. A regular light socket was inserted, and a 25-watt bulb.—J.H.S., Harrisonburg, Va.

My oxly trouble with cheese boxes is in finding enough. I have used them for seed boxes, boring holes in the bottoms for drainage and putting in a layer of pebbles, then



C.M.W., Cincinnati, Ohio, uses cheese boxes for combination drawers and boxes for nails

filling with loam and sprinkling the seed on top.—H.T., Warren Point, N. J.

You can make a feed trough for chickens out of a five-pound cheese box by sawing it lengthwise to leave the bottom and one side joined together, and nailing a small board at each end to hold the trough upright.—R.M., Notre Dame des Anges, Quebec.

A CHEERE SOX makes a good rack to hold chemicals, when plywood legs are glued on at each end. After staining, it should receive a coating of water glass to protect it from chemical stains.—D.B., Lynchburg, Va.

My cheese some go to make stormproof, cat and dogproof feeding stations for our little friends, the birds. All it takes, besides a cheese box, is some tin for roof and ends, and some wire.—G H.W., Roanoke, Va.

We make very attractive flower boxes out of cheese boxes. First we send off the markings and give them two or three coats of paint inside and out. Then we decorate the fronts with decalcomania transfers.—G.E.S., Jackson, Mich.



# Ten Cheese Boxes Stack Up as an Attractive Cabinet

Ix answer to your request for cheese-box projects, I inclose a photograph of a portable cabinet made from ten of these boxes. Five boxes are nailed together to form each side of the case, using 1" finishing nails. Slats are nailed to the ends of the boxes, and the two sides are joined with hinges and a latch. Handles are bolted to the top. One-inch strips of wood can be nailed to the front edges of the boxes so that small articles will not fall out. Two coats of paint, inside and out, complete the job and make an attractive cabinet.—F.S., New York City.



DAISY MANUFACTURING COMPANY, 556 UNION ST., PLYMOUTH, MICHIGAN, U. S. A.



### A Sidewalk Superintendent Wants to See It in Print

AW, THEY ARE ALWAYS



While watching workmen excavate for a new building. I noticed how many other people were standing around watching also. I always got a kick out of such things, so I thought it might be a good idea for you to show a bridge or a dam in process of construction. There must

be many more readers who feel as I do,-R. W., New York City

# Keep Flame Away from Your Automobile Battery

COATING car-battery terminals with candle wax, as suggested in your March issue, can

be dangerous if it is done by holding the lighted candle above the battery. Fumes coming from the battery can ignite, causing an explosion. I know this is true because I have seen it happen. Better meit the wax somewhere else and pour it on the terminals.—C. A., New York City



### We Thought All Boats Had a Fluid Drive

Being specially interested in the principle of the "fluid drive," I have been wondering whether it could be used on boats. It is the coming thing in automobiles, and I believe it might be equally good on light boats.—R. M., Hackensack, N. J.

One of the earliest applications of the hydraulic torque converter was made on internal-combustion-powered towboats and other harbor craft.—Ed.

# The Math Sharks Take a Ride on J. R. G.'s Adding Machine

J. R. G., who engaged in the youthful pastime of playing with an adding machine, was quite correct in his supposition that adding 1 to 2 to 2, and so on up to 1,000, would produce an answer of 500,500. In order to verify this answer, I would advise him to consult his algebra book rather than his adding machine. The formula for the sum of the terms in an arithmetic series is: sum equals

number of terms divided by two, times the sum of the first and last terms.—W D. P., Santa Barbara, Calif.

J. R. G.'s surmise, that if the sum of the



J. R. G.'s surmise, that if the sum of the numbers from 1 to 10 equals 55 and the sum of the numbers from 1 to 100 equals 5,050, the sum of the numbers from 1 to 1,000 should equal 500,500, is

correct. Moreover, the sum of 11 to 20 equals 155, the sum of 21 to 30 equals 255, the sum of 31 to 40 equals 355, etc., ad infinitum. The same characteristic may be observed in relation to the sums of the several hundreds, and of the thousands, namely, the sum of 101 to 200 equals 15,050, the sum of 201 to 300 equals 25,050, etc.; the sum of 1,001 to 2,000 equals 1,500,500, the sum of 2,001 to 3,000 equals 2,500,500, etc. The same relation crops up in number systems containing more or less than ten numbers. For instance, the sum of numbers 1 to 12 is 78, and 78 in a number system composed of 12 numbers is equal to 66. Also the sum of numbers 1 and 2 is 3; in a number system of two numbers, 3 would be expressed as 11. As far as I have been able to ascertain, this quality of numbers has no practical value.—E. V. C., Cicero, Ill.


# Anyhow, It Would Be a Rest from Stukas and Such

In this day of warfare and strife, I think
it would be a good idea
for you to publish an
article telling how the
people of ancient and
medieval times fought
their wars. But more
than that, I would like
for you to publish
plans for making
models of some of
their weapons, such as
catapults, crossbows,



and wall-scaling towers. Making these is my hobby, and I am out of ideas.—R. E. M., Clayton, Ohio,

# they sell microbes they sell microbes catalogue



In North Carolina there's one of the world's strangest enterprises . . . a microbe form! A laboratory devoted to propagating those elemental forms of life like amoebas and hydras and their many cousins. Dr. T. E. Pawell sells them by catalogue to universities, medical schools, and other scientific centers studying human life. Popular Science on-the-screen let's you meet these fascinating inhabitants of a dramatic world we never see with the naked eye. Don't miss it at your local theatre.

# streamlined kitchen

takes the "irk" out of housework



Enjoy hearty and tasty meals on time, gentlemen? Like your wife as crisp and fresh as the celery she bought for dinner? In the interests of both considerate and selfish husbands, Popular Science an-the-screen reports on the latest kitchen kwickies . . . modern scientific conveniences that make the kitchen a playground (we hope)! If you are out to make a hit with the little lady, take her to see this feature of Popular Science on-the-screen . . , and get ready to improve that kitchen!

# popular science on-the-screen

Produced in Magnacolor by Fourbanks and Carlisle with the cooperation of the Editors of Popular Science Monthly Distributed by Paramount Pictures.


Popular Science on-the-acreen 353 Fourth Ave., New Yack, N. Y.

Here's my vote to bring the latest issue of Popular Science on-the-acreen to my local theatre.

Theatre

Address

Address







# Right Now We're More Interested in a Mothproof Bathing Suit

Why bossn't some one invent a floating hockey puck? I noticed last winter how



many times a puck is hit by an amateur player and lands in the pearest hole in the ice. Trying to fish it out is of no avail, as it immediately sinks to the bottom like a leaden weight, much to the distress of the players. A floating puck would surely be an asset to hockey players.—D. S., Medford, Mass.

# Thread Dial Indicator Made Without That Worm Gear

IN Your November 1940 Issue there was an article by C. W. Woodson on a thread dial indicator. It's fine: I built it. But here's an angle to that project which perhaps many a chap overlooks: I have cut a number of relatively large worm gears for astronomical instruments, using the method the author describes. That's very good dope, and it was an excellent idea to publish it. However, it scared some chaps away; they thought it too difficult. I spoke to two men who had given up the idea and told them to use a 32-tooth steel spur gear, which is obtainable at low cost, instead of the worm gear. This will work just as well and it reduces the cost of building the dial indicator to only a fraction of what it would be with the worm gear.-H. B. B., Pittsburgh, Pa.

# He Wants No Nail Polish on HIS Scale Weights

WITH all due respect for K. L. R., I disagree

with him on his idea of coating photographic scale weights with nail polish, as suggested in your March issue. The added weight of the coat of nail polish would render the weights inaccurate, especially gram weights.—H. A. S., Jr., Los Angeles, Calif.



I LET THE HANDFACTURER


# TRI-STATE COLLEGE

B. S. Degree in Civil, Electrical, Mechanical, Chemical, Radio, Aeronautical Engineering, Business Administration and Accounting. World-famous for technical 21/4 year courses. Also short diploma courses 36 weeks in Surveying, Drafting Non-essentials eliminated. Tueston, living costs low For ambitious, earnest students. Special Preparatory Department for those who lack required high school work. Students from all parts of the world 58th year Graduates successful Enter June Sept Jan, Mar Wide for catalog



561 COLLEGE AVE., ANGOLA, IND. \*\*\*\*\*\*

# OFFERS YOU GREAT FUTURE



Curties-Wright Technical Institute, Glandale (Les Angeles) California

# ELECTRICAL

ENGINEERING IN ONE YEAR

Propers at Bloss for a better place in vital industries and de-18466. Learn fundamentals of electric theory and practice. Apply them in modern shaps and laboratories. Competent faculty gives personal apporation Gradualita in demand. Comfortable living quarters; specique compus. 49th year. Measonable rate. Catalog. 106 Takoma Ave., Washington, D. C.

# LISS ELECTRICAL SCHOOL

# We can buy it for you IN THAT DISTANT CITY

through Western Union Shopping Service. You describe It . . . . we will buy it and see that it is delivered on time. Free telegrom with each order. Ask for details at any Western I nion office.

### DEGREE AT HOME

From A Chartered Institution of Higher Learning Employers New Demand College Graduates With Degrace

Ca Degree Courses in Acta Sciences Philosophy Education Paints Results for her Jurispendence Pay helegt, Misciology Physics Chemistry tensions Paint Sciences Theology Law Haplaces Training Accounting States for Agricultura Particular Cleff Rechanical Profiting Architectural Automotive, Steam Passac Accounting Radio, Structura Important Highway Petroleum Riving Marmo-Refrigaration. Air Canditioning Chemical Engineering Founded 12th Characterial McKintey-Rossevett Graduate College, 4610-A Sheridon Road, Chicago

# **CARTOONS!**

RAYE BURSS will trush you HOW to CREATE ORIC PSAL CARTONNA at home that you may Shall, I murse contains 26 lesuped and over 600 Illustrations. A I for Only.

Send name and address for fees details. BUANS SCHOOL, Studio 8, Nex 3583, CLEVELAND. DHID

LOG

educational books on avery and greatenized. We buy for cash ausject Send your name on sensy postcard at once No obligation

500 Sherman, Dent F-201



# THESE MEN SAID "YES"



Carriette at Benadupplaty Section.

Leanth of h) PW Fort

w lode in Speciator of At her Fort All total de M

Had Dan Il Months after

Lorettag flantina. In hipotopia a. In manachi 6 pumi hamiler

to at an in my Madia how to nable twir too in his been to pie. A. d. RATEN Buy Mish 4 lade water Texas



35 to 510 West to Sport tion

"3 am en

mared to spare lamb land of the state of the range at this extra minor poor does come to hands. Those such to bulkely.

# Advance Yourself **Heip Your Country** BE A RADIO TECHNICIAN

M I special dathers on a dense Radio proth a cutty of second one as a regular
R of the de are opened by a copy to:
C a for floater To the new fluid of Tech
a construct as I will been so they as he
is the floater as a very as their legals
of the form is never as their legals
of the form is no very as their legals
of the floater of the trunce of a college at
the floater of the first bon fault of the floater
of the floater of the floater than the college at
the floater of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the
their a college of the floater of the floater of the floater of the
their a college of the floater of the floater of the floater of the
their a college of the floater of the floater of the floater of the
their a colleg

### Boginners Quickly Learn to Earn 85 to \$10 a Week Exica en Buare Time

Mal the common terms how N ft 1 tening you to be a Radio Techne in the how you have to be a Radio Techne in the you have to be a Radio Techne in the your last to that the property of the act to that a respect to the act to the act

J. E. Smith, President, Dept. IFP3 Mat unal Stadle lociliute Washington, D. C.

MAIL						4					
· BIG	_			_	•	4	17	Ľ			Tion I
Mr J E Se National Ra							C.			M	24
Without old it is Rose a plainty								the series	ak Ii su	11	write
				Apr				4			
Name	 4	+	+		+			+			
Address	+	+									
City					E	ale					



# High School Course at Home

Many Finish In 2 Years

You can complete this simplified High School Course as rapidly as your time and abilities permit. Equivalent to resident school work prepares you for entrance to college. Standard H. S. texts supplied—Diploma. Credit for H. S. subjects already completed. Single subjects if desired. High Schooleducation is very important for advancement in business and industry and socially.

College Entrance

During the past 19 years, our High School graduates have been admitted to 531 different Universaties, Colleges, Junior Colleges and Normal Schools—80% of them without entrance examination. Course also prepares for teachers' certificate and pre-professional examinations.

**Business**—Industry

To get and hold a good position in Statem today you must be able to write clear, accurate letters and reports—do figuring involving Algebra and Geometry—task intelligently on matters requiring a knowledge of Geography, History, and Economics.

Geography, History, and Economics.

In Industry—Mechanical and Engineering lineayou must have at least an elementary knowledge of
Physics and Chemistry—he able to figure quickly and
accurately know something of Mechanical Drawing
and blueprints—and he able to talk and write accurately and clearly on both your work and ordinary
topics of conversation.

Our High School course meets the preparatory educational requirements for Business and Industry.

# Pon't Be Handicapped... Complete Your Training Now

But High School Graduate! Prepare yourself for promotion in Bissness and Industry—for the Professions. Codege Entrance and social success. No matter what line you may select, High School training will prove invaluable to you! Our moderate fees cover all instruction, standard textbooks and Diploma. Easy monthly terms. Get ahead in his. Start your training NOW!



### 17 Other Courses

Over 150 noted Educators, Engineers, and Humness Men helped prepareour special instruction material which is used by many resident actions and colorges, U.S. Navy and Province of Manitoba, Canada We offer you quality training at home for the best paying lines as listed in the coupon. Nonbligation, Write TODAY.

Mail coupon for information about line that interests you

### American School, Droxal at \$5th, Chicago

	checked. No obligation-
Name	
Address	



# One More Tabby Gives All for Dear Old Science

BEING interested in the experiments of O. C. T., West Lafayette, Ind., to see how a



cat takes up milk with its tongue, I tried it on our old cat. I found that the milk enters the cat's mouth under his tongue. On the down stroke, our cat seemed to kick the milk back into the mouth instead of dipping it up on the upper surface of the tongue. When corn flakes are in the milk, they stick

to the upper surface of the tongue.—H. K. C., Flint, Mich.

### Another Cellar Machinist Volunteers for Defense

R. S. B., of Gothenburg, Neb., is right about putting homeworkshop fans on defense jobs. I also have been a machinist for 22 years,

but at present am on the police force and on duty eight hours a day, with nothing to do after hours except play around with a small lathe, drill press, shaper, and milling machine which I purchased from advertisers in your magazine. I could make a number of small parts for defense items.—J. W. S. Ambler, Pa.



# We Wonder Why They Put Casters on Furniture



The letter from L. G. M., Minneapolis, Minn., whose father could "make the table walk," interested me particularly because my mother has the same power. I'd love to be able to do it myself, but I guess I don't have enough electricity in ma, or something.—M. L. H., Upper Darby, Pa,

### PARKS AIRPORT EAST ST.LOUIS, ILL

### Offers YOU COLLEGE and PROFESSIONAL TRAINING Majoring in AVIATION

Accredited by the Minols Superintendent of Public Instruction. Recor nized by D. S. Office of Education as an Institut. It of Higher Learning D. S. approved as a Commercial firmum and his my School and Mertan-les. Below). Arrived ed by and comperating with the I of ed States Army Air torps in giving flight and mechanical praining. Upon to high school graduates.

FOUR courses lend to B.S. degrees in Professional Pileting, Aviation Operations, Maintenance Engineering, Astronomical Engineering.

TWENTY-TWO TRAINING PLANES are used in professional flight the ming which prepares graduates for arrive flight operations. FACLLITY of 82 specialists to various flend of as a ton.

1560 graduates. Expediment impred to a total of 300 commercial ariation students. Capacity enumbered of 560.

100 area a sport 25 builtings devoted to achool purposes atcheticaly.

Dorinitor, or and daning half, at the todege Bummer term July 7. Send postcard for new 44-page catalog.

14th YEAR PARKS AIR COLLEGE, East St. Louis, M.

# Regain Perfect Speech, if you

Every stammerer should have the new \$87 page book "Stammering. Its Cause and Correction." Best free to stammerers. It describes the lingue Unit Method for the adjentific correction of atammering and statter of blothod surressfully used at Borne Institute for 40 years—since 1801. Endorsed by physicians. Write for full information. No obligation.

Benjamin N. Suque, Dopt. \$75 Circle Tawar, Indianapolis, Indiana.



Both Electric Are and Acetylene by practical Shop-Plan method in a few short weeks No test books, You learn by doing Phrest equipment Low tus-tion. Pay After-Graduat on-Plan Also, courses in Auto Mechanics, Collision Work, Metal Pintshing, etc Illustrated lit-erature free. Write today.

MICHIGAN TRADE SCHOOL Datroit, Mich. 2718 Woodward,



Earn a Degrae at Home From A Chartered Institution of Higher Learning Employers Demand Degree Men For Key Positions as Degree Courses lit have read the Manager of Deals or Art of the Art of the Manager of Deals of the Art of the Manager of the Manager of the Art of the Manager of the M McRin ey-Roppovelt Graduate College 4610-# Sheridan Road

eutra a a Picken or a Stationyeta e First ble p un to mee aper to needs of meets to be and Opera on Diesel First ble p un to mee aper to needs of meets be not be to jobs Order, impert trade a not in West que her you and hrites you get a good pay job Transports on all wed to L. A. Earn room and board while learning, here est Free Ca alogs.

### SCHOOLS Bept. G.PSA ATIONAL

MAKING

Same samplified method that has he ped train crescars of Trezy of Prestes "Wash Public." 'Out Our Way "Wino - Windle "Hes say to loss "Birange An It Seems. Secret Agent (T. and numy others. Earn white learning Buch for for the ture Chart (In Iral your shifty and full data at (Stair age THE LASSES SERVEL, Rep. 188-18, Ballocal Min. Clausing C.

Go into business for rourself. Earn up to 125 per week sharp-ening lawnmowers. BIQ CATALOU FREE. Sand post card to

The Fate-Root-Heath Co., 651 Bell St., Plymouth, Ohio

AIRMINDED TOUNG MEN INTERESTED IN TRAINING FOR ENTERING THE WELL PAID FIELD AY, ATT IN AS APPRENTICES Write immediately enclosing elemp.

MECHANIX UNIVERSAL AVIATION SERVICE CO. Wayne County Airport, Haz ES7, Detroit, Michigan Dept. H6

MECHANICS KNOW You Need

this

Book

JUST

GUTI

NEW PLUED DEIVE PULLY EXPLAMEDI

YOUR

CAR

At DELP NEW ACTO GUIDE. This book saves time, money and

warry Highly endorsed it presents the whole subject of auto me-shaples I—Basic principles, 2. Construction, 3—Operation, 4— Service I—Repair Faully understood Over 1500 pages 1540 Illus-trations showing inside views of modern cars, trucks and bused with instruct can for all service jobs. Diesel Engines fully treated,

Fully likestrated to day this Assistance for Voursell Biophy
Fill in and Mad Compan Today.

COMPLETE - PAY ONLY \$1. A MONTH THEO, AUGEL & CO., 40 WEST 22nd STHEET, NEW YORK
Planes need me postpaid At DELIK NEW AUTH Mistril 3.12 1118 34 for free sapendantion of this is to sope i well pand two 13 within 1 days pleasured in somethy

mild previous jumps of \$6 to paid, Otherwise, I will notice it to you premptly.

# ELS Carpenters Builders Guides



freshin from Intermetion for targets on In the a desire on the line of the state of the line of the li

### Inside Trade Information Ont

How to use the steel square- flow to the and tet Here to use the start appared from to the and set as my How in build furniture—How to use a safe how to be use the shalk line—How to use pulse and makes—How to make joints—Carpenters arithmetic—Relating manneration problems—Kertinating strength of timbers—How to set girdens and silly-villow to frame house and rooks—How to action as an area. How to build house, harm, garages, bungalous, ots.—Row to read and draw ages, bungalous, sta.—Row to rend and draw plane—Drawing up specifications—Row to or a vate—How to two settings 12. 13 and 17 on the stred symme—How to build staine—Row to not on lateries trim—How to being decom—How to both interior trim—Row to being decom—How to both by Some-How to paint




THEO. AUSEL & CO.,	40 W. 23rd St.,	New York City
NAME AND ADDRESS OF THE OWNER, WHEN PARTY AND PARTY AND PARTY AND PARTY AND PARTY AND PARTY AND PARTY.		

will remit \$1	dispused by	Designation of the last	PLE CO.	HALP I AND DES	10.5
Me driffinitalitie					


• • • • • • • • • • • • • • • • • • •

Please meation Porular Science when writing to advertisers.



When a leak develops in a heating boiler, tank, radiator or pipe, you can seal the cracks with Smooth-On yourself, without heat or special tools, or previous experience, and the repair is lasting. Smooth-On is useful in many other household and auto repairs, too, for it will seal cracks in auto engines and radiators, crank cases and gear cases, tighten loose parts around the car, and loose household fixtures, tool handles, door handles, etc.

# FREE Repair Handbook



170 Diagrams and simple instructions for making repairs around the home on the auto, and in the shop Contains many helpful suggestions not published eisewhere. To obtain your free copy of this manual, bli

Get Smooth-On No. 1 in 13, ox. T-oz. 1-lb., or 5-lb. tins at nearest hardware store or if necessary direct from us

SMOOTH-ON MFG. CO., Dept. 68 574 Communican Ave., Jersey City, N. J.

Please send Smooth-On Repair



A littless


Name

# With the Inventors

NTERMESHING like giant gear wheels, a pair of amusement-park merry-go-rounds provide new excitement for thrill-seekers. Each "tooth" of a wheel carries a car for passengers, and, as it revolves, gives the riders the illusion that they are rushing



toward an inevitable collision with the cars of the adjoining wheel. To make the sensation even dizzler, the wheels revolve on a slanting instead of a level plane. . . . IT LOOKS SIMPLE—but there's quite a bit of inventive headwork behind a penholder for a deak set. devised by Samuel W. Traylor, Jr., of Allentown, Pa. When the pen is inserted in its socket, a pool of mercury prevents ink on the point from drying and caking. As soon as it is removed, the pen is ready for instant use. Moreover, the pen point is kept bright and clean by its mercury bath, with which ink will not mix. Therefore any writing fluid automatically is wiped from the point, and rises to the top of the mercury, whence



it rolls off the convex meniscus of the fluid metal through email holes leading to a reservoir below. ( Mercury, because of its high surface tension, will not pass through the holes.) As often as necessary, the reservoir may be cleaned. The receptacle is designed for pens with steel or iridium points, and not for those of gold or gold al-

loy, with which the mercury would form an amalgam. . . . A "CRASH PROTECTOR" to save occupants from injury, if a plane noses over and lands on its back, is proposed by Alex-

(Continued on page 22)



11 Sters T B a Pag. to to how seems at cheers occurred as anto proper authorives. inventions have become large commercial REGISTERED PATENT ATTORNEY WASHINGTON, D. C.

ACTION IS IMP	ORTANT Mail	
CLARCUSC & CHARLES	No1-to-and Statement Assessment	

Dept. 172, Adoms Bullding, Washington, D. C.

P'ease send me your 48 page Patent Guide and your Specutly Prepared Record of Invention form PREE. This quest does not obligate me,

Same	
Address	
City	State

Patery rain dis a es-

# MEN & Prepare NOW For Essential Work in

at once - w

There is a pressing need for well trained Draftsmen-to meet Industrial and Defense requirements. Flans and blue prints must come test in all defense activity. More important for the future—draftsmen and designers must come first again in changing book to peace tame production. Here is YOUR opportunity for a better job, Good Pay-more security

### Get Practical Work Training

I will train you at home-in your spare time -by applied instruction on actual work, the same kind of jobs you will do in the Industrial A large start and the field, and train you until you are competent.

Lines went to you experienced, holding a good pay position just as I have trained many hundreds of

men from 16 to 50. When competent I will recommend your practical work experience as references. You don't need previous training to start with me—and lack of higher education should not hold you back. You can pay monthly for this practical training from an Engineer; the cost is reasonable.

FACTS

Professional Drawing Instruments, all work-GET THE ing tools, also drawing table furnished with training. Don't put off until later, or too late. Start in Right NOW. Take the first easy step today. Write for training details and cost. Engineer Debe, Div. A339, Libertyville, III.




# With the Inventors


(Continued from page 20)

ander P. de Seversky, president of the Seversky Aircraft Corporation. In a design he has just patented, the device consists of a rugged telescoping strut, withdrawn into the fuselage during flight by the same mechanism that retracts the landing gear. When

the wheels are lowered for landing, the crash protector simultaneously rises so that it projects well above the cabln or cockpit. Should the plane turn over, an airinflated rubber hemispheremakes contact Initial with the ground. The impact forces a plunger back into its seat against a cushion of air and finally hydraulic-type



shock absorber. If those aboard the plane are securely strapped in, they will not even be jarred by an upside-down landing, the inventor maintains. His safety aid, because of its compact form, offers a minimum of interference with vision. . . . Not too flattering to Home suptens is the title of patent no. 2,233,397. It reads, "Harness for Dogs and Children," . . . INSERTED LIKE A SCREW in the end of a cigar, a holder invented by Thomas R. Schlitz, of Newark, N. J., provides a secure means of attachment. Oval in cross section, its threaded portion spreads the packed tobacco as the holder or cigar is twirled between the fingers, forming an open chamber within the cigar. The fragrant smoke may then be drawn freely




through a slot in the side of the embedded tube. For cleaning, the holder may readily be taken apart as shown, . . . MANY INVENroas have proposed amphibian craft, but a (Continued on page 24)

# ISSENTIONS "I have a word for you worly !"

WHEN you place in the hands of an attorney the responsibility of preparing your application for a patent, you rightly expect to get the strongest, most comprehensive patent which your invention warrants.

This old established firm of Registered Patent Attorneys offers you those "Extra" services and facilities which contribute so richly toward obtaining this desired result. We are able to draw priceless information from our years of practice at the United States Patent Office. Very often we are able to give our clients money-and-time-saving advice based upon our extensive experience in patent matters. We assign to your case a Registered Patent Attorney who is thoroughly experienced in the particular art to which your invention appertains. Adequate financial resources enable us to offer you the convenience of deferred payments if you need it. But with all the "Extra" services we provide for our clients in our attempt to obtain strong patents, our fees are quite moderate.

Your inquiry about our services will bring you promptly, the two hig plainly written books and Evidence of Invention form illustrated below.



# PATENT and SELL your INVENTION

Opportunities for men with inventive ideas have never been greater. For 43 years this firm has been being such men we've prepared two books that plainly tell you how U S Patent Laws project you how to obtain a good strong patent and how to find a buyer for your invention Use the coupon below; it brings you both books PREE—sho our est-important, useful Evidence of Invention form,





BRINGS YOU

EVANS & CO

Merlin M. Evans

REGISTERED PATENT ATTORNEYS

MAIN OFFICE: 436-Q VICTOR BUILDING WASHINGTON, D. C. Pittsburgh Office: 514-C Empire Building

Les Angeles Office: 734-C Security Bidg.

Rush by return mail Prec copies of your books "Parent Protection" and When and How to Set an loventum graph
important "Evidence of Invention" Form

Name

Address

City and State



Have real fun this summer! Indian's exclusive "Spring Frame" makes riding a joy, gives greater comfort and safety with pep and power to get places. See your Indian dealer today! Pay as you ride!







# With the Inventors

(Continued from page 22)

land-and-water vehicle patented by George E. Powell, of Glendale, Calif., attracts special interest by its simplicity. Affoat or ashore, the pilot-driver employs the same gearshift and other controls. Endless tractor treads, with shoes of folded, reenforced



rubber or leather, propel the hybrid vehicle. In climbing a beach and traveling on land, the shoes afford resilient traction; in the water, they serve as paddles for the propellerless craft. Treads may be operated independently, for turning, by individual clutches. Elther a gasoline or Diesel motor may be used as a power plant. The inventor foresees possible applications as a pleasure craft, a life-saving boat, a freight carrier, and a towboat, as well as an armed amphibian tank for military uses. . . . FOR A PAT-ENT APPLICATION, drawings will usually illustrate an invention sufficiently. Do not submit a model unless it is called for. . . . A SPOON THAT STAYS PUT, on the rim of a cook pot or other utensil, is a welcome con-



tribution of Kent Whitman, of Boston, Mass., to the convenience of housewives. Just above the spoon's bowl, a hookshaped extension projects from the handle to serve as a support, By this simple expedient. makes you wonder why you didn't think of it yourself, the spoon is prevented from altpping down into the

contents of the pot. It also remains cool to the touch, instead of burning the fingers when it is picked up. . . . WATCHING A MOVIE SHOW in a fully lighted room or theater is

(Continued on page 86)

Please mention Popular Science when writing to advertisers

"25c

# TIL CHRISTMAS" says Cowboy

From Montana comes this voluntary endorsement of Marlin Biades' Now that patents have expired, Marlin brings you 20 super-keen, high-speed surgical steel blades for only a quarter, double edge style Single edge type 15 for 25c They're guaranteed by The Marlin Firearms Company, "finest blades money can buy ... or your money back!"
If your dealer is temporarily out of stock, send 25c to the address below, and you'll receive a big package of 20 unbeatable Marlin Blades by return mail. Before you forget, send for your Marlin Blades today!

THE MARLIN FIREARMS COMPANY . 18 Willow St., New Haven, Conn.



### NEWEST FREE PATENT BOOK NOW READY

It's fresh from the press—this NEW FREE BOOK—packed and jammed with latest facts about potents, inventions and the modern inventive market.... newly written, newly published and copyrighted, disclosing the latest developments in modern potent practice. Learn about today's demand for inventions, how modern inventions are sold, how your patent protects you, facts about royalties and the modern method of merchandising new devices, etc. Book contains latest information on patents every inventor should have.

### REQUEST YOUR FREE COPY NOW

The demand for this new free book is so great that our first printing is going fast. Send us your request today and we will arrange to mail you copy of book "How To Protect Your Invention" at once. Take no action about your invention until you receive and read this new book; but act at once in filling out the coupon below and mailing it to us for your FREE copy.

### TAKE FIRST STEP

By all means make an accurate, dated record of your invention on the "Invention Record" form you receive with our FREE BOOK and mail it to us immediately. This form, sent free, will enable you to establish the date of your invention should need for this evidence arise. This step costs you absolutely nothing, yet it may be vital to your success.

### OUR SERVICES TO YOU

As Registered Patent Attorneys before U.S. Folent Office, we are especially equipped by training to handle your patent case with skil, thoroughness, competence and promptness. We are located right here in Washington—we make personal calls at the Patent Office, and we give personal attention to your individual case Send coupon at once requesting our BOOK and INVENTION RECORD form—both free—know how the Patent Laws protect you, and what steps to take to secure patent protection and self your invention.



Inventions For Defense

RUSH Your Army, Nevy


tion to us for special processionary advice and old. Write

McMORROW & BERMAN

Registered Patent Attorneys

142-K Barrister Building

Washington, D. C.



# McMORROW & BERMAN

NEW FREE


INVENTION RECORD

Registered Patent Attorneys Before U. S. Patent Office 142-K Berrister Building Washington, D. C. Send me your new EYEE book HOW TO PROTECT YOUR


Send me your new FREE book HOW TO PROTECT YOUR INVENTION and revention factory form at once. I wo decided that this require does not obligate me.

Address

City. Stole Stole (Welle or print name rlearly)



Increased
production
means more



### Jobs for MACHINISTS and bigger pay for men who know their work

This home-study course gives you the practical facts on modern machines up to-date methods, you need to advance in machine shop work. Take advantage of the other man's experience as found in books to solve your problems, increase your efficiency, with

# The NEW AMERICAN MACHINISTS' LIBRARY

5 valumes—2014 pages—1853 Hiestrations (A combined home-study course and reference Rivery)

This library of machine shop practice was written for practical men. It gives you the best methods for every kind of machine shop work. It fully explains lathes, drills, and other machine tools and their operation, automatic screw machines, speeds and feeds gear design and production punch and die work, meta, surfacing, etc., etc. Plainly written—completely, mainsted—the best kind of help to the machine shop man who wants to advance himself.

No money down-special price-sesy payments.

### EXAMINATION COUPON

McGRAW-Hill BOOK CO., 330 W. 42nd \$1., New York
Bend me for ten days examination the new American Machinlets. I brary if natisfactory I will send you \$1.50 to 10 days
and \$3 00 month y unit the price of \$16.50 to paid. If not
wanted I will return the books postpaid [To lease's present
shipment write plainty and filt in all lines.)
Name

Home Address
City and State
Position
Name of Company


PSM-6-41

# With the Inventors


(Continued from page 24)

made possible by a scheme of recent invention. The secret lies in using room lights of one particular color; and a projection screen that absorbs this color alone, reflecting all other rays. For example, the main illumination may come from sodium-vapor lamps.

In this case, the screen is of glass frosted containing such rare metals as neodymium didymium, which absorb the yellow light of sodium vapor. In consequence, the screen appears black, until motion pictures are thrown upon it by a projector using ordinary white light. The film is then seen as usual. In the same



way, it is suggested, television pictures could be observed through a transparent screen of special glass without darkening the room. . . . Disposal of half or quarter shares to a patent is not unusual, but a New Orleans, La., inventor of a separating machine has gone to greater mathematical lengths. Each of six assignees receives 31/252 of his patent rights. A seventh assignee gets the remaining 66/252. . . . CON-VERTIBLE in only a few minutes' time for use by a man or woman, a bicycle designed by Cataldo Giambra, of New York City, has double utility. The upper bar of the frame has been made detachable, so that it may occupy either of the positions shown by solid and dotted lines in the diagram. To hold the



bar in place, slotted connectors are used, and these are made rigid by acrews tightened upon them. So little is the appearance of the bicycle changed by the convertible feature that it might be taken for a standard model.

# Today. YOU CAN HAVE THE KIND OF JOB YOU WANT

Here's why and how!

Millions of men going to work in new and expanded industries: millions of men going into military service. That means hundreds of thousands of preferred jobs will be open—jobs as foremen, supervisors, accountants, production men, traffic men, executives, sales managers, cost men, department managers, etc. Some will be filled from the ranks; most must be filled by new men who get ready quickly. If you prepare quickly, that is your opportunity, LaSalle spore time training fits exactly. It is condensed, practical, moderate in cost, If you are in earnest about success, ask for our free 48-page bookiet on the field of your interest.

LASALLE EXTENSION UNIVERSITY A Correspondence institution CHICAGO, HLL.

Short, Intensive Defense courses in Aircraft channeal, Structural, Architectural Drafting Electricity, Power Plant, Arc. Alberti We, ing Oce and Two-Year courses in Aeromatical, Electrical, Mechanical, Electrical, Architectural, Urvil Engineering. S. S. Doures 3 Yes. Low Indian and living costs. Parts line work for room and board. Thousands successful graduates. Extensive equipment. Theory and provides. Non-essentials omitted. No home andy courses. Catalog free,

FINLAY ENGINEERING COLLEGE

1002 Indiana Ave. Managa City, Mo.



Government Approved courses. Marier Machanics, Asympactical Engl neuros, Arkee Eulis and Cuntril Tower Operations Instruments IU E. Aviation Bidg.

P.I.A. parameters, landership trans. Approved Repair Board, Artest thy are were married for the priving man, practice in well-up appeal shape "loof" militing a current in American. U.S. phones Export instructions, Exchange \$1500,000 August Soul for Gateind catalog. Dept 378-2.

August G Becker, Dreeter

# PATENTS—TRADE MARKS

All cases submitted given personal attention.

Form "Evidence of Conception" with instructions for use and "Schedule of Government and Attorneys' Fees"-FREE'

LANÇASTER, ALLWINE & ROMMEL (Palent Law Offices)

413 Bowen Bldg.

Washington, D. C.

# ATENT PERSONAL

My Personal vervice assures strictest confidence on all your patent problems Seed the g model or drawing, or

sketch and description of your invention, and \$ 40. I will make a search and report promptly as to its patentability and send yes a copy of my 71-page booklet. Or, if you prefer to read my bucklet first, write today for FRES copy. Registered Patent Attorney.

L. F. Randolph, 340-D Victor Bidg., Washington, D.C.

# Get into the BAKING BUSIN

Bakers make good money? Now 7th Industry in wages? Near y depression -peoof New home study Buking Course Qualifies you. Common school education sufficient. If you're (ambitions, write for FREE BOOK, "Opportunities in Baking "National Rabing Institute, 1315 Michigan, Sept. 136A, Chicago

Find out your ability. Send name, age, occupation and address for Free Vocational Art Test.

Federal Schools, Inc., \$141 Federal Schools Bidg. Minnespelis, Miss


Auto Mechanics and Welders are in big de-

mand. Complete courses in are and acatylens welding, body and fender bumping. spray painting and metal unishing

after graduation plan. Special low rates. Write today

MICHIGAN TRADE SCHOOL 2720 Weedward Ave., Detroit, Mich.





LAT-SHOOTING, high-speed SUPER-X .22's pack a punch that finishes pests with precision, instantly-st long ranges! They're available with two types of bullets-solid point or hollow point. Smokeless powder. Non-corrosive, clean-ride priming. Mail the coupon

now for descriptive leaflet and the valuable Western Ammunition Handbook. They're

WESTERN CARTRIDGE CO Dept.P-16, East Alton, III. Mail, PREE, your SUPER X 22 Lea 76-page Western Ammunition Hat Name	let and the time
Post Office	****
TOR CHECK	31 06



Tired backs and aching arms just don't happen to users of MontaMower. All the drudgery and noise of lawn mowing in done away with. No dead weight to push and pull. Instead, just 7 pounds of live mechanism that first gathers then cuts the grass closely, smoothly, and to the correct beight; no matting; no streaking; no clatter; no cattles. Cuts a 16" swath through long grass, dandelions, spike grass and weeds. Cuts right up to walls, fences, trees or posts, leaves no fringes to be trimmed by hand. Cutters are self-sharpening. Built to last many years. Guaranteed. Thousands in use. Sold direct from factory. Costs little. Write at once for guarantee information and literature.

# MONTAMOWER DISTRIBUTING CO.

326 Houseman Bidg. GRAND RAPIDS, MICHIGAN

Please mention Popular Science when writing to advertisers.

# INVENTORS **Get PATENT FACTS**

Free Books Answer Questions-Tell Now to Get Protection

Your ideas may be worth money! Get facts that and save time and money. Competent advice on patent procedure is essential to good results. Our 6d years' experience enables us to explain everything you will want to know about protecting and com-mercialising your idea. Mail coupon today for books and special "Certai-cation of Invention" form, Prompt. confidential service and results.

Putent Afterneys Since 1875 216 SNOW BLDG., WASH. D. C.

Please send me the free books filtstrated without cost or obligation

NAME

ADDRESS



**←** MAIL THIS COUPON FOR FREE BOOKS






Now you can know at sight 60 of the latest airplane types you read about and see in movies This amazing 64-page booklet gives pictures, with specification and performance charts, of U. S. Boeing, Curtise, Brituh Spitüre, German Stuke, Italian Breds, Russian ARK-3, Japanese Mitsubishi and other fararen fighting, commercial and private planes. Send coupon with only 10c.

National Auronauties Cornell, Inc. Des1.606A.37 West 47th8L.N.Y.G.

Yes, I want the Plustrated book let "WINGS OF THE WORLD" Bend it, postpard, without of ign-tion on my part. I enclose a dime.

d.a saranda i i a i a	 ******	 	-
Address	 	 	





Correspondence Courses In RADIO and ELECTRICAL ENGINEERING IS

LOW AS AND

CLECTRICAL EMBINEERING. Get good grass of wide electrical for d Manage Very and establis. Theory made may made position address shorts execute the read position address shorts execute the read position full to be super service man yet vacuum table technician Tultion (NIY 62), either course librarred payment plan Experiment that furnished.

FREE through the first open of a hoot retaining student magazines atc.

# BUILD ARCEWELDER FROM OFF

For Light or Heavy Work, 75-200 amperes Commete FLAMS and valuable cata og Wi-35¢ Over 1000 Electrical Supply Bargains

Lainy Mtg. Co., 1323 Lojey Building, Minneapolis, Minnesota



sensational newst Show friends complete the men a there's chow friends of the price and parket big I A St PROPERS on one price and parket big I A St PROPERS on one price and parket big I A St PROPERS on one provided the price of rich quality was been talketed to company. However, before a section of rich quality was been to be a section of the price of th

### EWRITER Bargains Send No Money-

Gette or I aderwoods. Repuls the refinished \$1% office models aren't preduced to meet a mich office of in the 10 day that in by surranteed case from -100 a day free case, or Limited comply 231 W. Monroe St. Dept 507 Chicago

# WHAT IS YOUR FAVORITE HOBBY?

\*\*\*\*\*\*

You'll find many interesting hobby articles and offers in the Classified Section starting on Page 35. Look through these ads Now and onewer those that interest you.



Profession



offer expires. Bend your dime to -10 E. 45th St., New York, Dept. 75

### DEGREE IN TWO YEARS

Degree courses in engineering Electrical, Civil, Chem ... Mechanical, Radio of Arronautical, 1 yr. Mech. Draft-ing Approved by Civil Aeronautica Authority participation in Pilot Training Program, Large industrial center Prop courses without extra charge. Earn board if desired. Low (altion, Enter June, September, December, March, Write for Catuog

561 E. Washington Bird., Fort Wayne, Ind.

### TECHNICAL COLLEG

CHOOSE

CER SCIENCE PICK & JOH TOR YOU

TODAY pettings job or chessions a career is its Greater Direction and Science represents a determine for you, in advance justished types which we profession require sex southed for.

FREE Send outer name on a pentile professed for FREE booklet explain on the new proven was greater to the booklet variational Guidance Assessines, D pt 26. Turses, Ariz,

portage and handling ; - for this

Complete Kit Art now before this

Command admiration—thrill New Ho is Study Method Chas. Norman Granville, targed opera senser and voice teacher, to whom thousands paid large fees for personal instruction. System now Low price and easy terms. Details sent free. Write today.

Low price and easy terms. Details sent free. Write today.

ERANVILE SCHOOL OF VOICE

Dopt. A-23 100 East Only Street Chicago, Minete



THINK OF IT! An amortment of ever 6% pieces of fireworks worth to its for 25% anch with order. We have the famous Zi BIA" final split crackers. Workl's suddent. You get more for your money at BANNER. 100 FHEE calutes with every order. Write for free catalog.

BARNET FIREWORKS

W. Toledo, Ohio



### 🦞 PASSENGER TRAFFIG INSPECTOR

Our home study train on prepares that on his for it count on newscary job o recognition of Many good enginesian a Conditated such on 1 to 1 per mo. plus expenses to start Established little



. Transact Quaisses Travers burtitutu

Bir 386.

GENUINE U. 1. BARGAINS



8. D West Branketh (ubrd) McClellan Sadd et (ubrd) U S. Army Pup Tents (ubrd) Get Math Bags (new) 89c The \$2 19 5 93 2 50 Get Math Bags (news) BPC Threetands of other in genes in the Caty outdood & sport goods for hunder former scout Send Par for 52 page cutalog exturned with first order

A and N STPPLY CO.



### FOLLOW THIS MAN

Secret devrice Operator No. 35 to m the job Supplier down dangerous Counterfelt Cang. Tall-tale Super prints in mardered gurf a resear.

Free The Confidential Report Operator No. 28 made to bis chief Wells for the

Karn a Regular Monthly Solary YOU can become a Flager Frint Expert at bonns, in your spare time at small cost Write im read-dential for report and details. Literature will be usual unity to persons stating their age.

HISTITUTE OF APPLIED SCHEPCE [720 Summyrade Ave. Chicago, III. Dept. A-136




# MUSIC LESSO

AND IVE STUDED ONLY A FEW WEEKS!

# for less than Tra day!

## Learn Music Quickly, Easily, Right at Heme

Tou think learning music is expensive? That you have to



Here's the secret of this simple method. Your lessons are in print and picture form. They show you every position every move—just like a teacher beside you—explaining, encouraging, coaching you.

### FREE PRINT & PICTURE SAMPLE

See for yourself how easy it is to learn music this modern way And how inexpensive. Mail the coupon today, thecking your favorite instrument, Instrument supplied if needed cash or credit, U. H. School of Muna, 86 Branswick Bidg., N.Y.O., N.Y.

	of while, we process			
Please send	me Free Booklet nr	ad Prin and Pir	ture Pample. I t	rould
like to play	Institument checked	below (th you m	nte line amend <sub>een</sub>	
Prese	According	Trumpet	Likulaja	
Violin	Sanophene	Trambuna	Other	
Gester	Mandalan	Manje	Instrument	
	•	-		

Name	MANUEL MALLEY	***********	GATTLE STATE OF THE STATE OF TH
StreeL_			WIE THE THE PROPERTY OF THE PR
City		Bute	7817 MININGS

Please mention Popular Science, when writing to advertisers,

# INVENTIONS WANTED PATENTED OR UNPATENTED

Practical and useful new inventions, or novel improvements on previously protected devices, can now be safely marketed without patenting expense. We have successfully helped inventors for over 17 years in selling their unpatented ideas to manufacturers, with positive safeguards under Federal Court decisions. Send for complete information about this co-operative owned association. Over 50 inventionminded employees.

References. Dun & Bradstreet, Thomas' Register of American Manufacturers, etc.

CHARTERED INSTITUTE OF AMERICAN INVENTORS DEPARTMENT 3, BARRISTER BUILDING WASHINGTON, D. C.




Take advantage of the great need for supervisors, foremen, general foremen, superintendents. This need will in-crease because of the Delense Program and the humana boom Add to your present ability the knowledge which will prepare you for these better jobs. You can do it onicity, an your spare time at home, at moderate cont. Laballe Afoders Foremanship training is condensed, interesting, practical—what you study ion ght, you can use on the fol tamorrow. It was built by experienced factory usen and is taught by experienced shopmen. Write for our first 48 page bookset, "Modern Foremanship." It to be of the opportunities and gives full details of our training. It's FREE, Mail this od or write today.

# LASALLE EXTENSION UNIVERSITY A Correspondence Institution

AT HOME you can make perfect flruble rather molds, any object Just point plants rubber over object. Let dry. Dien cast imitation marble, etc. Write for free sample and free house Making

SO-LO WORKS, Dept. X-823, Cincinneti, Otto

U S Bureau of Standards states: "Off down ROT wear out mechanically and may be used ever and ever again." (After recigiming). Thousands of ear track and tractor owners have proven the truth of this statement with the gas of MECLALMO. To a revalutionary device filters







# EARTHBOUND

IS THERE a strange, ethereal mental cord that binds the consciousness of those departed from this world with those who remain? In psychic phenomena a fares or fact? Let the Rosscrucians (not a religious organmation), reveal the satisfying tracks about these prysteries of self to you. Write for free introductory Sealed Book. Address:

Scribe M Z.D. **%** ROSICRUCIANS SAN JOSE (AMORE) LALIFORNIA



VHY NOT substitute every spring substitute fall gathering butterfiles inserts in the price list in my featurations the price i pay for 75t different ids flowers to graph and the note amount (literated Princette before amount of the today list 1912) who linear before the linear today list 1912 but 1930, the Diego, Cattle insects, cost. 7, Box 1930, the Diego, Cattle.

Splendid opportunities, Prepare in spare time. Easy plan. No provious experience preded common achool education sufficient. Send for free booklet "Opportunities in Photography" particulars and requirements.

American School of Photography
1315 Michigan Ave., Dept. 1344. Chicago, 111.



Werleg Committee Street From Brook of age of the age of a second of the age of a THE TAMBLEN SCHOOL OF PENMANSHIP 439 Ø der Bullding

# HOW TO EARN MORE MONEY

You'll find many way to earn more money among the Classified Ads starting on Page 35. Turn to this section Now and answer the ads that interest you!





The Thinking Alphabet is a tested short-cut to a hooser mind, before opening, stronger personality quicker advancement, higher earnings.

FREE Mand Pawer test and Booklet. Self Advancement Institute, 99A Fern St. Philadelphia.



### WITH THE WONDER VISE

It a present profitable work No experient of the Programmed Bringing Tools, Full Inc of guaranteed Stringing Tools, Present. Gut and 5th Strings. Every Item high quality.

W. A. BICKEL & CO. 137 M. Marton, Dept P-65, Oak Park, Ill.

Now 84.95

### REAL ENGINE VALUE



The Q. R. Q. is a ministure gasoline engine that rea ly operator. Over 15 000 sord in the last year. Now is your chance to buy the New Impeaced 1941 model & I for \$4.05 ABSOLUTE IY COMPLETE with on t. modesser plug, in-attuctions, etc. Oney a accordingly peopled. For bon a, p anes, toldget care, etc. Al. parts gustan terd. Send only \$1 - ha aped Collect C. O. D. some day, Bend for PHL & hiergines or be for Jumbo estatog.

GHQ MOTORS, Bopt. 8, 40 East 21 St., New York, N.Y.

Zar tral

Paymont Plan Pays BIG

and Make up to \$12 in a Day! Let me send you a fine all-wool union tailored suit PRES OF ONE PENNY COST Just follow my

easy plan and show the suit to your friends. Nake up to \$12 in a day easily Partial Payment Plan No experience—no house to-how concessing necessary.

SEND FOR SAMPLES—FREE OF COST
Write today for FHE details. ACTUAL BAMPLES and "euro-dre" money-getting plans. Send no money. H. J. COLLIN, PROGRESS TAILORING COMPANY 600 So. Throop Street, Dept. T-220, Chicago, Illinois


WANT a new bustness profession of your own. with all the trade you can atlend to? Then become a foot correctionist, and

weeks earn big income to service less. - not medical training no further capital terms for home needed, no goods to buy, no agency Lutablished 1894. Address

Stephenson Laboratory,

62 Back Bay.

Bouten, Mass.





Learn to eat up and run ANY kind of machine; MAKE MORE MONEY NOW by learning quickly NOW TO DO THINGS which usually take years of study and practice! The de-mand for SKILLED men is AL-READY ahead of the supply, then what WILL IT BE a month or two from now!

Bigger Pay Don't miss this chance to qualify for promois yours almost for the asking Eight B.g Books checkful of important mechanical facts told simply and clearly. Over 3000 pages, nearly 2000 illustrations cover every subject fully including Tool Making Pattern Making, Foundry Work Mechanical Drawing, Forging, Machine Shop Practice and Management, and hundreds of other subjects.

without extra charge

8 Big Books (Up-to-Date Edition) Sent FREE to you for examination. With them we send a big binder of nearly 800 pages with 267 original shop lickets with 1200 illustrations. These show step by step how to set up and run almost any kind of job and are in addition to the 6 books. Decide in your own home or piace of business whether or not you want to keep them, check up on any facts you want to. Note their great MONEY MAKING value then, if you want them, pay on the easiest kind of payments. A year a consulting privileges with our appropriate pay given with these books. ing privileges with our angineers now given with these books

American Technical Society, Publishers—Home Brudy Courses.

American Technical Society. Gept SA20, Drevel at Sith St. Chicago, y a may send me the a big books and binder on shop tarks a for free examination. I will pap the delivery charges only unless I deride to keep them in which case I will send \$2.00 in teh derigand \$3.00 per month until the total price of only \$16.50 in teh derigand \$3.00 per month until the total price of only \$16.50 is paid. If return them in at days t will own y a nothing. You are agree to send me a cert ficate such lag me to consulting printages with your experts for one year without exits there.

Name

Address Proces attack a latter stating age occupation, employer's name and address as a tract of at tract one business man as reference



gut the apper training to win the earlier, fetter promotion now possible and to go on to a recurs, inference career. Hundreds and bundreds of Auro ITI-trained mechanics and engineers have already proved the very advantages you weat from your aircraft trainent.

Aero ITI graduates are in constant demand for the better openings to Avismon... are with all leading strlines and accords manufacturers .. are singled out for advancement. Find our for yourself all about the big syruas you get in Auro ITI training and what they can mean to YOUR. function Aviation. Write, or send the coupon, NOW.

ABYISOUT BOARD Robert E. Bress President, Luckhaud Aircraft Corporation K. Herthrep Promined, designation, loc

A. Von Duster

Vice-President Commissioned

out Course


# AERO INDUSTRIES

\$347 W. San Fernando Rd., Los Angeles, Calif.

Fire Course in AIRCHAFT MECHANICS and AERONALTICAL ENGINEERING Including 12 Month Aircraft Mechanics Course Approved by U. S. Civil Assessmentles Administration



Send for this \$1.00 Book for HOW TO GET A JOB IN AVIATION



See your Schult dealer today or send for illustrated FREE catalog. Schult Traners, Inc., Dept. 3106, Eikhart, Indiana.

FOSTER & STEWART

77 Swan Street

Buffalo, N.

bes 10km 33466d

PAY

Many bighame - band drummers found a "Pot O' Gold ' in their mastery BERNIE

BERME MATTHESA

MATTINSON, featured ace with

HORACE HEIDT and His MUSICAL KNIGHTS, in the big-GRETSCH DRUMS have won high honors in the musical world. Start your career with a GRETSCH, made by the oldest drum house in America. Stage, screen and radio constantly need new muncal talent, so start TODAY to learn to drum . with a famous GRETSCH DRUM.

Send penny postcard for literature and FREE photograph of your favorite drummer; also full information about EASY-PAYMENT PLAN and FREE trial. Address Dept. PS 62.

The FRED. GRETSCH MFQ. CO. Musical Instrument Makers Since 1883 SE BROADWAY, BROOKLYN, M. Y.

GRETSCH also offers SUPER VALUES in Guitars. Saxophenes, Trumpets, Trombones, Accordions. Soud for FREE extalogue, Mention instrument





# ARE YOU "Unhandy

At last a service and repair manual has been made for the auto owner who is not a mechanic. Here are bundreds of "borse-sense" methods for keeping your own car in perfect shape—no matter how old or how new it is. AUTO KINKS tells in non-technical language, made clearer by drawings and simple diagrams, what to do no matter what goes wrong—how to make temporary or permanent repairs to the motor, earburetor, ignition, lights, starter, radiator, chattis, running gear, body, fenders, top, and even the garage. Will give you more understanding of the mysterious "lusides" of a car than anything you ever saw. Service men will get a world of new ideas from it too. 197 pages, full strong cloth hinding, pictures on every page, Only \$1,00, Sent C. O D plus few cents postage, Ask for "AUTO KINKS." Write to

Popular Science Monthly, Dept. 61 353-4th Ave. New York, N. Y.

### FLUORESCENT'LIGHTING AT 60% OFF! (COMPLETE READY-TO-ASSEMBLE KITS) FOR WOMESHOP, STORES, Anyone can assemble. Complete instructions form shed. All metal parts beautifully finished Newsest starter type electrical equipment fully guaranteed by us. Medicin wall and criting figure, Complete plus Postage UTILITY LIGHT Complete Kit Executive Desk Lamp — 15 watt Adjustable shad-Once mgale we are best to being and the marel

70c nches improvement. starting an even June Tube With with mamel reflectors

Azento Wantedi More That 80 Models To Offer Your Customers

in manual reflectors. Fluorescent highling offerable greatest oppositually in American business on fraterior and area and service men. If attures introduced on this page are now retained in the risk in the last onestimated in the rate are now retained in the risk in the last onestimated in the rate in the result of the risk in t Matternal Fluorescoot Sales and Service 404 North Wells St. Copt. P.S., Chicago, M.

BULB 70 cents catra Polished swetal end capt. White examel body. Price includes switch.

### OFFEES MIG OPPOSTUNITY FOR YOU TO MAKE BIG MONEY

Check Bete prices—First!!
Fluorescent Lights!!
Shap lights \$1 93 up!
Selts for \$4 95 up!
Home lights \$1 85 up!
Selts for \$1 95 up!
Selts for \$1 95 up!
Big 46 Store Lights \$5 50 up!
Selts for \$12 95 up!
GENERAL ELECTRIC EQUIPPED
TOO!!



DIXON'S GRAPH AIR GUNS MOD squeaks, remove rartles, case binding. Squeeze them and shoot. Only Dixon's Guns are filled with world's best Dixon's Microfyne Powdered Graphite - the quick-acting pow-

dered lubricant that cannot burn, wash out, drip or gum. Nothing better for endless uses in work, sa car, in home, in sports. Most dealers sell them, or write for bookler CG 27.

Beautifu. cop words finish

Plus Postage Josh 58 Cent Dalle

# WOOD CARVING and WHITT AN ARTISTIC HOBBY FOR ALL

This new manual shows you how to do every kind of wood carving. How to carve jewel boxes, picture frames, trays, chests, furniture, etc. How to do chip carving, level surface carving, incising, carving in relief. Carving human and animal figures in the round completely explained and simplified. 256 Pages. Fully illustrated,—full cloth bound. Send only \$2.00 and your copy will be sent postpaid, or order COD plus postage if you wish. Money back if not satisfied,

Popular Science Monthly—Dept. 61 353-4th Ave. New York, N. Y.

Trained Artists are capable of parning \$30, \$50, \$75 a week! Now to the time to prepare for a p exeant be a a a let career after proven pero ca method COMPRESS ART TO STRATING CARTIONS BINE Art for Pressur & Print La con mer Jan James Hell resident of training and opportunities to Art. 2 AltT. DUTFITS included with course

Washington School of Art, Studio 1367 1115-15th St., N.W., Washington, D. C.

Name

Atheres C 15

Share

Agu

50 LIN.

for BIG

FREE

Levishly

Mustrytad

CIRCULAR

# WEIGHE BIG MONEY Assembling NEW Portable OUTBOARD



AT HOME in a Few EVENINGS

Mend a senseb'e Outboard Ki YAK OK-2 carries 2 and its and dume takes part to the portels at and east to go a pay it the series of its sendable. The flattest an ingest of its had ideal for the flat beautiful flatting. to the first for the first in the first of the first in t

MEAD GLIDERS TO SECURICAGO



Trade Courses, including De-1 Aviation Mechanic Welding fense trades offered Also two-1 Machinist Tool and Die Making waar day Pre-Engineering Mechanical Pre-Engineering

POLM, OHIO

free literature

Armsture Winding

1123 Bedford Ave., Dept. P.B. Brooklyn New York City N. Y.

Address.....

# DO THE DEAD RETURN?

A strange man in Los Angeles, known as "The Voice of Two Worlds," tells of astonishing experiences in far-off and mysterious Tibet, often called the land of miracles by the few travelers permitted to visit it. Here he lived among the lamas, mystic priests of the temple. "In your previous lifetime," a very old lama told him, "you lived here, a lama in this temple. You and I were boys together. I lived on, but you died in youth, and were reborn in England. I have been expecting your return."

The young Englishman was amazed as he looked around the temple where he was believed to have lived and died. It seemed uncannily familiar, he appeared to know every nook and corner of it, yet—at least in this lifetime—he had never been there before. And mysterious was the set of circumstances that had brought him. Could it be a case of reincarnation, that strange belief of the East that souls return to earth again and again, living many lifetimes?

Because of their belief that he had formerly been a lama in the temple, the lamas welcomed the young man with open arms and taught him rare mysteries and long-hidden practices, closely guarded for three thousand years by the sages, which have enabled many to perform amazing feats. He says that the system often leads to almost unbelievable improvement in power of mind, can be used to achieve brilliant business and professional success as well as great happiness. The young man himself later became a noted explorer and geographer, a



successful publisher of maps and atlases of the Far East, used throughout the world.

"There is in all men a sleeping giant of mindpower," he says. "When awakened, it can make man capable of surprising feats, from the prolonging of youth to success in many other worthy endeavors." The system is said by many to promote improvement in health; others tell of increased bodily strength, courage and poise.

"The time has come for this long-hidden system to be disclosed to the Western world," declares the author, and offers to send his amazing 9000 word treatise—which reveals many startling results—to sincere readers of this publication, free of cost or obligation. For your free copy, address the Institute of Mentalphysics, 213 South Hobart Blvd., Dept. 166T, Los Angeles, Calif. Readers are urged to write promptly, as only a limited number of the free treatises have been printed.

Adv.



Classified Ads only 35c per word per insertion, payable in advance.

Minimum ad 10 words. To be included in July issue copy should be in our office by May 7th. July issue on sale June 1.

POPULAR SCIENCE MONTHLY—351 FOURTH AVE.—NEW YORK CITY

#### ADVERTISING

MAII ORDER or agent ad reaching 1 000,000 families throughout United States \$14.00 inch Newspaper, magazine making-list, ratebook, free Chicago Advertising Agency 20-SP West Jackson, Chicago

LEARN Advertising at home Easy pencural plan No test books. Common school education sufficient interes no buotist and requirements free Page-Davis School of Advertising 1315 Michigan, Dept. 1341. Chicago.

ADVERTISE 24 words, 149 newspapers, 48 50. Lists Free, Advertising Bureau, 4819-P Cottage Grove, Chicago

DISPLAY Advertising 705 newspapers. Resid line \$1.47 Pidel ty Advertisers. K 3838 Wash pgron, C. ago

#### AGENTS WANTED

MEN Wanted By World Wide Industry
Write today for particulars about few
good old Rawleigh Rouses hat have paid
well for years. East shed profitable
business, Over 200 farm and home necessities Industry and remains a main quaifications. Man with auto preferred G veage experience, references flawleighs,
Dept. P.N.PEC Prespect, III

OROCYRIES Pree Just agree to show friends neighbors others and I il gave you \$5.00 assurtment foods, groceries, etc. Pree Amazing's simple way to make good money Bend no money just name and address Zanel. 2306 Monmouth Cincinna i Oh-0

OOOD Sideline for printing and advertising satesmen. Decardomania name plates in small quantities. Orest demand. Also make money applying initials on automobiles. Pres Samples. "Raico." 737 Atlantic Ave., Box on Mass.

too Pactories offer you New Fast Sellers Take your pick! Amazing opportunities Baser profits, All found in New Agents' Buying Outde, Sent for at cash or write for folder J. Ocass Publishing Co., Eliwood City Fa

BIG Money taking orders, shirts the hosiery, underwear, penta, jackets, sweaters, uniforms, etc. Bales equipment Free, Experience unnecessary, Namrod, 1922-AV Luccin, Chicago

ACENTS: Opportunity make money; book containing 127 auccessful business plans home-office send for free introductory bookiet. Eitte Co. 216-A Grand St. New York

OCOD Paying business aliveting mirrors, plating autoparts, reflectors, bicycles bathroom fixtures by late method. Free particulars and proofs. Gunmetal Co., Ave G Decalus III

Will you give us htt first \$500 you make?
Afternoons free? Work home \$,000
munth reported (except one) fulltame)
Expect a rprise National BX1360. San
Bernardino Caiff

YOU LL like resilvering mirrors, table—ware, making chipped glass namep a'es, signs, Write Sprinkle Plater, \$19, Marion, Ind.

\$15 DAILY at home. Make cosmetics. Savors, etc Employ agents yourself, Albert Williams. Nicholls On

BION letter transfers. Samples 10c, Elvon, 1027 Bawyer, Akron, Ohlo, PREE water and our concentrates make 72 products. We supply labels, bottles Eriormous profits, Qualco, F-20010 Russell, Detroit.

LOWEST prices in America Proc Samples New styles Absolutely beautiful Win dow Sign Letters, Atlan. 1941-R. Halsted, Chicago

EARN \$19-\$15 da, by applying beautiful allver and goldlike Sign letters. Coat ic Pres samples. Modernistic Sign, T-3000 Lincoln Chicago

WE pack products under Your label. Cleaners fond products etc. Big profits, low prices. Sample Pres. Bepco, 2007 Irving Park Chicago

ACENTS-100% Profit selling Gold Leaf letters; stores and offices. Free samples Metallic Letter Co., 431 North Ciark, Chicago

200". PROFIT celling revolutionary foot comfort longer wear tieless shoelaces. Sample pair 10c Mercer, 307-A East 10s. New York

ENGRAVED name plates number plates.

Bigns profits large Brett Bros. Eimwood Ave Winchrop Mass

PREE Mesican Curion Novelles 100 profits Murquest Apartado (176, Mesico City

#### AIR CONDITIONING & HEATING

FURNACE Blowers and a r cond toning blowers and sizes Outranteed Write for hierature, Reynolds Mfg. Co. 412 Prospect Ave., N.E., Orand Rapida, Mich.

#### ANTIQUES, RELECT

INDIAN relies. Confederate bills, coins.
gens cristals, in least curies in alog
52 illustrations Sc. 100 ancient arrowheads
13 00 Tomahawk head 50c. H. Daniel, Flot
Springs, Ark

EWORDS, Rapters, Daggers, Platois, Catalog 10c. Robert Abris, \$60° Lexington Avenue, New York

ANTIQUE freezens, swords, daggers, Indian relies. Lists free. Nagy, 8A South 18th, Philadelphia, Pa

#### ASTROLOGY

REAL astrology at its best, Free Lampir The Riving Ster, 3004 E. 13 St., Wichita,

#### STOPI LOOK! READ!

These Classified Ade, under more than 210 headings, are full of interest to everyone. Popular Science invites you to read them carefully and to enswer those whose offers interest you. Our advertisers will treat you fairly and courteously.

#### AUTHORS' BERVICE

STORIES, Novels, articles — competently revised, typewritten for editorial consideration. Welton Tinney, Winnsboro, Texas

#### AUTOMOBILES

AUTOMOBILE Racing Book Fifth Edition—Uliustrated. Total new to build dirt track bodies frames engines Records, super-chargers rules forthurs plans, stock consers ins. roads er racing fast Fords \$1.00 pos paid, \$1.15 C O D Ray Kura, Department 251 Madisons, le Cincinnati Olid.

SUPERCHARGERS \$1 00 Guaranteed miseage increase 20% power 10% University of Detroit test Any car give make, year Wrench tostalls 15 minutes John Banley, Manufacturer, \$710 Locaine, Detroit Mich

INCREASE the horsepower of your Pord
VS from 35 to 128 MP without supercharging Send \$1.00 for dr siled, signle
instructions Power Associates, P.O. Box
501 W mington Det

LUBRICATING oil refinery. Pays for self second oil change. Complete plans only one dollar. Wayne Engineering, Green-

SPECIAL motor tune up and repair data, 25c State make and model. Motor Specialues Wilkinsburg, Pa

#### AUTO SUPPLIES & EQUIPMENT

OARAGE owners and mechanics only purchase direct at full factory discount Triple E alloy Self-Locking Piston Rings. Mationally distributed. Guaranteed performance. Stops oil pumping, Saves gasoling Re-bosing unincountry Write for sample and details. Triple-E Co., 1801 S. Ra Inc., Dept. 135 Chicago

CONVERT your car to burn Diesel oil, Save up to 70% foel costs Cheap installation. Wonderful performance Proven factory method Differen and better Costs nothing to investigate, Write for free circular No. 1 Harrington Company 201-206 Manchester Bidg., Portland, Oregon

FUEL of conversions — For automotive, marine engines Write for free literature. Rousion & Logan 21-2 Addison. Berkeley. Ca. fornia

BARGAINE Welders compressors buttery chargers, car washers. Liberal triel, terms. Write Hobert Equipment, Ben P-613, Troy, Ohio

CONVERT Chesp gaschne into Super Fuelt
Particulars. Devereaux, Box 212K, Hattle Creek, Mich

for your car Catalog surprising novelines, damp, Universal Specialities, Aurora, Ill.

STORAGE Buttery clamps, clamp removed combined Quaranteed Sample 20c. Waters Terminal Co. Atlantic, Jowa

REFINE Used oil without cost. Farticulara, C Gerwin. Fairview, Oklahoma.

#### AVIATION

AIRMINDED Young Men interested to training for entering the well paid field of sviation as apprentices see MUAS adpage 19

LEARN to fly free. Folder, dime, Ohmeyer, Box 301B, Hempstead, N. Y. AVIATION wants more Lincoln Trained men for you tons as Airl no Merkan to, peronautical ung neves a spiane factory merhanics obsumersta, pilots This Lincoln Ouvernment Approved School of As a on pincing graduates in fine hig pay goe some Oupor in he for hunty more Country from I weeks to I years preparer for imprediate employment. Reas stable rates write Today for information Line n Aeronautical Institute (Inc.), 2105 Aircraft Bide , Lincoln, Nabr.

A'RPLANK and Eleine Mechanics Kew book a hen e examen on questions With answers covering A planus Regines and Mrc a co C A R Two books to older only 43 00 peripoid of C.O.D. Quis Sestem Dept Ph. 1435 Flower St. Giondan Co.

ATTACHMENT OF STREET OF A CO.

ED MON feijme atorage har er en for light. a d power Eur sale and bat ery diets min'ing plant a motors and he era targetia articles at bargain prices. From interesting literature, W. Hawley Smith Company Craton 7s is N Y

Ohn INE Edison Bettertes for power agt. Non-acid. Pilteen year life, Pive year unconditional guaranteed Low prices (notice of the part of the season feet and Continuity, 91 Sterling Ave. You. Revs., New York.

BOATS, OLTBOARD MOTORA, ETC.

BUTLD a Bont be the Wrich Bes em I a the person of the even ing and profit shoe for the form of the first part of the first person of the first par me beats I were heart Cat Far a Bend De for entalog showing boats of Many types, boat hardware, propellers Marine paints. Boat Fitushing materials and Marine motors Welch Boat Co., Sta. K-1. Mitwaukee. Wis.

CENTINE new Evapode and Eto out-board include new as sew as \$30 bb (pusp small transports om charge) Emma pup ment as sew as \$6.00 Fifteen advanced. \$41 modem to choose from Write for se alogs boat directory and francis Post in Maint Besetter and free Addiese Engrade Maters, 4606 N 37th St., Milwautese, Wis.

BOAT Blueprints and full size sut-to-shape paper pasterns \$1.76 up Letust designs all type program house \$ 30 ft little rated. His d. A. St. sc. catalog for Past 1 New to Public Bunto 2 St. 00 Marris Hardwars calalog or Clere and Boat Blue-po at Co Sighion A-TT Clereland Oftio

MAR NE P wer Eas 's remier) as a Ford motor dumes is a d I to go w h Date Par a and K . Con and Cu alogue 2:e inc. s. chem ton 3600 P Lawrence St. P ade ub a Pa

NEW I per electric outboard motor made from auto generator Uses far battery Complete plans 10c. LaJay Mfg. 623 La-Uses the battery Jar Pidg M meapoles him

OUTS ANTI Motors, Used and Rebuilts, favo moret Used parts, Bargain list free Cis cal Micks, MS Commonwealth, Bris on Mask

MARINE Conversion Parts for all auto Parts Co., 277 Adams St. Boston, Mass. PORD Marine con respons Cutalog Lehman Engineering Ou., Dept. A. New-ark, N

KATAKS, Outhunrds, Howhoats, Durk Boats We twind read Cat & a Catalog J. Ore-Craft Boats, Miliburn, N. J.

KAYAK Blueprints—Debute models, de-tails life Viking Kanoes, Merrick, N Y KAYAK Kits—Outboards—Polder, Sport-tra of Pearl, Paterson, N J.

#### SODY BUILDING COURSES.

CHEST Developer pucket are Pullage as a ore apor roses for chested pursuits freprise the measuremen a hearthog-repairty figure a 4 hearth much'r and safriy ming Palmonator while read a typing his ac we married felder buttings his ac we married felder buttings him ac we married felder buttings him Less Augustes Cattle

BAR BELLE Duribbe in Exercise on po-ment Courses Spor at DEc a Free build-let Good Barbe a Cu Dept 6 Rending Pa BARBELLA We are second argest rom pany Send for free course. Bur Sarbell Co Brade in Fig.

BOOKS, PERSONICALS

by MUYS Such De ed Magazines Ca a-log 20c (refunded he ing books book-lets, photon, act a udies with Circums a, 203 First Ave., New York Ciry

BOOKS Bushs! Books! No maiter what you want in the most line I can fill your order. If you can no find the bones you want seed the an m, or fee me brook catalogue ' day Levt Bryant, 2106 Indiana A v. Ch. and 13

LOVE yery R intellat Art Edit on \$2.00.
Idea as Neuptytes tries on a fill 177
Tower send ift Press Pess Pablishmen But 166 P. Palender Pale N. J. Whatever to get We to you I ton'ty Zic Ease 50th A Cordella Ave Ra it see Md NTEREOSCOFIC (three dimensional) Art Photos Particulars for stamp. Oddity House, St Petersburg, Fla

PRETTY Oirlant acotes, hooks, nevelties Big assortment \$1 Catalog inc. P. S. Praun, 353 W 47th, Chicago,

16 PEAL TIPI'L art studies, \$1.00 Shurt Salm, Beach City, Ohio.

#### BUILD IT TOUBLELY

BUILD your own marking tools, Equip your shop at hig savings. We furn sh Custings, materials blue prin a for m. l ing machine, shaper, band saw, and It star metal- and woodworking tools send for for new 1941 32-page, illustrated entalog Lewis Machine Tool Co., Dept. E-5c., But 116, Station A., Los Angeles.

A a Michig R. Mechan w. fig. of the to see a hinter to any poor spate time built of trac up to a second haid on an modern party of a father son Nolar a Machine Shop, East Wareham, Mass.

BL ID power Scotters andget ears supply the wives making Lowest prices for 5 to fer plant or Bind rooms Devices, Dept. 6-8, 636 North Park-Mde. Chicago.

PROPERATONAL Midget Racers Two-power ser reactions Midget Minerican But to a ore Part part whose New Handbook cutalog—125 Illustrations place in Midges Box 1956 Sir Charage

Ministrative of PRS Midget care Easily b. Complete place and to resture on where a live the car framewoods, etc., I.e. Hernager Mason onto Pa.

MI HIFT A.tim Metaric series? Proping catalog In Link 5- and sectory \$4.00 column to Link 5- and screen de column to the Link 5- and screen de column to the link of the link of

B D arround and pl wood & chen fact ners Frank 25 River Ludermind, 4617

#### BUSINESS OPPORTUNITIES

PLANIFE Industries offer industries then the result in the set of the production of the result in the set of the result in the set of the se was commun. It is not a principles of

SUILD your own Business Popular Grience to anduce your prod-C and hed Ada to to andwer your products in a mer 800 000 busing every month C uns hed Ads w lides small aris have built hig bue nonce for inang them start og an he fire order field flowing up a descript on of your products. We get I prope a advertisement's and a brook them to you for app ... A dress Come Adv Dept. Popula Science Month-ly 193 C Pourth Ave. Not York

IP you have some spare room. bearwent or parage. where you can so light work we can offer you a profitable proposition cast-ing Metal Ashtrays, 5 and 10s novel us top screen etc., for firm of many pasts standing No experience percentary as we furnish full instructions with mouds Speec of full term For details were Motel Cust Fred-nets Co Dept. H. 1800 Buston Bond, New York City. York City

Oww and Operate a general age a co to pair ship Bn a ' ca - al evia lenes vous in prepriet or steady repeat to a reas from porty, affected rouses enables mechanically for med men to he e h e me hust ness all phases of general supplementepa ring hew to secure heart one etc. free etc. Der d. today for free hiersturg. Christy B pply Co. Dout. 305, has if Cen ral Ave. Christe.

MARK color-guard concrete pottery stat-uary gravestones, I mg, was a ficors Resement the exprossing Bookset to or plates the Matternal Potterios, Minneap-

METALLIZING Baby-shops makes you morey Simple! Novel! Perpetual, ought market Sena's interment the profit is a partie term free W w post prepare Mattern Fachers Duy rish Novel; Meta a rets Box 9236, Church Street Annex.

AMMON NOTICE BOTT BOTT OF THE CONTROL IN commercial baking Good field Nearly deprise on groof Common school adura ion a fit see? See d for free busiet. Open de mittee in the Baking Industry and require-ments. But onal Bak in Institute, 1315 and require Mchiena Dept 1764, Chicago

BTARY home business making statusty pin use; art goods; novelties; houses, the concrete pottery, garden furniture at force, marble from an a paid marble Making profits, it able fusion from Creative Publishers, it above the with chemicals, it seems to late the with chemicals, it seems in the Creative Publishers, it is a seem to late the concrete pot era in the test of a day of all the concrete pot era in the test of the seed Cantel and the seed of the late of the contract of the seed Cantel Cantel and MATL Order business course shows very hart to make maney space or I time. nut per a sate ung acherren. Pres de-60" P CTHAPP

GOOD Park & Business silvering mirrors, posting a obserta, reflectors baryles. but room fix a so by late method Prespectations and proofs, Ourimetal Co., A c. R. (here ut l.)

Will resigned on the first point you make?
A grown a free Will home a submore to reported oppositional full not
Ex more parties or National MX.200, had Ber ard no Caul

MARK beautiful things for the home, Sett as a set on \$1 00 Not as a fed, return; \$1.00 Fe a sed, Arta, 1:30 E. It h & Jackson; or Pa

PURCEPRENT Buster moid making stan-ter the of tem ends in market large profits 26 page trutt is cate ofter free Plant 4 5 2 1 free; Muscer 2 6

Print an extremely profitation if at me burd-from operate a Course on Agency Creeks Darron Pres folder, Write, Colo de Anni-ciates Syracuse H. F.

MANUFACTURE Profit making Recess tion facts a crimbers to a se a se l'action de la la la contra de la la contra de la la la contra de la la la la contra de la la contra de la la contra de la contra del contra de la contra del la contra de la contra del la contr every facility the a North Pate of the Planta Dearborn, Chicago,

500% FILOFIT operating America a lowest price penny vendors—investigate Fielding Manufacturing Co., Dept., Pa cot. Jackson, Mich.

127 WAYS to make money in home or other her home of rout own Puls per-ticulars tree Ente Co., 314-A Orand by New York

CHEMICALA convert the cans into evel and the pie of a least \$. In Harry D Cuter the Washing on Mt. Denret, Com.

START profitable collection business your marrially Pine income assured, Con-there hereture free. Morrison, 2347,

MONTY Do Mar , spirited , 25c maga-zine for mail order operators. Latest, fine MONTY 25 Mar the Norm Company, Englewood, N. J. RAINF churams of a r spare room or bearraged 2 owners po file Details free On shock Homestafters, Oshkesh, Wiscom-

Lighth Marble Cokers gared M ld buth spra Comp ion Soors R bet and M ide Par and free Marble ising Service, Edwardsville, Ill

MAKE Art. fetal marble Nove in Socra. per lery Cement series B unit Astro-ple de John J Par P66 Grassie Vista A v. Les Angeles Ca if

SELLING Out Mail Order Susiness, Prem, for same W e for prices descriptions, A. Mame 2076 Dair Are Bronk, N. Y

MFN Women operate Apecialty Candy Factory frame a st spare me Op-por un v for s sudv income (Our 32nd year) Ragadale Candrea East Ora ge N J Mall Order Plan 10c. Satisfaction g ar-anteed. George Beach, Manager Mass.

TURN Tin cans into money Instructions 25c. Chancy, 1130 E. 18th St., Jackson-ville Fig.

WANTED-Typists and Writers for home work, good returns, 10c homes details.

J. J. Vogt, Monctova Ohio.

OPERATE Leg t, mate ammement mathings, automatic phonographs. Box 1591 Rockford, for

ELGIN Waitham Wrist Watches 11 25
Se 16 for free whitesals ra alog Louis
Permit 128 Walhat St Philadesphia Pa
NEW profitable business—bracing chairs,
Instructions, materials 21 00 Larson,
116-6th St., W. Wilman Mon

WE buy from you. Product easily obtainable everywhere, Superior opecia ica. Springfield 114.

HANDY Bun - Earn money home operating Community Fix It Shop, Scafford, 548 Rawlings Carbondaie It

DOI LARS Quarters, daily Instructions 25c Jerome Bernes, 36tl Clasgow, Ports-

awisa Maste Bur Works | \$1.25 to \$2.10 But - abia for many november Mr mod Manu-fac urers 147 West 48th St. New York

WHERE to buy at lowest wholesale prices. Information free, Yorgas, Box M-312, Beyonne, N. J.

HOW and where to obtain experal Particulars free. Star Service, Wapskonsta, Oh.o.

MAKE money at bome Bug upper con Lasy work. Named Co., Winston-Saurin.

POPCORN Machines her used Caramelcorn equipment, Northside Mig. 113 D Indianola Iowa

\$50 00-8 00.00 weekly using sawdast. Details dime, deductable from order Clement, \$43 Arthur, Rochester, N. Y.

YOU, too, can earn more Send your name to Elamor, Box 26, Plushing, N. Y.

WRITERS - Dime brings good paying job Richmond, 504-P Broadway Sterling, I., MAKE genuine rubber molds. Details free June, 101 & Beech, Holyoke, Mass

#### DUSTNESS SERVICE

YOUR Broadway address Only \$1 00 monthly, Particulars free Karavan, 1241-P Broadway, New York

BUSINESS or personal Manage address to the monthly Merchania Association 309 Fifth Ave. New York City

WRITE Articles! Over 2 300 markets Article Formula free, Wr. e Gagton Co. 541 S. Spring, Dept. 51, Los Acades Cabl.

#### CAMERAB, PHOTO SUPPLIES

FOILOW the abrewd buyers who for 30 years have been writing Base for enmera barga na—st a or movie Used Cine Kodak B F 3 5 lens \$22.50 Firmplex Magazine. F 3 5 lens, \$22.50 Firmplex Magazine. F 3 5 lens, \$22.50 Firmplex Magazine. F 3 5 lens, \$22.50 Firmplex F 3 5 lens, \$12.50 Forh Derby F 3 5 lens \$12.50 Vointlander Beass, rangefunder coupled F 3 5 lens Comput Rapid shatter, \$48.50 Thousands of bargains listed in free Base Bargaingram No. 242 Still Cameras—No. 245 Cine Cameras. Write for your copy Mones back gugrantee Base Camera Comput Dept. SP, 179 West Madison St. Change It.

AMATEUR Photographers attention Improve your hobby of picture taking and learn how to make money with it Write today for our 40-page book faring and a sample copy of American Photography em using ten cents for postage Contains at icles and pictures of the world a firemost writers and pictorialists Camera House 141 363 Newborn St. Boston, Main

MAKE in v.ey imphotography Learnquickly at home Easy place Previous expetience unnecessary Common school ed cation safte ent Book et and test rements free. American School of Photography, 1313 Michigan, Dept. 1741, Chicago

BE the First in your Community to make Direct Color Frints. Use the lastest most economical system yet devised. Orders waiting from friends studies and camera shops Space time money makes. We is show you have no many photographic equipment. Write foday Photo Color Masters. 706 Fine Arts B.dg. Detroit, Mich.

OIL coloring bholographs a fascinating hobby or profitable business Learn at home Easy simplified method Previous experience unnecessary Bend for free information and requirements National Art Behool, 1215 Michigan, Dept 1744, Chicago

CAMERAS, Projectors, Suna Lata free Art sample: 10t ) Box 108, Lefferts, Brooklyn, N. Y. WHY bother with lengthy developing, reversing and fixing processes when you can obtain pictures in I tomate with Straco Direct Positive Photographic Cards' Your cainers is your darkroom Write Straight Dry Piete Co. Jamestown, N. Y.

PHOTOGRAPHERS, Amateurs, save money on Paren ed Non-Oxidizing Non-Delenorating I.T. of Fine-Oraln developer. Quart powdered 75c. Oraphic Economy Developer Co. 1624 S. Trumbull, Chicago.

COLOR Toning any photos, Septa red, b. se given No dark room or experience necessary. Complete them, call Laboratory. Complete New York to y.

AMATIUR Contact Printer with Built-in Timer adjustable masks many other features only \$4.45, postpaid, or send \$1.00, pay postman basance. The Raybat Company PS-5 P O Box \$50, Berton Mass

BPELD O COPY projudglass foctoring a schment for Letter Con an Argus C 2 and C 1 Bend for Eterature D Paul St. II, Dept PS-6, 240 So. Union Ava., Los Angeles Cabi

ENLAROFR \$4.59 Enm gen e cht tidee ave of small nega er G aran erd Paramount Sales Compan, 10 Dudae, St. Bos on Mass

CAMERA Repairing Bellows made to order, shutters repaired Bellows made to fit, all standard cameras! Us ed Camera Co., Inc., B. 1515 Belmont, Chicago

NEGATIVES Reproduced from nocks by famous art photographers. In a recitors, assortment, \$1.00, Herman, 3306 Fifth Ave. Evansville Ind.

ART State, glamorous Holls and Artis a models. Eight 5x7 stills, \$1.00. Holls wood Art Supply Co., Box 6076. Holls wood Callf.

#### MORE FOR YOUR MONEY

The same advertisers will be found in this Classified Section month after month and year after year. Reason — Popular Science Classified Advertising Produces Profitable Results!

For full details, write Classified Ideoctions Department

POPULAR SCIENCE MONTHLY 353 Fourth Avenue, New York Gity

#### CHAIR TALK STUNTS

LAUOH producing program, \$1.00. libustrated catalog tor. Cartocatat Baida. O-Pkosh Wis

#### (HARTERS

DELAWARE charters; complete service \$35.00. Submitted forms. Chas. O Guyer, Inc., Wilmington, Del.

#### CHEMICALS & APPARATUS

CHEMINITELY Laboratory apparatus and chemicals for the intral, analytical, and experimental laboratories. Complete supply service for rendents taking correspondence school chemicary courses. Bend its possage for free 44 page taralog. Expt. M.36, Biological Supply Co., 11,6 Mt. Rope Ave., Rochester N. Y.

FREE 40 page estalog of chemical and laboratory supplies for amateur chemtata Wolfenrak microscopes and supplies, actentific books at big discount J. C. Winn, Dept 3C-29, 124 West 23 Street, N. Y. C.

HANDBOOK for Chemical experimenters, thus, rated Sec Experiment booklet and chemical catalog, 1% Reading Scientific Cotopany Reading, Penns.

PREE Chemistry tatalog. Supplies at 5c.
Equip complete laboratory Kemkit
Scientific Corporation, 391E Bridge St.,
Brooklyn N Y

25 TEST Tubes 61, resultat ce giasa 20c 6 Ground Glass Stoppered Bottles 15 cc 53c, 72 Microscopic El des 49c Complete 1 25. Scien inc Exchange, Brooklyn, N. Y. COMPROUS Paints will glow in dark Pive colors, Pairmount Chemical Co., 136 Liberty St. Hew York City

CATALOG 3000 Illustrations 10 000 prices. Sent for 50c. Laboratory Materials, 7317 Vincennes Chicago,

PREE Cate of Chemistry, mineralogy, bology in croscopes, trismopes, Tracey Labora or ea Evanston, 11

AMERICAN Amute r Chemists Society, Founded 1931 Descriptive Rierature free. Hatte : Math

CHEMICALS in Se quantities Catalog So. Figurier's Laboratories, Medford, Mass

SPECTROSCOPE for quick chemical analysis \$2.50, McCutting Sons, Campbell, Cal.

#### DOGS, BIRDS, PETS

PUPPLES, all kinds; free details! Book, 106 photos recognized breeds 35c, Royal Kennels Chany N Y

#### EDUCATIONAL & INSTRUCTION

LEARN a good trade now, Big demand for wesders and mechanics, Complete, practical courses in arc and acetylene welding, an'o and a atom mechanics body and leader humping optay painting metal for big elections. Low races Pay after graduation plan Write toda for big sustrated causing Michigan Trade Bohoos, 3788 Wrodward Detroit Mich

NEW opportunities in Air Conditioning, Electric Refrigeration and Auto Body-Pender including Me at Work welding painting Many trained men earn up to \$35 150 week f Sart preparing now Get Free facts Utilities Engineering Institute, 1314 Beiden, Dept. 318, Chicago,

CORRESPONDENCE courses and education, books and part 3 and 80th Ranged. Exchanged Adamberts Sat, faction guaraltered Cash paid for used courses. Compit e details and bargain stand free. Write Nelson Company, 800 Shorman, Dept., F-303. Chicago.

TRADE Maste ues Current samples - trade, fechnica riam Books on situetione printed englanding, etc. Discounts, I a Free Compere al Engraving Pubishing to 34 & N. Shiter Ave. Indianage's Ind.

USED Carrespondence Courses and educarional books sold or revied Inexpensive.
More shork gus arries Write for free cat
alog lasting 4000 bargains (Courses
bought ) Lee Mountain Pregan Ale

CRIMINOLOGY harder the identification can be beat se field fours or full time 1000 wild historic ed lesson with exate a con free American Foundation. Noct Mo

CLINICAL Laboratory Technic taught in your own home Fractice outfit ampoind Bulletin free Imperial Technical Institute, Box 494-B Elthart Ind

LEARN Au'o-France Personal louns Inexpensive course. Neblaska Finance Gu., Lincoln, Nebr

Con park Box Lill Chicago LEARN Watchmaking at home Book 50c.

LEARN Watchmaking at home Book 50c, Carlette, 1 of N. Marted, Chicago, ELECTRICAL SI PPLIES & EQUIP.

HEALTH Lamp Dual Ray Ultra-Violet In ra-Red AC-IX Bun Tan Vitamin 'D 63 Bo pos paid Beyer Mrg., 4818-O Collage Cru e Clucago

HIGH Speed , horse, heavy du'v, alterput be mutors 69 % equipped with 6 ft, ball bear of flex ble aball 622 00. Butler Electric 1885 Mitwauker Chicago.

PRFE 1941 Catalog 1000 form electrical bargains Leday Manufa turing, 423 Leday B of Minnespers Minn

Mclas \$1.00 postpa d Beret Mig.

#### ENGINES, MOTORS, ETC

BARGAIN 12 HP rebuilt motors 40 cycle, 1 phase, 110 volt, 3600 rpm like gree, guaranteed, 43.25 Send check to Erio Electric Motor Co., 121 Church St., Buffalo, N Y

12 HORSE, 110 volt, alternating current, induction motors. Rebuilt, guaranteed \$7.25. Wilmot Auto Supply, 2247 St. Paul Ave., Chicago.

MOTOR Winding data, diagrams, Winding lessons. Particulars, stamp, Motor Data, Box 7631 Kansas City, Mo.

BARGAINS—Welders, esectroplating, motor generators, guaranteed, liberal terms. Write Hoberts, Box P-511, Troy, Ohio, AIR Compressors 15 xt % 26.00; \$x\$ 57.00; 3'sx2 65.00 Electric druin 's in 60.00 Prec Fu der Nati n.a. 19.36 State Chicago,

PARMS, OTHER REAL RETAIN

MOUNTAIN Farm, 225 Acres quietly ascuded stream 6-rm bouse sig barn emap at 52306 as summer house stock or dude ranch serms page M Free ra alog 1206 bargains Streat Realty, 255-Zill 6th Ave M Y C

SECURITY in Land West cuton Mane sota Montana Idaho Oregon North Dakota Dependable crops, faturable cu-mate Write for aterature, hat of typical bargaina Spor fy state J W Haw, 130 Northern Paulic Ry St Paul, Mann

BEE The Highlands of Louis ann Choice cut over in d selling on 1 bern! Irrise Descriptive book sent upon request Long-Bell Faire Land Corp. \$74 M. A. Long B dg. Kanens City Mu

60 ACRES near White River on mproved pounts land \$150 55 down 55 month v. Pres list and hierature. Hubbard, 200 Orosaman Bidg., Kanasa City, Kan

#### PENCING

# WIRE 6 voil up to \$2.75 complete.

#### FIELDGLASSES, TELESCOPES & MICHOGCOPES

LENGTH Statuble for Beld glasses, tele-scopes, etc. It smeters 10MM to 33MM Var our foral lengths for it not begg 10 exepteen Aught muerfer true he sins I en puts edge Quality assortment of filteen \$1.00 put tie d. Battelart on guaranteed or makey refunded. American Lone Du. 324 Nor h Marfield. Chi nago.

ASTRONOMICAL Telescopes, hinesulars. paired Bend 10c for at of ratramers a de-as ed Rann-worm Ros 200 Amountains. N Y

THE RECUPES. Microscopes Binoculars burgs in cavalog fine Brownscope Co. West 27 p. St., New York.

#### HOLD BURNEY

STOP water wastage! Out Porfect Plith the amazing new invention that corrects a leasy total condition. Easy to inside I Bend \$1.00 for in and its rections for repairing totals. State dismover of overflow pros Romaton Mis. Co 3235 Taft

#### FOR INVESTORS

INVENTORS Unparented inventions now seinbie with puritive safeguards under putent laws flow low cost procedure Complete details from American Ps enta Corporation Dept 12 Wash sgion D C

WE prate begans mercurous potented, unpatented inventions. If will sell, reply moned along Descriptive booklet references from Investion Reporter, 3A-11230 South Pairfield Chicago.

INVENTORS Bed for free cope by 71 page both on patents Reasonable terms. Prompt action Coffee to, personal service I P Randorph, Dept 700, Washington D C

PATENT I ademark requirest research with ce. Complete with a 1 r share of Reasonable fees. Fix minery into no set fire learn of a Retrice Barrest Chapdier Hide Washington D. C.

MAYE you a round practical invention for eale, paterred or unputerred. If mo. write Char reed Institute of American In-ventors, Dept. 1 A. Washington D. C.

CASH for practice) ideas and inventions. Mr. Ball BH 9441 Present, Clutago.

#### FORMULAN, PLAND, MTC.

PORMULAS-Latest, best. Analysis. Lit-Bldg Chicago

PORMULAS Alkinds Guaranteed Cat-ning free Kemica 500 Parks dge 21

SALTED Prantite in the shell Premula by one cator 25c SP Cu Prob Yan N Y Lity me be our chen at Formulas Con-

#### GARDENING

DARLIAS 11 str different Chan bicomera 61 56 12 miked beit names 61 00 Post-bald. Lut. Hillrent Ourdens. Takoma paid. Lut

#### HELF WASTER

FIEADY Work Good Pay Re, able man wanted to ra, on farmers Ni experience or capital ten treet Pleasant work. If me every tight is a money every day Wodorful new proposit in Pay se lars free Write McNess On., Dept. 515, Prospect, Ill.

LOCAL agents wanted to wear and demon-strate at it to triepds. No cantamers Partial payment plan Up to \$12 in a day Experience unnecessary Valuable demon-strating equipment, actual sar plan [796 Stonelled, 1,000 Harrison, Dept T-23], The agent Ch ago

MEN Warted-Arto-Dussel Mechanics We pay your railroad fare to North in Let the train you to be an expert mechanic and help you get a good job. The cast to you is ama; For free houstet was a Mark the Auto-Dimel School, Dept, 280. Manhville. Tera

#### 

ADVERTISING Book Matrices World a hereat Direct Selling. Book Match Pactory offers advance rask earning to rink on very type of business Experience at normally full part time Law plans for high quality quick deliveries, help you get orders Good repeat profit Pres Exinstructions Match Corp of America. 3411 West 48th Pl. Dept See Chicago.

T.L Business Cards stationary book Briches, a mined tape for autent ne-consisted balancouks advertising appoint-tion, pene is posture cards tage. Pricing tests Lowest prices 60°, commission Ex-perience unnecessary. Free deals. Same port. to free. Wittens. 2110 Cantra, Dept. per lo fr

YOUR od to this Classification will reach productive nates operars for your products or services Rates on request Popular Science Classified, 383 Pourch Ave. New York M T

SALESMEN Distributors Marrelogs Magnet c Brush Facela racium cleanor-200 brushes, more chemicals Highest commissions Newsy Brush Works Hartford Conn

MAKE more money selling Red Comet Fire Control Products. Write today for Pree facts, Red Comet, 764 Comet Bidg Litter

BELL. Barga no? Moveliles Paper Specia.

Time Oresting Cards. Hig Profits Ca alog Pres. Eden. C 418 No. Wests Chicago.

BLADEs- ling pentits. Best que ity. Parlary prices. Puetpeld. Ace Biades. Buffalo W.Y.

#### HOBBIES, COLLECTIONS

LOOK! New 42 page filtricated catalog orch de, curtos Mesican goods 207 dime stati p packets Quivira Specialises Co W field Kansas

TEN Year Accumulation steems removed Lone. Box 525 Cl irage II.

EDISON first practical incandescent lamp 1 0 V \$150 C # Ault, 1720 Eletauce East Circuland Ot to

#### HOME CRAFTSMEN

38 TAWN Ornament patterns 25c Other patterns 15" 26" high Dratch girl patierns 15° 20° high Dutch girl frich bie pittle bull terrier Mexican fit Mexican bis dwarf peuglin flower girl 10c each 3 for 25c 25 Nixelly putterns 30c 40 62 2 H size patierns 4 00 pie paid fittinger Box 383-CP Belington, W. V.

BOT AREKNOTIVES! Make be a handbugs of Quant ford and per when the all of free bugs age a buck interest and semples to the Appendix Regular its buck with 50c beginners outly all for all P.C. Herwig Co. Dept. P-12, 121 Sands for Brook in N. Y.

WORK with Please no Make create. par le trave spa tiling us ad house. Shatterproof tablemare in your own high-en Special four pound buildie Pienig as Send check money order M an Brum-Send check money order. M. on Br. mer. 113 Locust St., Ph. adelpr. n. Pa.

WOODWORKING OF Barrid Burt & Ca alog Passing Big word projects Valuable r salues in fare woods sensers injairs supp. on 148 pages 20 in colors Mal life to Craftsman Wood Service Co 2720 P Mary Chicago

NFW 1941 Pattern and Supply Catalog finely filterrating 500 art her Lawn Straments subsuprise plv9 and nove ten dera, fransfera le ter patterna homer aft hand tools stenet, boards, esc Wr te Wo-Mer Bling Ashburn Cia

OLT Pres Leathercraft instruction pamphiets prices of leathers tools projects. Make extra mence of its Lea her samples Sc Wilder & Co, 1818 Crosby Dept. A.S. Chicago, Ili. LEATHERCHAPTRICES - Send the for handbook and catalogue of sook and sup-plies E & Sweet Co., Inc., Lea hercraft Division 8-11, 146 State St., Binghamism,

MONEYMAKING Projects Enothdown furniture novelties Materials that chasery fiend the stamps for Hatomia tool and disserted entaing. Woodcraft first to Plantiew Man

HOME Craf amon Lumber Oak Mahogany Cherry Redwood Whitewood, Ours, Pine Plywoods, Giges Principa West-rhourt Lumber Co. Youkers, N. Y.

MEND \$2.00 for 2 pc oak d nette table tub 30 st.f. Overall size extra leaf 30 s.f. 30c FOR Powell Hardwood Co., Texsrkana Ark

CAST Plante Make your even plant, Il-luminated house mus her Pres folder flow hern Cities Co. 1224 Temple, Long Bran Ca 7

VENETIAN Blinds, supplies, machinery, wholesale Cata of 13r Man acturing Boot et 1, 05 Roberts Box 800, Oloveraville N Y

op FATISTANS, 30 lawn ornaments, 30 subnouetts, 36 novelties, 30 lawn ornamer a life each set of for \$1.00 Modern we askerelt Meg naw Much

BUILD reflec ng land numbers Sample combet too serious. 10c Superior Spects as Springfield In-

ANTIQUES, Ficeron, Relics Catalogue 16s Pic w of most. M. seum Ru mrd, Ill

#### INVENTIONS WANTED

MEW, Modern method quickly sette mori-torious intentions. Write today to Inter on-Ber e Company Professional torious bitentions. Wri Arta Bidg , Hageratown, Md.

SIMPLE practical introduction was ed by Por riorms on we a Chartered last tule of American Inventors, Dapt, 2-C, Week-

CONTACT 25 Buyers! Your invention drawn, 25 prints and 25 manufacturers 66 U S. Drafting Co., 21 Wall Street, New

SMALL Inventions wanted by munufec-turers. I il help you sell your invention write for free circular. S. Hull, 7828-M. Euclid Ave. Cove and Ohio.

INVENTIONS Promoted Patented or un-patented Write Adam Platter Co 163-A Ry at St Louis MJ

CAHH for Inventions -Palanted or unpat-ented, Mr Hell, BC-H41 Pleasant, Chi-

PRACTICAL Insentents wasted by our clients. Patented or unpatented. National Service Bureau, Dept. B-6, St Louis M. bests Pa ent Promotion Spinished 1680 Broadway, N. Y. C. INVENTIONS Wanted, all types, roys, r

#### JEWELRY

FINE Diamonds at Out of Pann Prices Louis da 1 g introdremed out piedess and Land dail g introderened out predicts and hig cach by its present enable us in offer trenume D amonds prices far and than the prices far and than the prices have the monds of the product Dt Change

#### LEGAL DIRECTORY

MEXICAN Legal matters Wm. Corke. Re-

#### MACHINERY, TOOLS & SUPPLIES

WRITE for Free big 1941 Tractor Paris
Ca alog all makes Tremendous savings
Be a a com guars tood Central Tractor
Wrecking Co. Boons lows

THE New Shebet New Filer produces name that have no squal Send for full in-fernation A P Shebet, 125 S 2nd St., Manuales Was

DHILL G and a at achment, price sa all to ed u h bench grander. Laterature on tred with bench grander faterature on request. Tractor Life Co. Bidner lows

COMPLETE Poser Workshop #25 Screwcu't ug Lathe-430 Caralog-10c Ma-

#### MAGIC TRICKS, PUZZLES. MURER NOVELTIES

MACICIAN'S Attention! Clouds of smoke from finger tips and empty hand with mystifying marvelous effect a H tidu see et one for 15 performance ups the er for our do lar Regar Laboratories Caulon H J

HOUSE of 1000 Mysteries? Pamous coast to creat? Produce on Most? Trickel Johney Nuvelsies Two big Ca aloga c mbined into one G ant Edit int 600 year ra-Queen V age N Y

LOOK! Caleser 500 aming my pocket-parior tricks 10c He popular My-tity friends. Earn morey enteres sig c be par et. Ca alog Prulessions Stare Magic 10c Bet.d today Lyle Dougles, Station & 2, Delles.

WORLD & largest professional magic about Reeps you in touch with latest tricks. To race re maining award 25c for 1961 catalog Hilders P 200 W 62nd St. New York MO'I'I WOOD Bon a ! Magicians button, ca and a not i dicton and free trick for 35c Magic R sale of Charles, Box 8866, Helh wood ( a |

LEARN Magic' Join Magicians Praternity!
Monthly magazine sample, 10s. Interna-tional Magicians, Mt. Murris Itil

BOOKS, Tricks, Cards Circus Novelties Cars is several Samples 25c Eas ern-city, 32-We Randelph, (No. \$161, Chicago PROFESSIONAL Mind reading easily learned Write Bond. Box 18, Francis. .

POCKET Trick and Magic Catalog 25c St. Louis Magic Studio, 6366 Delmar, St. Louis.

MAGICIAN'S Meadquarters 216-page Il-lustrated catalog. 25c, Kanter a. 5-1311 Walnut, Philadelphia.

ARTOL WOLNO nea parior fricks Book 25c. Poster, Box 4260, Germantown Fe TRICKS-Novetties, catalog and samples 10c, Ess-Jay 5019-R Winthrop, Chicago

#### MILK GOATS

LEARN about M th Goats Por free litera Ont Word, V visits frd.

#### SCINCELL'A VEGUE

BIBLICAL Distant Pormula for World Frace and Evertaint of Life transled by Docor Dark on complete The ty re-Don't Dark a complex) Tracty for versed This 100 page Unique Book only 120 (cots) Decrine Box 61 h a 4, Brook-150 N Y

PERSONALIZED Buying service gives tre-mendous savings to individuals Jewelry watches, clocks, electrical appliances ra-dios, etc., at wholesale savings up to 30. What do you need? Confidential price list available Harry Sault, 5121 Warrington Ave. Philadelphia, Pa

CORNESPONDEN R courses and return tonal books slightly used find Remed Entranged Adjustments Battellar und gentanteed Cash pard for med routees C 2-plete details and bargain to a set 7 re Write Neuron Company but Sharman, Dupt F-204, Chicago

DRUG Sundries specia ties augoties, etc. ou ed d'es y by mar fac ret Bend for free Biat nidet catalog san ng 75 Mail Order Dept Sa, Box Di. Hamilton. Or arm

WOLLD you like to see how the fame is We & Raint that so d on arrest for sers's works? Then just send a stamp for lastrated books: It shows Now C O Olson. Grandy, Minn

ONTO X Y A PA PRIDATE Expanses prosper () mpans or hip. Gel Free proof, Keene, D-651 fl, Brate

CHIM LAG pagent searches. Newest chemphot for tragger profits. Chemist, 1:44 Bichanan, San Francisco, Calif

BTAMPHIZE Orect Outstreed Photo-a atupa. Reproduced from your Pt. o. graphy 100 55c Guaranteed Wald-woode BP 5 Wa lingford Comp.

to BUYS Back David Magazines. Ca sugphoton, art sudies etc. Cicerone s. 963. Frant Are. Here York City

DEAPNESS Why? Good hearing without mechanical aids No drigs Relies ng deatness Johnsons, Sta C Vancourer

GENUINE Foot Leaf Clover key ring, Be lucky Or ly 25c. Ring Borolling Box

WET bearmen a Save St., water proofing your own! East! Also profitable bushoes Wite Pra. Seep 667 Cibuinnate SOAPMAKING Laarn home No ton-chine's (Stamp) Pours, DF-4846 Burl-lett M waukee

IMPROVED Hamiteet How Wite Streicher and Store Land on C. rulers from the tor Trades Co. Granica City Ld.

BECKIVE gigantic math, magazines, tem-ples. Tour hame in himerous ma ne hats life. Howard, 196 Broadway New York Field interestors how to lorste buried treasure and interests. Fir of Labora-tory Pais A o Cs f

RAISE Angura Rabbi & Mink Bi ter Poul Enturies Phea-anta Valua

THRILLING nover my phe as books Bur assor mover 8 00 Causing 10c E. O. Special es W Carnegie Pa

MODELS & MODEL STREETS THOUSANDS ship fittings, hundred kits, catalog los, Police, 429 Seventh Ave., New Y. 2

ILI USIRATED catalog 40 Kng net Catte ings Supp. as Set Refunded Mewareco, P 24 7 N Ashland Curago

136MERNAE M. n. Trush restroad rate on \$2 pages for id 25c. Vanden Buota a, 3637 Brenden ) Kanasa City Mo

BRASS gears and model supplies. Culalog.

MONEY MAKING OPPORTUNITIES

PORMITAS for any known prepara im in c ding cometes besetages toser cides Bat of a to guarde end Key Chemica. Co kathilren Chicago

BE a professional acceptanter Big free Uni mited apport to the Can be done at their No comper on No coultal ared ed Write to Scrapbouters Outld, 42 Park

HARN conter at home! Thousands do! Home Worker Magazine to bow Samue 25c S sensore, how 0, 4847 H. Emiger Chicago

AMATRUR Cartooniets, parm ble money cuping comics for advertisers. Cumas-Ada Argelo Wid

YOU LL has rea veries moreors takinware muk og ch pped giste hemenistes, siene. Write Sprinkie Pla er 230 Marion Ind

EARS money addressing envelopes circu-Ace Paste But I 23 Berm beham Ala

BOOKKEFFERN Profitable arcounting work for booksessers. Rashin Lee, Vicksburg M. R.

#### MOTION PICTURE A BOUND EQUIPMENT

LOOK! Hat mally advertised movie cam-eras project in films account in Par-ments low as \$7.30 months. Berd plan p for yorat re-and close out large on Don E det a O 730 Boxes on St. Moston Mass

6-16VM Prime scient-sound, bought, so-d, suchanged Plins rected switchers. Pres on acque to the sample art 10c) Grander P. v. 312 West 50 h. New York.

GENERA Frime I wall moving cameras, Save 30 Inu The End tre ere or Daver port 3/ 9 a.

OUTDOOK Pilm 198 ft, 18mm 91 98 25 ft double smm sic. Processing included, Pres bargain lists. Home Movies, Box 2168. Easton, Pa.

LEARN Motion Picture projection, man-agement, Pres Catalog O 10 age Itsea re Institute 375 Washington Elmira, W. Y DEVE OF your own moties. Complete in-

E 34 h B nos ve H Y GLAMOROUS Film productions—Sample straig dime Straig & Laboratories, A. can-

town Pa 3-151did Art films. Proc curalogue (Ministern 10c) Parkway Exchange 961 Enstern Parkway, Brooklyn, Hew York

ULAMOUR Girl Pilms, sample 10c. Art. 1 a't. Hammond Ridg Hammond Rid.

#### MOTORCYCLES, BICYCLES &

1 2 HP Gasoline engines at \$19 95, Complete acceter \$45 96 Clear-Vue Co.-B. Dayton, Ottub.

MOTORCYCLE, parts, accompctes. Most complete stock, New & used, We specialthe on Mail orders. What do you need? The page catalog for Wh man Motorcycle in Supply to 405-9 Southwest Bird., Kansas City Mo.

ALLOY Platons \$3.00 Ind an Harry
Henderson Excessor, Current New
and used parts for less Crinder granding
Catalogue and wings pin 10c. Ballah, 611
No P. B. Louis Mo.

MOTORCYCLES, reconditioned New med. parts and accessories Al makes Large stork Bargains Lituatrates calabet life and an Mousepile Saire Kanasa City, Me,

#### MUSIC, MUSICAL INSTRUMENTS

Mt SIC compand to words Rhyming Pamphiet on request Phonograph re-cording of compasted ones Bond peem, Recease Studies, Dept PS. Box 2146, Bridesburt Comp. Br despurt, Conn

WANTFULL Letter melodies for songs We strange publish, one. Superior Sing Studies Passac N J

PHONOGRAPH Records the Catalogue Paremount MO-366 Sant Market. Barre, Penna

PROFE booklet "Octting Ahead In Song-h of og " Song Service, 43-J Park Place, Brook in W Y

LEARN for ng ptuno! Postal brings free-forder Christensen, 666 Kimball Hell, Ch.(age

BONG Porms wanted Free examination.
M Not Master of Music \$16-P6 South
Artis C in Los Angeles, Calif.

SONGWRITERS Bend poem for our plans and Free H . on ng D 'conery Richard Brothers, 144 Woods Bidg , Chicago.

WE have notice somepouted. Best offer, Proceeds w Laborty Mane Publishers, Same Prac seco

#### OLD GOLD, WATCHES, PRECIOUS

GOLD 434 sunce Ship bld gold teeth, tiumis jewelry, we then receive tach by se use mad detailection sugranteed, from information. Dr. Weisberg a Go d Refining Co., 1865 & Rennegan, Minneapolis.

#### OLD STAMPS WANTED

Franklin stamps, rotary perforated elev-em (up to \$1,000.00 each if unused) Send de for large (instrated folder abowing amaking prices baid, Vernen Baker, (PS-6; Etyria, Ohio.

#### OPTICAL

GOOD symight without glasses. Simple, a treatment, No drugs, A. M. Ja obsety uptain, M.

#### PATENT ATTORNEYS

BUYENTORS: Time counts, Don't dalay. Take first step toward protecting your invention—without obligation field for the Record of anym ion farm and new bank Payent On de for the Inventor containing instructions on how to patent and sail your invention; details of confidential search service and entert payents pak. Write today Carriers A O B. ion Required Fatent, Attorney, 1728 Adams field, Weshingon, D C.

PATENT your Idea, Write immediately for two free books, "Patent Protection" and When and How to Re'l an Inventor. v expense many is even of \$20 has respons and traite a proportion me-classial protested With bulks we are send. In dence of I sentent form. I implement a training less forty-three years appetence A old tak of de-lar Address has at J. Evans & Lo., Rep-mered Parent A torneys, 411-Q Vaccey in the Wash nation D. C. B de Wash ng'on D f

MANY toyen on wit be in ersered in our service Information on subject of obtaining a patent and marketing an invention supplied without can pe Wille on personally McM from & Berman Registered. Page 5 At orners, 143 T Barrinter Balg., Washington D C

TEVENTORS Before disclosing your in-vention to enyone send for Form "Evi-dence of Conception"; "Schoolule of Gov-ernment and Atlanneys' Feet" and instruc-tions Sent free, Lancaster, Allwine & Rommel 413 howen Building Washington D C.

LitVENTORS Bend for free copy my 72-page buck on pa enta Remonable terms, Prompt action Confidential, personal serv-ics L. P. Randosph, Dept. 146-A, Wesh-ington, D. C.

PATENTS trade marks Probablishy advice, book and discounts forts from Prosocial are see. Its og L. Mrs a brain, 1986 Internacional, Bulg. Washington, D. C. Registered Patent Attorney

PATENTS Booklet free E ghost references Best resu to Promptpess casured Watson & Coleran Parent Lawyer, 736 Ninth St. Washington, D. C.

"INVENTOR & Ou de live full procesation about be en ng ae mg inventor & Prank B. Ledermann, 154 Nassau St., New York

PRFI TMINARY advice from Power Exam ner U. S. Parell Office Lawterne Colbert, Mational Press Bidg., Washington,

Til'S star ad menta ich cent in mbinan ing your patent. Free particulars airmaited Robert Beck, Patent Lawyer, 2305 Barrister Bidg., Washington, D. C.

PATENT-Particulars' and blanks, free, atrmatical Sterling Buck, P-Motel Plans, Washington, D. O.

#### PATENTS

Will duccementally soul inventance patented and unpatented Write us if you have a practical useful idea for sale Chartered Inc. to of American Inventors, Dept. 3 B. Week agree D. C.

#### PERSONAL

AMAR NO New Gun K. in Plan. Nothing and the Marmines sport for everyone. A swarp ready to diag to hand or In to him seek constructed. Plants for p. Not who he area or agent a fleet pun part 5. We Cambridge I. C. Cambridge of C

LOOK Ched her being von Maro name plate are at r a schuste for y f a blicense Alsa has large as: Sch as: 1 beautifus parts; tree thr et. Small: 23:6 S.E. 2: 6 Court. Mound, Pla.

WIN prise me ner Bookset Breces fold Copies of the prise of the Bookset Description of the prise of the World Publishers, this-L. Cottage Grove,

Pille Piant dring purstries at tremendous agring w houl ember assembly Seru or our Special me root offer Status Pres-

BINUS Trouble If a victim of Smus or Catarrhal Infection write National Laberatories, Benj, Franklin Station, Washington, D C

150 DESCRIPTIONS Addresses 25c, Westorn Agency, 700-O Hillstreet Bidg., Los Angeles

CONTENT Butlet n 22 h g pages of Concess begin in there of Consect Service, Dept 38 2hr / N M is

Sixt L. Here a needs 200 prof. From rataing is American Trading Will West 186th New Y E.

ALWOYS voice many to was first proable to man, Write Tatton Supply Corp-651 B. R. are Chinana

LEARN Ventriloquism, 3e stamp brings par rulain Nessus, Roum 197 and Magnifer Period 1

ROOF Let ere de bie free and inc set

#### PROTO PINISHING

Indicate the second of the second sec

MAKE Money with your camera! Thousands of dollars paid for pictures. Our hig 136 page book tells you what to shoot and where to sell your pictures. Complete informs on on 2 700 d. Treast in sers of Photographs. Arranged by market and alphanetrs to for quak reference. He of In Make money in prose process for the Me for your copy of write for Free detail Photo Markets 116 Eachange Place, Manther Free

BOLLS developed. Two sets prints plus enlargement coupon 25c Reprints. 3c Over 19 reprints. 22gc Jones Studios, Davenport, Iswa. "Where the West Begins."

DOUBLESTER Prints. Tear toll developed and 8 doublesses period the from 1.4, 120 or 127 also negs see you receive the linch prints Ad area of steel twelve 31, 6 4, theh prints 16 exposure rule ble, 12 earlies of rule 35c. Rep. 5 a 3c such, Our Gran av se. Everlasting H. guest Phrish, Over the largue Paritie Photo Service, Box see San Practice Calif.

EXCLUSIVE introductors Offer 4 beautiful entangements for the florid and 4 megatives of the name and ( p to 2 , 3 4 , 1 and we will return to you immediately and the double of allegatives by arrest with order. Brief regarines by arrest with order. Brief regarines, this ad and the coin today, and must accompany order, Man N ware But 10-16 Quart Mass.

blocker as of value in 15 MM for about today, 36 exposure fine grain vaporated 1° and a management of decked emboured that a mod date. I ghteen exposure be exposure to the first bear ful decked content hash in h free hands alleged them are the hand to the property of the hand to the first bear to to th

nore full developed. Their choice 16 prints on 8 prints with 9 professional entrangements or 8 prints and one colored on largement themsine Moon Time his some 5 known aspectic of aller Erichanbed 1888 Moon 2-4g. La Course W. s.

The grain developed and beauties yells has grain developed and beauties y eninged in 1966 glassy prints the Car ridge re-saded with Far man plus E. No. Be afac me, grain anceed. We're for free me. ng bag informs he and sample print forthn from Laguratory 64, 648 Brown 64,

Excisit Then I (a) Decided and decide and the second second for a second second for a second second

8 PNI ABLARMS NOW and B int developed I 6 have be ama or 250 cm. grow grid get be not also be an expense of the property of th

to not RATISTED Contensors Rolls filbuching der suped top at a ches of fitper marks. Your change this professional extensive error and eight factopeous price of 4 persons 25c Main other burges not fers. Programme, But \$66-18, Management, Main.

PHOTO Protection to home paper to the Mea III by dry to put you from any strain and the protection and the property of the strain and the property of the strain and the property of the strain property of the strain property of the strain property of the strain protection of the strain protection

MOLL developed 16 prints, or 8 prints 2 sturges we or 8 446 m afgress a 25c fred, for unprints is negative as Reprints 2c, 196-81 00, Include this ad for free at price Peerless Studie, Great Northmen Budg Chinago

FFFD Person pictures mailed mans day termined. Six evan deckled-edge prints from risk the One colored or two plain or arguments puts 8 deckled edge from p nix days the Tope Photo. 1201 66 Ogden Ave. New York Chr.

BOIL descriped 0 by bush fadeproof be all prices of two process and exarger ments 35c 35MM 36 approves on the grain developed and only ged to 3 a 2 6 c 11 mg. Own light persons. Toung Photo flers on 446 C. Albana M.Y.

QUALITY developing prompt service. By it developed we provide each possible free entaignment to provide Provide major major Petri 2 discuss Dept. 1) 2 3) 6 W. So h. S. Chicago.

100 GENUINE Rodain given away free!
Roll developed, two prints each exposure
plus free cellophane album. He, Send roll!
Write for free offer, Pho-T-Phe, Box
30 G & Rightand Park, Mich.

MOLLS developed, two prints each and two free eminyement coupuns, 75° reprints to each 100 or more, to Business Studie Unionstille Mo PROTOGRAPHY for pleasure and broth, Propare at home Common action of unition authorized Write for information and requirements American School of Photography [1 3 Michigan Dept 1725 Chicago PREE Trial 16 sparking Lifet me prints, three sounds Hollywood entargements and Pree Leaftertone frame with rel 1 25c 26 replients the 196 8, 90 Overnig 1 service. Listone Studios L-21 Dec Michiga Iowa Nos E prints 2 exposure 25c 12 exposure 25c 16 exposure 50c Overnight service Commit Plus of Service 12 at Columbia. Are Philadelphia Fa

FREE 3 Professional SET Enterprisents
Torta of glassacient prints and 5 of
firm de respect see les 350 outres order
of y Heprise, 16 for 250 Are Bludishtiept H. Les Montes Tona

BOIL decomped and 8 healtiful enlargement of 2 to 6 times in 12er deckled edge light glass. And 8 expension to 13c coin. Restrict enuncients a 1c on the Alden Photon 25c C Actor Station, Boston, Mass IDEAL Photon healtifully finished wide border deckle edge. 25c, roll of 8 and free enlargement Ideal Photon, heal 2268, Paletton N. J.

TWO beautiful prints from each picture on rose 25c Twenty years of se tried puntomery Guick Service, Lone Photos, Dept. J. S. Jahrentste Win.

SIXTKEN Prints from each rell developed, of each prints and Two enlargements, he Prompt and dependable, Cliebs Photo Bectice La Crosse, Was,

BOLLS deteloped - 25c com Two 515 do his we at a professional susargement's 8 s one deckie side pr s 1 us Photo service Dep 2: LaCrace Wa

BCH La developed 6 or 6 prop a maturities at rolls gave t 23c ton. Prohips servatre Gen Pa o Servace 2356 W 63, Dept. A Chango In.

Of the day serve, Roll developed, 6 Velon prince 2 decembe weight enlargements or 14 beach prince 250 Photo Mart, Dept. E. M. ed Co. o.

BOIL species developed Early Trus one E' of state of appropriate for the French Species Berrion, Box 134, New Heltage, Comp.

at 2 entargements 25c, Reprints 3c Wu-

first bie apropriet bill preserum. Dies Riedigett bie ein bie

REM 2 developed engl.' her if is profesb, mar' tak grass or targetter . The I total harter, B. t. 20 M. Bin find M. h. PHOMPT Beryton' Rolls developed, two Velox prints such negative 35c. Mench Scuding, Marrisburg, Penns

oped to prints 25c too glob had desert oped to prints 25c 5 x 1 enlargements 26c, 3—26c, Nordskog, 50, Maywood, Ill 16 OVERSIZE Deckledged prints and two enlargements, 26c, Owiphoto PS2, Weetherford, Oksa.

BEAUTIFUL enlargement from each picter on roll 25c. Cut Hate Photos, Dept. A-6 Janesvale Wis

MOVIES 100" Outdoor 15mm 41 50 25" 25mm, 75c; processing included Cinelah, 475-A Quincy St. Brooklyn, N. X.

SANG Com de exoped and printed the mail of a many other offers VanVean-

CONFIDENTIAL developing, two prints each negative Mc Royal Photos, Net N Barth Harrisburg Pa.

FRAM 547 on h 3vidid developed proarmed to 344, 6 no Bulo for Photos Mal Box of Kingsbridge 84a N V C. ROLL Sexposure developed provided 86a largement 25c Photo Box Jon Bilings harm st N Y

PHOTOGRAPHIC post cards from any stat film, 50c per 6 exposures. Abbey Camera Shop, 421E, 24. Louis, Mo., 0x10 SILE finish enlargement 20c Irving Studio, 4006D Irving Park, Chicago.

#### PRINTING, MITTIGRAPHING, MIMBOGRAPHING, LABELS

THOUSAND next business cards \$1 to.

Special printing prices cards \$1 to.
Mineugraphing Enten Print, 1001 Main,
Gardore Kannas

100 \$15211 Bond letterhoads, 100 \$14 envelages both printed, \$1 60 paripard. Semerille, 971 W. Rossevell, Philadelphia, 180 LETTERHEADS with envelopes Bi-Fold. Personalised, sent postpaid, \$1 Galette. Vienna, Mo.

100 LETTERHEADS 0 , all and 100 envelopes 0', a 10 Reporter From Box 31, Ban Fernando, Cald

ENVELOPES S.pertor qua' ty Pue paid No. 674, 500-61 98, 1900-62 98, Dunn a Welsh, La

PERSONAL Postals. New Patriotic de-tigna Amar diy low prices, Samples free CPCS-50 I Cermak Rd Cicero, Ill NO me tegraphing or mimeographing Only quality printing Bampies. Had Bros., \$46 O Bloodway, Gary, I d.

PRINTING OUTFITS & SUPPLIES

PHINT your own cards, stationery, circulate, advertising. Bave money Comple rules fur shed Frint for others, nice profit. Jut or outfit \$8.25; Senior outfits \$6.55. Details from Echey, Inc., T-8. Meriden, Conn

PRINT at home. 10c will bring a complete catalog of presses, type and supplies, P Pelifer & Company, & Columbia &t., New-ark, N. J.

MAKE Photo-Engraving Outfit yourself! Particulars, sample engraving loc, Mu-Ideal, Carrollton, III,

MANDY Fonts, proofs free Lundman, 734-

NEW type 25th fort Bend stamp. Box 123-N. Janusen Mich

PROPERTURED, OF CUPATIONS

\$40.00 WEEKLY, made growing mush-rooms for us, fresh, dried Dominion Pa sut 31 583 free sparm Morth Ameri-can, 160Y Yang Toronto, Canada,

RADIOS, ST PPLIES & INSTRUCTION BADIO engineering broadcasting, avia-tion and pairs reddle, sen one marine and Morse lengraphy taught thoroughly All superses low, Cataing free Dodge's Institute Popus St., Varparates, Ind

RADIO Kirn \$7 16 up B agle band sli-wave, F autracent ght og Save bil Radio mid pa is enta og Free. McGee Radio at d on to care of Free Radio, FT 26 Kutana t v Mo.

REVISED plans 16 Crystal Sets (4800 miles verified) with "Radiobuilder" - year 25c. Laboratories, 1406-T 77th Ave., Oak-

#### RARE COINS

PRFE! Pore en Coin banks ofe and large 36 page : Stra ed funt ca angue to approval serve and in a Send in the age Up to \$20 rash paid for Indian head on a All da es was ed Busing and 10c Tarbain Course Busing about Main

CHREAIN Cents worth \$750 00, Hargest . va is coin book published, 1941 Edition 36 pages ill istrated with articl photo-graphs Special price for American Come Box 350° C Cle stand, On o

50.000 COINS, medals, papermoney, com-memorative Hall Delara. List free Columnet, 1536 Willington, Philodelphia.

COMMEMORATIVE 6128, Columbian tin-coln, Stone-Mountein. Long feland Cleve and 5 % pach I histrated catalogue 25: Norm St., a Sait Lake, U.ah

WE perchase a find, as head percies. Purchar of catalog is 10c Greenwood, 306 Broadway New York

RICHEST prices paid for Indenheads

1 berryheads and other rave co. a (alalogue for Leve an, Box 483, Emory, On ILLINTRATED re ail com ca alogue for frefrinded: 2000 Quotations James Renders, 341 So Dearts of the ago

RUBBER STAMPS

CUBITOMED 2 'men 25c 3-35c Ours are betrer Ad-Crafus LaCrosse Wis-

I I INES, cushinned, Indexed, 30c 2 for \$5c Printrite, Wairwators, Wis.

SCIENTIFIC BUPPLIES

PftFE beg catalog, Scientific and chemical appolice at Sc. Technical books, Kein-kit Scientific Corp., 330 Bridge St., Brook-Irn, N. Y.

SONOWEITERS

BONG Forms Lyrics Wanted by national-ly known minical attanger. Pub ice and ly known minical attanger. Pub ich ion funtanierd if accepted. Seed you're for offer. Charles Flesher, Box 1806-M. Holly-wood. Cauf.

WANTED, Forms, to be set to music flub-mit for consideration Transcription rec-erds made, Keenan's Studio, PS, Box 2148, Bridgeport, Comp.

JUNE, 1941

BONGS, Forms published. Boysity basis.
Unitmited opportunities, Free advice.
Dept B. Radio Missis Co., 2012 Hollywood. R) d Re. ly wood

SONGS & Song Forms Wanted. No Charge tot melodies. Fire etam, in ion. 115.7-wood Recording Studios, File Preus Sta. LOB ATER PS

BONGWRITTERS - Meledy comprised to your porms \$1.00. Frank Jusan Jr., Segman, Onto

SONG Poems wan'ed Pres examination McNell Marier of Music \$10-PS South Alexandr & Lan Angeles, Calif

profit sharing plan. Allied Music Com-pany, 7808 Reading Cincinnati, Ohio

BONOWRITERS - Write for Pres Book, Plans, Information, Variety, Dept. 0, Salem, Ind

BONGWRITERS wanted Radio ron ret stroma ion Greateastern hongbureau.

SONGWRITS RAT Words melodies Amat-ing opport unity Mibbeles C-15, 2157 No. Avers, Climago

PUBLISHERS need new songs' Powers wanted amond a sty Pire Star Music Masters, 572 Beacon Bidg Ros on.

BONG WRITERN Send poem for our plan as d Pres He in rg Diction at Methand Brothers, 146 Woods Bidg C scago

#### SPORTING GOODS, GUNS, PERMING TACRLE, ARCHEST

BOW and Arrow K is For making letteria-wood bow -b. z arrows \$1.78 Postage 200 China tact on book 30c Culangue Pres. At very 617 80 State Chicago

PIS CERLEPS - Make your own sinkers. Free loider Reading Instrument On Box " Reading Pa

HUNTING, trapping, camping equipment Used guns. Catalog. Hows. Coopers Mille, Maine.

ARCHERY equipment catalogue free M d West Archery, 2209-D Bast 75th, Chicago

#### SCOTCH TWEEDS

SCOTOR Tweeds, \$3 yard, Samples dime. Bridge Mid, Galarhiels, Scotland.

#### STAMP COLLECTING

#### NOTICE

Readers somering ods offering Apprevels receive a selection of stamps from which they may make purchases at prices indicated. Ten days are allowed for payment and return of undestred stamps. Otherwise approval applicants become subject to Section 2350, Portal Laws & Regulations, 1932, providing penalties for obtaining property by false pretense.

SPECIAL TEZ All Different Centine stamps consisting of. Liberia superbly engraved conspins laste it of ng the scarce is --Here of among others the eathemely fare Here Persta a colorful consection of the country now called from Great Consection of the Bot shift Prench Columbia. NA can fine pictoriale Russia Japan Bonn a complete set Spain, in dieg Patricus el Cd' se'a-Blasco Ibarez -Pablo Iglecas Sameron Jacob la Catohra Pranco set extertal fasters and per-LaRete da Mona ery - A rmade - Com-memoration British Ou atta Burma Comparte Zeppedra Bet Italy large pic-torials Darame red base- War Countries a toruly represented Bouth America. Above the a tracing set, etc. The entire collection cutsinging \$17.00 for only One In har f you request an approval selection. We give you full money back a intauter We give you full money back manufact that you can't duplicate this collection for a collection for product of the Plains N T

GIANT Parket 136 Ad Different from Airlca. So th America. So th Sea I anda etc. Incl., des Brearagus a rms , two scarce on sed i noted States catalog in 30c tri-atgle and animal stamps many others A o includes fine colect up 25 different B tab Colonies—Charkert Jamaics Jo-bore, etc. and United States 34 and 35 high values. This causing price over \$4 of Tagrything for only 5c to approval applicants! Mystic Stamp Co., Dept. 56-A, Camden, New York.

SUPER-Wender Packet offered containing Transjordania (emir) North Borneo butfaloi Marchikuo (Mausarum Sudan tha ive) Sarawak (rajah) Ouadro po taugar vefir ng), Costa Rica (rriangia) Iraq inte king Brupet box ng this en-tire packet for only Sc to approval appl-tants Big Instrated little free Kent Samp Co., O.P.D. Bott 87 (M), Brookeys.

FREE! The Stamp Finder! Send today for hig new edition, fully illustrated, en-abling you instantly to dentity an difficult stamps. Also fine parket a range fasculat-ing stamps from Bosha bigraego ha Monace, Patiala, Cyprus etc. inc uding maps at pa an mals and attacke scenes. All free to approved any cants inclosing to postage. Carreion Stamp On., Non Sill, Caisia, Mause

WORTHWHILE packets -- All different -One In ar each Se tofact on guaranteed 100 Bretti 100 Chion, '5 Ecuador 200 France, In Onatema a 50 les and 50 Leb-aum 210 Pour of 50 Rechts 1 to Unique Mart o nota, Free process, Russess, 203 English Are., New York.

PONITIVELY gree rat Free offer latest Beatt & In erna to: a. \$3 50 Aib m cuterhig ent to World contains 34 000 to parts ed desc ptie spaces Boo s 1941 Biss dard 83 00 Catalogue Pt la ety E' y opedia both abools ety Free to App. and for Formuch Dept 33 Bed Cald

Bitt Packet of Transfer at me is and scarce stamps, including Congo, Liberia, Indo-Chira, Dansig, Stam, Egypt, explus information on free albuma seta packets. All for Sc. approvals included. Glendale Stamps, 800G Orange, Olendale, Calif.

WORLD 9 smallest a rman largest map d'amond aud friangle stamps free stamp magaz le magaifer to et dy elamps mits large partiet of stamps from sen 'e et en-tries by hatsain fic w'ts approvate Capt-tat Biamps Dept in Little Rock, Ark

MAGNIFICANT collection to different li-berta. Collection for dispersional star par show up wild as male trains acesses, etc. Presiperfora rough a tre. Ot 7 10c. to approve a published Dec. 82 Co. 6647 Resource Ci. and Dec. 82 ABASSIN A Barbades Ha Coptus Boto Frontid O eece Jamara Likembreg Ma a Philippines Bermuda Serherlands Neera Queera d Ve a Evers hing or y fe with apprinch Single Series of C Webster Are Brook yn N Y SCARCE United 8 afes stamps. Find those

hard to get not inexpersive stamps in our approval books containing over 1800 vs. fev.e. Nou herb Stamp to Son 79-P. Maint Florida

MEVEN Different triangles only Se to ap-prova, applicants. Tatham Stamp Co., SpringSed-36, Mass.

BEY CHELLES Ne.d Carmans Man hakuo.
Bruse Taka (a se littrah Bos mona (Ca mbasard) Every hog Je with ap-provate Viking, 136 P Canton St., Bkiya., N. Y.

PINE Approvals, freshly mounted Fast, person al service, Tell me what countries you preser and I will send their stamps M Hom Skinner, 306 East Fourth, Long Bruch, Calif.

APTCIAL Armada - 21 different includ-ing triangles. Esppeith. Latin-America, sic. Sc to applicants for best value, attrac-tively priced approvals. Continental Stamp Co., Dept. C. Bandy Hook, Conn.

George Wast ngton on y loc to approval applican a Free packet and Nata included. W T Torgenen, West Englewood N J

SCANCE Diamond alone Wonderful packet 115 d. Te ent from strat ge countries British Colories Ha t. Tasman a partorials, etc 5c w. h approvals Rehabis, it has sau St., New York City
PHILATOPIC Monthly free forty pages Includes Stamp Encyclopedia, Free Write Empire Stamp, Dept. PR, Toronto, Canada.

PITCATEN thands five triangles Georgia Tanga ika Labanon e'e '65 Appro-am Dibres, 4108 Oartison Bird., Baltimore Md

175 MIXED stamps to with approvate Dawson, 1305-Y The Dalos. Oregon.

AUSTRALIAN Commemoratives—ten different Je to approval applicants Mc-Curdy, 2506 Highland Drive, Salt Lake City, Utah.

TRIANGLES airmails, scenics, commemoratives. Over 100 different worldwide stamps 3c with approvais. P-8 Co Box 2154, Houston Texas.

FIJI (Boats) Maur t us Ofbrahar cafelogue \$1.00, 25c with approvals, Douglas, Hawkesbury, Ont.

OOYA-NUDE Pactor(s) packet warring countries (Ic) approvals Pace's, 2304-3E, Salt Lake City. Utab.

50 U. S. including commemoratives, airmails, perfeauge, approvate too, Stamp Shop, \$13 Hollandbids., St. Louis, Mo

Empire Stamp, Dept. 19. Toronto, Canada

DNPICKED' 100 U S. revenues on doruments — 10c1 (700 — 50c.) Vanvoorbets, Hyndrian Pa

MEX.CAN \$2 00 bill and 100 different unused stamps 10c, Nagica, 146 No. 12th, Reading, Pa

LILUSTRATED Brochure Canada stamps 03 with approvals. Peterson, Boz 31, St. Paul, Munn.

1000 U. S. or foreign grabbage life each, two 25c. Sundy, 630 Bingaman, Reading, Pa

AMERICA'S lowest prices U S. and foreign pictorials. Dealers Outlet 316 Summer Somerville, Mass

48 SELANOOR, Bostvia, Ecuador Palestine, Siam, etc. Approvals & Libby Stampeo, Sta P. Box 43E, Brooklyn

BARGAIN Surprise Packet! 10c Pictoriau commemoratives. Wisehart Co., Prankfort, Ohio

PENNY approvata Thousands different.
Pictoriais, commemoratives. Rayman,
1131X Broadway, N.Y.C.

EPPELIN and 34 Airmails So with approvals, Paitras, 2204 Rull Ave., New York

DOMINICAN Republic Columbus Lighthouse and 160 good stamps, 10c. Lufbery, M.ddletown, Conn.

JAPANESE 1940 Kirishima Parks complote m.nt. (4) 100 With seneral approvata Box 14. Wilton, N. R

PREE Pony Express set (facsimiles)
Postage 3c Roberts, 401 Bhearerbidg.,
Bayolty Mich

WE buy United States collections, accumulations, covers, sto. Immediate cash payment Stamp Co, Albany, N V.

Triangle, to approved applicants, Green and Co , Norwood, Ohio.

PREE! 20 different commemoratives Postage ic Fenny approvals that satisfy. Doyle, Boz 41J, Barberton, Ohio,

EXCHANGE your duplicate stamps. List, awappets, dime. Registrar, Box 3166, Denver Colorado

LOWEST priced approvals, discounts, write and see. Scott. Bex 96 Somerville. Mass. BOUTH American—100 different 10c—with approvals, Davis, Silver Lake, Ind.

UNITED States \$4 and \$5 stateps Prec to approval applicants sending \$5 for 100 varieties. Wineholt, Woodbine, Pa.

PORTUGAL 100 different 25c to approval applicants. Hermes Stamp Co., Drawer 276 Hempstead, N. Y.

8712% DISCOUNT. Selection against references adults. Dulin, 31 Q Park Row, New York

300 DIFFERENT 20c 600 60c, 1000 \$1 00; 2000 \$3 00, Frad Onken, \$30 19th St., Brooklyn

UNITED States stamps on approval Lowest selling prices in America. Stamp Company Albany New York.

50 FREE, Catalogued \$1 00. Album 3c. Bullard, Box 13. Winter Hill, Mass.

PREE! Canada Royal Visit complete with approvals. Chester, Box 545-V Unca. N Y 1000 U B including \$1 00 for 25c. French, 50 Arcade. Circleland.

Weston Box 143 Poncs City, Okla
500 U S including complete 1/2-45.00
set only 15c Mata-3. Carmi, Ili

1, 2 J 4, 5c Quality approvals. Franklin. Box 45 Richmond, Ind.

200 DIPPERENT stamps for with approvals. Howard Gathn, Bonham, Texas PREE' Austria War set. Postage 3c Wilhams, 601 Archerbidg, Bayerly Mich

18 NEWPOUNDLAND, 27 Canadian, 10c. Altone, 2008 Daly Bronz, N. Y 50 DIPPERENT Spain Sci Gordon Davison, Box 500 D. Manchester, N. H.

150 OOOD mare fore yn stamps, 50 coin. Stanton, Nantic, Conn.

101 DIFFERENT Foreign Sc approvals.
Hanney, 318 Quall, Albany, N. Y
PENNY Approvals that satisfy Neil Gronberg, Box 54418, Philadelphia, Penn

26 BEAUTIFUL Pictorials 10c Approvals, Stampeo, 267 Elm, Sometville, Mass.

#### TATTOOING SUPPLIES

TATTOOING and engraving outfits. Write Tattooco. 651 S. Blate. Chicago.

TATTOOING Outfits, Supplies Insustrated List Proc. Percy Waters, Anniston, Als.

#### TREASURE PINDERS

MT BOOPE Metal Locator fully guaranteed and unsurpassed in efficiency Time payment plan, trade in and accessories Free interature. Pisher Basearch Laboratory, Paio A 10, Calif

BURIED Money and Mineral located with the Magic Indicator Guaranteed, Price \$15.00. Address, Uharles Horton, Belle Rive, Ill

#### TYPEWRITERS, OFFICE DEVICES

TYPEWRITERS adder mimeograph multigraph, addressograph Bend for free lists of machines that will belp you at half price Pruitt, IJ Pruitt Bidg. Chicago.

#### WANTED-MIRCELLANEOUS

MERCURY Cash peld promptly Quotations free, Mercury Terminal, Norwood, Mass, HIGHEST Prices for used Cameras, Binocusers. Microscopes, Drawing Sew Tools, Rifles, Shot Guns any optical or Scientufe Instrument. Batisfact on guaranteed. Information free. Gordon s, 163-5 Madison, Chicago.

CASH for used Microscopes, drawing sets, airbrushes, diamonds, watches, binoculars, silde rules, scientific and medical instruments, tools, Sa. (staction guaranteed, Elman's, 106 SP So. Clark, Chicago.

#### WATCHES

WATCH REPAIRING is steady profitable work. Experis useaby in demand. You can learn watchmaking trade at home, spare time. New original instruction system, Script engraving course included. Write for free details today? Nelson Company, 300 Sherman, Dept. F-2005, Chicago

WATCHMAKERS' Materials Tools— Watches Bought Soid Best prices for Old Gold, diamonds Free Catalog Ben Segal Company Box 150 Chicago.

ELGIN Wasthem Watches EJ 50. Make big money Free watch and lewelry catalog. Plymouth Jewelry Oo., 183-B Canal St., N. Y.

#### WELDING, BOLDERING

POR home, garage & farm repairs handy Turned Soldering Tool works off storage or dry cell batteries Used anywhere for light soldering welding, brasing, Complete \$1.50. Turnesmal Corp., 400 E. Rittenhouse St. Philadelphia, Pa.

BARGAINS. Demonstrator are Welders, gasoline and electric drive. Build your own portable save \$500 Laberal Trial, Easy terms Write Hobart Welder Exchange, Bux P. 4.1, Troy, Ohio.

FORTABLE heavy duty plus in electric flame and are welder 7000°. Burn out proof. Rods, Fluxes, Goggles. Guaranteed 25.55. Cornell Walder, 426 Jafferson St., Brooklyn, H. Y.

D. C Arc-Weider, Build it yourself from Automobile generators, vehicle motors, light plant generators, Plans \$1.00 each, Welders Club, WB-1433 M. Mart, Chicago, For Bale: Vehicle motors, Welding Supplies

SAVE Dollars, Powerful Dodge Generator Welder. No rewinding Good thesp reactor, No rewinding, Auto argine drive. Plans \$1.00 Results guaranteed, Clarence Barcus, Parmersburg, Ind.

BUILD 40-200 Amp. A-C welder for \$10.

Beveral plans \$1.00 Information dime.

Ri-Point Electric Products, Dept. P. Bellefontains Ohio

LEARN Welding \$50 00 buys finest equipment write today Superior Ony Acetylens Co., Dept. MR. Hamilton Ohio.

GENERATOR for welding \$40.00. Remsen. \$2 Route 29, Hillside. N. J.

210-220 VOLT are welders, balmets plans, material, Holgerson, Canton, Kansas,

#### WIND ELECTRIC PLANTS

BUILD wind driven light plant for farm or lake cabin. Complete plans and catalog 10c. LeJay Manufacturing, 423 LeJay Bidg., Minnespolu.

## New York Established 1902 Electrical

40 West 17th St., N. Y. C.

# Tan SKINS, Make Up FURS Be a Taxidermut. Double your hunting face We teach you at Home. Mount Sirds, Animals, Pets, Hunds and Fish. Save your hunting trophics decorate home and don, MANE MONEY. Mount prophics decorate home and don, MANE MONEY. Mount replace decorate home and first sputetime profits the vesticate your FREE BOOK With 100 game pictures, disagen FREE BOOK With 100 game pictures, disagen Rend peats and TODAY This Minute's ate 7 - age HORTHWESTERN SCHOOL OF TAXIDERMY: Double 338-A, Omena, Rebe



SIX SCOTTIES TO WHITTLE

A new Kit containing material for whitting StX interesting little Scottle dogs, each in different characteristic possible is shout 2 inches long and the six wood blocks supplied, are ready set to the correct outside Nothing size needed but a packetknife. Complete Kit containing 5 shaped blocks.

paint and broad, pocket sharpening stone, material for eyes, and complete illustrated step-by-step instructions will be sent for only \$1 00 postpaid in the United States or Canada Get started in this new Hobby NOW. It's very with this new Eif

POPULAR SCIENCE MONTHLY Dopt. 45 NewYork, N. Y.

illustrated booklet





GLASSES SI.95 Pair

or money back Chaire of many strong Attractive proces

B37 S. Dourborn, Dopt. SP-4.

Send No Money! Broken glasses repaired. Write for FREE circular today.

Chicago, III.



#### FLUORESCE

Buy Direct—Ali Types—Factory Prices Save up to 50's an Fluoressont Lighting. Bring 180's R-2 parts. Aprels and Bushry-write for FREE cytolog. MCGEE NAD10, ED-20, NAMEAS CITY, MQ.



Bend postcard for our free catalogue, Thousand of bargains, Address HALDEMAN-JULIES CO. Catalogue Dept. Desk M-519 GIRARD, KANSAS.

Cards, Tickels, Stationery atc Good profit in space thate.

Cards, Tickels, Stationery atc Good profit in space thate.

PAINT YOUR GWN greeting movie strips, church work, sic Save mener Easy rules supplied Juneor Press St. Benier Outfits \$15 up. Heys home shop Raised prioring in the cagnition too. Sold direct from factory nois Write for free catalog and al. deletts. KELBET, INC. X-23, MERIDEN, COMN.

LOW AS

TEST THEM \$6.85 EXAMINE THEM

We make FALSE TEETH for you by mail from your own impressions. You have patinfaction of MONEY-BACK GUARANTEE, Customere report


pat afartien but you be your own judge. WRITE TODAY for FREE SEND NO MONEY CLEVELAND DENTAL SUPPLY COMPANY
Dept. 33-H1, East St. Louis, Illinois



LEARN RADIO . . . BUILD IT YOURSELF!

There's no substitute for experience. You get this valuable experience in radio construction, when you build your own radio receiver, transmatter, or television set. You'll find all the parts you need in this big valuable Lafayette Radio Catalog . . . actually thousands of parts every radio constructor and experimenter needs. The exceptionally low prices see possible because Lafayette is the largest radio supply house in the world! Think what savings you get from this enormous volume!

MAIL COUPON TODAY FOR FREE COPY





HEW TORK M. T CHICAGO, ILL ATLANTA, GA, Jill Panalifore Street 10570H, MASS 120H3, H. T. HEWARE N J

Lalayette Badso Corp. Dept 9F1-901 W. Jackson Bird., Chicago, Ill. av 100 Sixth Avenue, New York, N. Y.

☐ Plane Rush PREE Catalog.

BLANCE.

START \$1260 to \$2100 YEAR

	TALOR DE CONTRACTOR	ı
MEN	-WOMEN	

Zaliwsy Postal Clerks Pesteffice Clerks, Certiers

Stanographers-Typists **Many Other Positions** 

> PREPARE **LIMMEDIATELY**

Thousands appointmonts oach year.

Meli Coupan Franklin Institute

Dept. 5-247 ROCHESTER, N. Y.

Gentlemen Rush to me FREE of charge, but of U. S. Government big pay jobs. Send FREE 32 page book describing salaries, vacations, hours, work. Tell me how to qualify for one of these Jobs.

TODAY

Name....

Address.....




With our free instructions you can in no time do finished repair jobs, nic pay in nocemine wellows industry Once you have the Dynamic outfit, you are all set in this profitable field. In a year a Dynamic Weigcosts you Less Than is a Day Write for FREE particulars TODAY. DYNAMIC WILDER CO., 2226-RL, Silverton Bood, Chicago, Illinois

CYLINDEN BLOCKS BODIES, FRAMES, ETC Cons Farm, Factory and Home Repairs

Without previous welding ex-periones you can make for yourself as much as \$5.00 on a -fepair job that can be done in -less than one hour Many weldours make as much as \$15.00 to \$20.00 a day. The Dynamic Welder is light and easily portsbie.

#### AGENTS WANTED!

Oct our big profit plan and 10 - day trial offer, Send for it TODAY.





#### DO YOU OWN A **RAILROAD?**

Here at last is a new and complete handbook for the Model Rushway enthusiast. Shows you how to save real money building and laying your own track, making on automatic signal system, constructing bridges, culverts, tunnels, stations, semaphores, water tanks, coaling trestles, roundhouses, turntables, crossing gates, switches, etc. The detailed instructions and diagrams in this great book make it easy.

#### EVERY MODEL RAILWAY

Tells you how to utilize every bit of available space in laying out your system. How to turn out smoke stacks, fire hoxes, bollers, and wheels, in your own shop. Complete, easy-to-follow instructions for building a box car. gondola, refrigerator, tank, hopper, caboose, day coach, pullman, baggage, and observation car. Complete plans, specification, instructions, and scale blueprint for building the popular Atlantic type locomotive.

Send only \$2.00 for your copy of Model Railways or we will ship C. O. D. plus a few cents postage, Satisfaction

guaranteed or money back. Address

Popular Science Monthly, Dept. 61 353 Fourth Ave. New York, N. Y.

#### **WOODWORKER'S** urning & Joining MANUAL



This new manual is written especially for the man who likes to make things in his own home with power tools. Tells what power machinery you will need to

turn out beautifully finished furniture. How to use the cross cut saw, ripsew, miter saw, jointer, and band saw. How to bore and mortise by machinery.

Scraping method of wood turning fully explained—how to turn a plain cylinder, smooth cylinder, how to use a skew chisel to square ends, how to make shoulder cuts, taper cuts, convex and concave cuts. How to make a tilt-top table, occasional table, reeding and fluting, faceplete and chuck turning, turning rings, veneering. How to make the surface perfect, bow to apply stain, wood fillers, finishes—wax,

oil, sheliac, varnish, lecquer.
Also, how to equip your home workshop, what hand tools you will need in addition to power machinary.

All about wood joints.
Complete working diagrams with step-by-step instructions for intricate designs in cabinet making, 236 illustrations, 192 pages, full cloth bound, only \$1.00 C.O.D. Send order WITH NO MONEY for WOOD-WORKER'S TURNING AND JOINING MANUAL. Pay postman \$1.00 plus few cents postage when book

POPULAR SCIENCE—Dept. 61 353 Fourth Ave. New York, N. Y.

#### Keep Your Gar YOUNG!

At last a service and repair manual has been made for the auto owner who is not a mechanic. Here are hundreds of "horse-sense" methods for keeping your own car in perfect shape—no matter how old or how new it is. AUTO KINKS tells in non-technical language, made clearer by drawings and simple diagrams, what to do no matter what goes wrong. Service men will get a world of new ideas from it too. 192 pages, full strong cloth binding, pictures on every page. Only \$1.00, Sent C.O.D. plus a few cents postage. Ask for "AUTO KINKS." Write to

POPULAR SCIENCE MONTHLY, Dept. 61 353-4th Ave. New York, N. Y.

For a REAL post on h At at an prepare at this LINCOLN with HID GOVERNMENT APPROVED SCHOOL.

3 BIG CAREER COURSES Aeronautical Engineeris

Air Line Mechanics Professional Flight Training Big demand for these Lincoln


good salaries paid Graduates rapid advancement Before you decide on ANY school get our book "Centact". Lincoln offers advantages not found in any other school WRITE for complete information.

Lincoln Aeronautical Institute 436 A result is the Lincoln Nebr.



#### GET THESE NEW OUTDOOR STOVE STYLES

Send 10c for booklet, "Inside Story of Outside Cookery," showing 15 cast iron units adaptable to many artistic types of practical outdoor stoves.



ENGINEEWING, broadcasting aviation and police radio, servicing, marine and Morse telegraphy taught ing course equivalent to three years college radio work. School

asiablished 1874 All expenses low Catalog free Dodge's Institute, Nye St., Valparaise, Ind.




BRAND NEW CATALOGI AT 1994L! Write for new FREE money one up Culming of strings, as at least a local limit leave one african or our percent it I you get more talabent linery literay in E. William CO., 1047 W 47th bt., Dept. PS-61, Chicago

#### LEARN & WRITE SIGNS & SHOWCA

BE THE SIGN AND SHOW CARD MAN IN YOUR TOWN

Have your own business, profitable every month of the year Everylicity needs signs. Start at home be your own been. Interesting 1 ght pleasant work Paper side unpercentary. The quicker you start the somer your profits botton. Now the thought of Perspansitived tradingstion. Learn at home, with personal he plant suggest such from expert teachers. Start various after first few lessons. Write Lodgy for [21] afternary sp.

MICHIGAN LETTERING & POSTER SCHOOL 2023 W. Grand Blvd., Detroit, Mich.



## Electroptates



BOOKLET

TAPLANOS ALL

New, patented invention makes possible big carnings AT HOMEs to be to be seen articles in homes, a see to be seen articles in homes, a see to be seen as a seen and a seen as a can be desired and read to the second of the ness are if avestment a creave in the a com-Steady repeat Machine can rivior to in week Send TODAY for FREE SAMELE and Bustrated BOOK! FT how you combine a le income from a bisoness of VOI RAWN built a ion sat shed customers. Act at once?

WARNER ELECTRIC COMPANY 225 N. Wabash Ave., Chicago, III., Dept. 2-N

## PEACE

#### SUCCESS, HAPPINESS

can be yours

#### KNOW THYSEL A MAN THINKS, HE BECOMES

These are days of world chaos, personal discouragement, and nucusinem about the future. Through the universal truths of Metaphysics, you can find a workable, constructive approach in living. Life Progress reveals itself as a peace, success, happinem, bealth. It should replace Life Stagnation, characterized by : sickness, failure, unhappiness, unrest.

Learn shout EMILY EDWARDS' home study course of Metaphysical Thought.

Send only \$1.00 for Introductory Course, written in clear, direct, and simple language. that is easily understood. Information about the Complete Course, MAN, KNOW THY-Stilf, is included.

DETACH AND MAN, WITH \$1.00, PD:

MINLY SOWARDS PUBLICATIONS, But POPF-- Sec. S. Les Angeles, Calif. Please send me your Interductory Course for 314N, & 50% TRYSELF Enclosed find \$1.00. It is understood that if I decide to purchase the Complete Course, the \$1.00 will apply on the total gurchase price. Street, City and Stone



#### YOU

And Swing Into the Biggest Money-Making End of the Great Building Industry.

Brikerete is brick at its best-modern colorful andstreaml ned Combires strength permanence, his weight and insulation values. C cost to frame levels, Easy to b Good for all types of buildings. to lay



Plants Needed



Brikerete in easy to make with local low cost materials and labor. Large and growing market. Big profit up to 150%. Liberal terrilory granted, protected by franchise, Life-time opportunity for men of modest capital. We furnish all equipment, Easyto-pay terms. Only modest investment. Write today for The Brikerets Book—free.

BHIKCRETE ASSOCIATES, INC. 4875 Division Ave , S. Grand Sapids. Michigan

#### Save up to 60% on FLUORESCENT Fixtures and Lamps



plus postage Complete Kit for 16 light temp.

78e entre

#### Direct from Factory

One of our typical wholesale values—a beautiful well-made 18" Fluorescent light with white enameled reflector—attractively finished—in a complete kit with instructions for quick, easy assembly. Operates on any 110 volt AC circuit.

#### Wholesale Fluorescent Catalog



Lists all fixtures, accessories, kits, dis-gram, and assembly instructions for every type of fluorescent lighting. Here is a tremendous and repidly growing field. Everybody wants this new, improved type of lighting with its cool, brilliant, "day I ght" quality illumina-tion Cuts electricity bills in half Offers wonderful money-making opportunities for agents, assemblers and installers. Our special kit and diagram service makes it easy to secemble, manufacture, install, service and sell complete Scorescent lighting for homes, stores, factories, offices and farms Quick service. Lowest money-saving prices, Every stem. fully gustanteed or money refunded, Order kit-and send for FREE catalog.

#### JACKSON FLUORESCENT SUPPLIES

222 North Wells St. Chicago

MAGNETS strong enough to FLOAT by magnetic REPULSION.

Date Company Dept ' P Centrel \$12 P. C. See L676 Teledo O.

#### IRCRA WELDING ENGINEERING

DEFENSE INDUSTRIES Offer Outstanding Opportunities to recently the new Commer-cial Welding Engineers 1 and Welding Technicians 5 to influe Aircraft Welders Technicians 5 to in this Aircraft Welders and Arc Welding Operators 1 to 5 in Learn as Dong Each Part Francisco Vete for tempts age astente Bak Dawn of A Gent Industry Benton routes des red



MILWAUKEE SCHOOL OF ENGINEERING PS-841. N. BROADWAY & E. STAYE, MILWAUREE, WIS

WHOLESALE CATALOS


Household goods, display cord Items, wearing apparet, cos-motios, foods, levelry and toys are a few of the thousands of art cles shown in this exciting extelog, for salesmen, agents and deniers.

250 PAGES

Chock-full of interesting money makers, Saims ideas that may in crease your earn age \$2 to \$15 a day and thrilling values galors. Each and every from said under a maney-back guarantee Get your copy by sending for it today.

SPORS CO. LE CENTED, MINH.





628 p. CATALOG, 9000 NOVELTIES much Sc. \$25 pages, 4000 (limitrations, 5000 novelties, Radios, camoras, aptical goods Jeweiry house & serie hobby hits live animals guns Joke drois magic sport Jeres, musical informments, pursues, wigs, such & like sectorance of watches hatten rushes informmented animals articles rushes exchange etc. (Detage Cloth Sound Catalog, 18c.) JOHNSON EMITE & CO., Dopt. 111-E. Detroit, Mich.






## The HOME

A new book which shows how to set up and operate an inexpensive home laboratory with

odds and ends of material available in every home. Many thrilling, practical, useful experiments and tests, entertaining, instructive, valuable, pointing the way to research and new discoveries. Many diagrams and illustrations. Full cloth bound \$1.00.

POPULAR SCIENCE MONTHLY, Dout, 61 353 Fourth Ave. New York, N. Y.



#### FIX®ANY®RADIO **Amazing New Invention**

know eage a case 2 mi forget spie ik Henri is-or in n n ng s rei ik the in me k n ng U-T > he have for fact a nich new and cil Complete

Cusatte auf Catistaction GHARANTEED

Easy to Oso In Manual form, 5% a 11 in., 119 pages, Characteristics of 110 Radio Tubes, 18 large transitionaling biseprints. Over 1 000 time saving service kints invented by M. N. Beitman, noted anginger.

The compact of the form of the state of the

## SUCCESSFUL

America's largest photographic school offers you the full time personal attention of some of the country's leading photographers individual, practical instruction No classes. Start any time, Resident or home study courses, PREB book gives details.

Dept. S, LD West 33 ct., New York, M. Y.

#### DEFENSE JOBS C

More Oction Engineers and Brettamen need-ed to plan Louis muchines equipment de-fense projects. Our scep-by step home study course will help; ou qualify quickly in teach time, Many design Engineers and Prefumen mark \$175. \$150. A month We can clark you on the road to BIG PAT tool Low cost. Easy terms Small down payment starts you, wille for interesting bookest PREMI

OHIO INSTITUTE OF TECHNOLOGY Greenville, Ohlo Dopt. 14,

#### WHEN YOU BUY FLASHLIGHT BATTERIES DEMAND "EVEREADY" FRESH DATED BATTERIES

The word "Eversely" is the registered trade-mark of National Carbon Co., Inc.

TRAM FOR TECHNICAL NAME WORK. I # plyr, findig Tuniy, 146 Gadie Parte. idiússaú silk kadio japoir sopo FREE: Write für manginte details in sem anialeg.


#### BRUSH PLATING

for autoparts, reflectors, faucats, bicycles. No funks necessary.

free particulors.

QUNMETAL CO.,

DECATUR, ILLINOIS





MONEY-MAKING PROJECTS. Color-gluxed concrete lawn, cemetery pottery made without molds or cores. New Patented method. Use only sand, cement, cheep materials, Tues, walls, gravestones. Statuary, giftware. Basement waterproofing. Book et colorplates, details 10c.

MATIONAL POTTERIES COMPANY L, 11 W, 16th St. Minneapolis Minnaspetis, Minn.

## Baseballi BIG 4 of 1940 say:

"I've depended on Louisville Slugger Bats all my life."

"When somebody makes better bat, I'll be using it."

> Johnny Mige "Louisville Sluggers for me every time."

Hank Trumburg

"Of course, I won my first championship with my Sluggers!"



HILLERICH & BRADSBY COMPANY, Inc. LOUISVILLE, KENTUCKY

Pish I had bast mon-hers pround your had with the Greet Pat-tent Lewer Fish Hooks 5 for the Our Traps satch Nah Mink, etc. Write for descriptive Cacalog of our Faki or had wanted STEEL-Wine Fish TRAPS, Fish Ball, Minnew Traps Kitch All e Re', Josepha, and Political Twine Boop Nets, WALTON SUPPLY CO., 3507 Juniata Pt., 5t. Louis, 440.

#### AGENTS and DEALERS WA




DEPT. 2 M. CHICAGO, & S.A.


Ranger Bicycles for 51 Yearsi

## WONDERS OF AMERICA

Smashing the Invisible!







HEAVILY CHARGED PARTICLES SHOOT OUT AT IS DOC ANCES A SECOND 15 000 TIMES FASTER THAN A KIFLE HOLLET UN A MYNTERIOLS BEAM THAT SATASHES AGAINST ATOMS IN A TARGET. THE APPART RELEASES ANTOLINGHOUS ENERGY FROM THE ATOMS CHARM UPAR EXAMPLE SO MICLION TIMES MORE POWER THAN FRISH THE BURNING OF AN ATOM OF UNBOAN NICHAL SCIENCE A MY TO HARNEY THIS POWER.



IN RECENT LABORATORY
"SMOKING BOWL" TESTS,
PRINCE ALBERT BURNED

## 86 DEGREES COOLER

THAN THE AVERAGE OF THE 30 OTHER OF THE LARGEST-SELLING BRANDS TESTED— COOLEST OF ALL! PRINCE ALBERT | WE ROLL TO R OWNERS HAS BROUGHT IN RECEASE PA THAT I WAY MODERN PROBRESS OF FRANCE ALBERT CLOSE TO THE LIFE OF SPAIN SO FAST SO EVERY PIPE SANDRER EASY SO SMOOTH PA'S MILDNESS, AND ETHERE'S NO OTHER GOOD TASTE ARE NOW TOBACCO LIKE PAINTH NEVERY MICHERY FOR REAL SMOK NO







Porpoise Milk and Gizzardless Hens. Drill Bits and Salt Fish Travel by Airplane Nowadays

#### By CHARLES MORROW WILSON

AIR EXPRESS is the new bonanza of commercial aviation. In the United States last year more than 1,000,000 commercial shipments traveled by plane. They flew to 48 states, 31 nations, and five continents. They ranged in size from a mosquito egg (Anopheles, the malaris carrier) to a 83,500-pound edition of a national magazine.

Seventeen domestic airlines now carry more than 3,000 express parcels daily in the holds of 265 scheduled airliners, which fly to 269 American cities via about 43 000 miles of domestic strways. In ten years air express, first instituted in 1927, has grown about 5,000 percent. Average rates have been reduced 66 percent as cross-continent flying time has been reduced from 33 to 15 hours. The average air-express charge is now four cents a pound per bundred miles The cargo is collected and loaded from the 23,000 domestic stations of Railway Express Agency.

The newest addition to the air-express service was started last February 25, when Pennsylvania Central Air Lines opened the first direct air route between Pittsburgh and Birmingham, via Wheeling, Knoxville, and Chattanooga. Late in February, the Civil Aeronautics Board authorized All American Aviation Lines to introduce a new air-ex-

JUNE, 1941 49



The stewardess at the left is riding with a place load of air express. Packages pay two cents a mile more than passengers

press service into New England this year.

LaGuardia Field, New York, has become the world's greatest port for air express. As many as 3,800 parcels have been flown from there during 24 hours. Packages air-expressed from New York arrive at Hong Kong in seven days, Buenos Aires in four, Honolulu in two. The heaviest air-express traffic is still between New York and Chicago, with three commercial sirlines making 82 scheduled flights a day.

Today air express flies wherever men fly. From New York it crosses the Atlantic, touching four continents - 770 miles to Bermuda, thence 3.115 miles to Lisbon, thence 2.110 miles to Bolama in Portuguese Africa, another 8,120 miles to Trinidad and South America's Guiana coast, then 619 miles to San Juan, Puerto Rico, and 1,610 miles back to New York. From the Pan American Airways international ports at Miami, Brownsville, and Los Angeles about 150,000 air shipments a year are being flown to the 20 republics of Latin America. From San Francisco, air express rides wings to Hawaii, the Philippines, China, Australia, New Zealand, and the South Seas. From Seattle, Pacific-Alaska airliners with five-ton loads of passengers and express make bi-weekly flights into the frozen wilds of the Yukon Territory and Alaska.

While European air traffic spills fire, wreckage, and death upon



Air expressman sorts packages—a far cry from the stagecoach days of Wells Fargo



Loading a plane. Boxes on the truck contain cut flowers, many tans of which are shipped by air express

three continents, American aviation continues to carry peaceful commerce to all continents.

Air-express traffic is welded to air-passenger traffic, since it rides the same planes. But air express also leads us toward an era of air freight. Soviet Russia now claims world leadership in commercial air freight, with a reported 1940 total of 66,000 tons. Canada probably comes second, with at least 11,000 tons of mine equipment, bullion, furs, and supplies being flown north of the

"civilization line," where there are no railroads or highways.

In Central America, air portage of freight is estimated at 4,000 tons a year, roughly two thirds of which is chicle, the basis of chewing gum. About 90 percent of the world's supply of crude chicle is now being flown out of the roadless jungles of Peten, the largest, northernmost state of Guatemala. Throughout the South American Andes, mining operations are

largely dependent upon air transport to bring in workmen, machinery, and supplies, and to lift out the refined ores. Recently the Fawcett Airlines, operating in Peru, Bolivia, and north Brazil, pioneered plane delivery of livestock, making risky landings upon remote pastures and ranges hundreds of miles beyond railroads.

In the United States we still have about 30,000 communities which lack direct rail-way service. Our highways are overcrowded with truck transport. Demands for faster

deliveries increase. Our current national defense program proposes to establish plane manufacturing facilities of 50,000 units a year. It now appears probable that the end of our present defense emergency will find between 25,-000 and 200,000 planes and motors awaiting legitimate commercial uses. With these will be between 30,-000 and 50,000 young pilots, flight engineers, radio and ground technicians, all qualified by up-to-the-min-

3,800 packages have been loaded in a day at LaGuardia Field, New York



ute military and technical training.

It seems reasonable to predict that America will not leave such hugely valuable talents and materials to rust and rot. History has proved that military aviation paves the way for a superior civil aviation. The first big-scale experiment in air express was made in 1919 with a Handley-Page bomber, then the biggest in use, built by the British to bomb Berlin, The proposed route was New York to Chicago. The venture failed when the twin-motored glant was grounded by storm, but eight years later the first commercial air-express route was actually opened between New

York and Chicago, Today the War Department is contracting for an unrevealed number of fast cargo planes to be used exclusively for quick transport of military freight

throughout the hemisphere.

Among our recent commercial developments in non-passenger aviation is All American Aviation, Inc., a Delaware air line which now operates five mail and parcel "pick-up" routes in six eastern states. Last January 6 the company opened its newest pick-up run, which covers the 206 air miles between Williamsport, Pa., and Pittsburgh. The run features non-stop loadings. The plane skims low over the loading point, reducing speed to about 110 miles an hour. Outbound cargo is placed upon a 20-foothigh ground station, and a 15-foot retractable arm is suspended from the sidehold of the plane. The copilot, or pick-up man, makes a grapple-hook connection with the load, swings it aboard the plane, and stows it in the carrying hatches. He makes deliveries en route by dropping goods from the plane, while speed and aititude are reduced. Mail and ordinary parcels are dropped at specified points in strong bags or insulated boxes. Fragile parcels are "eased down" with parachutes. Methods for improved transfer of cargo are being perfected. Planes

can cover the Williamsport-Pittsburgh run in about two hours. There are 14 station towns along the route.

This development points to a time when much of our mail, perhaps all of non-local first-class mail, will fly without extra charge.

According to statistics of Railway Express Agency, which sponsors all scheduled air express in the United States, the average weight of an air-shipped parcel is about seven pounds. The largest entry is machinery, including airplane and auto parts, electrical supplies, oil-



Sorting air-express matter at LaGuardia Field.

After the packages are classified, they go . . .

well and mine supplies, and hardware. This group comprises about 27 percent of all air express.

Printed matter, including advertising, newspapers, and proofs, is second, with about 26 percent of the volume. General merchandise, including clothing, uniforms, shoes, hats, furs, and textile samples comes third, with about 12 percent. Motion-picture films make up about seven percent of the traffic, electrotypes and matrices about five percent, cut flowers about four percent, currency and bank documents about four percent, and news photographs a little more than one percent.

When you study the waybills you see astounding entries in air express: live alligators, stuffed lizards, bananas, queen bees, bridal veils, Brazil nuts, live wasps, lightning bugs, mosquitoes, live minnows to est mosquito larvae, oxygen in drums, snow in dry ice, sirplane propellers, human ashes, trained seals, live snails, diamonds, emeralds, pearls and gold, bank currency, baby chicks, and Ecuadorean humming birds.

Included in recent air-express cargoes

... handlers pass them through a door in the side of the airliner. Inside, they are stowed on ...





by a conveyor system to the trucks which carry them to the planes waiting for loads. Then . . .

were a gizzardless hen for the World Poultry Congress at Cleveland, fresh porpoise milk for the University of Chicago, and two 1,000-pound shipments of drill bits for an American oil firm operating at Lima, Peru. From Hawaii to Puerto Rico, orchids and other tropical flowers are being air-expressed to United States markets, and tons of domestically grown flowers are being flown to markets throughout the hemiaphere. Plane shipments of salt fish and sea foods show outstanding growth as Canadian and Yankee fishing industries set out to regain United States and Latin-American fish markets which have been lost by Scandinavia. Hundreds of tons of one-pound samples of coffee, wool, cotton and cotton seed; rice, barley, wheat, corn, cocoa, and other great crops are being flown to buyers and brokers.

Vaccines, serum, surgical and dental supplies, human blood for transfusion are other increasing entries. Maine potatoes, Louisiana strawberries, Florida turkey, Wisconsin cheese, and Utah cabbages are among state "specialties" being air - expressed to

seats intended for passengers, but now covered so that better-paying cargo won't scratch them



far-away markets, Millions of beneficial insects for control of scale, rust, root weevil, and other crop diseases are being flown to and from 20 countries and four continents, since many of man's most valuable insect friends cannot be transported great distances by ship or rail.


Engine repairs are flown to broken-down ships thousands of miles from home ports. Recently Twentieth Century-Fox air-expressed 1,600 pounds of film and camera lenses to Argentins for making a South American film. The picture "Jesse James" was an airexpress product. It was filmed at

Noel, Mo., in the Ozarks, and each day the producers air-expressed about 3,000 feet of film back to Hollywood for studio approval and "retake" instructions. During 49 days of "shooting" about two tons of film were flown to and from Hollywood. The "Birmingham Daily News" and the "Miami Herald" are among the first daily newspapers of the United States to use air express for regular deliveries. The "News" is delivered at the Birmingham airport at 2.10 pm., and by 3:15 it is on sale at Montgomery, Alabama's capital, 86 miles away. The "Miami Herald" air-expresses an edition to Havans.

The longest air shipment on record was made last year, when about 500 pounds of air express traveled from Montreal to San Francisco, thence by Hawati Clipper plane to Tientsin, China, and thence by Empire plane to Calcutta, India, for an air haul of 18,000 miles in nine days. The shipment contained wool felt, an essential in manufacture of certain types of paper.

The largest air-express shipment was made on November 6, 1940, when 1,216 packages of the magazine "Newsweek," weighing about 33,500 pounds, were flown from Dayton, Ohio, where the magazine is printed, to every state and all provinces of

Canada. The issue went to press at 10.00 a.m. At 12:20 a TWA plane took off for Pacific Coast cities with 3,600 pounds of the magazine aboard. Within 12 hours, 15 additional plane loads were lifted, with a maximum load of 5,000 pounds per plane. By business hours next morning the magazine, which carried complete news of the national election, was on sale at newsstands in every important city of the United States. By coincidence, this record shipment marked the thirtieth anniversary of air express in the United States.




#### Tomorrow's Freighters

REIGHTERS with wings, hauling 80-ton cargoes 3,500 miles without a stop, are more than an aviator's dream. According to Glenn L. Martin, Baltimore airplane manufacturer, they are a logical development of the aviation industry. The construction of planes capable of such performance, weighing 380,000 pounds, could be started tomorrow if somebody should order one.

Paradoxically, the destruction of the present war will speed the development of air freighters, their size to be determined by the business available, Martin believes. This is because the war is teaching airpiane manu-

facturers to turn out bigger, better, and speedier planes by mass-production methods. It is pushing aeronautical research far beyond the point to which it would have progressed under more normal conditions in an equal period of time, and at the same time is destroying sea-borne cargo carriers at such a rate that a serious shortage already exists. Thus, when the war ends, exporters can be expected to turn to the air for a means of transportation that can be produced rapidly to replace the lost ships, and will also get the freight to its destination faster than would be possible by any



method of transportation on land or water.

Martin, who flew an early "air express" in 1912 when he carried newspapers and mail in a plane, and whose factory has turned out some of the world's biggest planes, is not telling what the detailed specifications of a 190-ton air freighter would be. But he already has the drawings for a 65-ton luxury passenger airliner, a step in the right direction, and his factory is building a plane, presumably a bomber, which will be the U.S. Navy's largest flying boat.

He has no fear that postwar conditions will cause a slump in the aviation industry.

Before the war began, he points out, it was the nation's fastest-growing industry. Warstimulated growth will enable it to pick up commercial plane production when the war ends years ahead, in progress, of where it would otherwise have been.

The not-far-distant future will see a system of harbors, landing fields, docks, and warehouses serving air freighters as railroads and ships are now served, Martin believes. He sees in air freight a new frontier for Americans, with thousands of new jobs for workers and vast new fields of investment for capital.



When Edward G. Robinson places his forelinger on the end of his nose, like this, he is bragging that the broadcast has been completed within five seconds of the allotted time. One Munson, who costers with him in the "Big Town" series, smiles agreement

For muffled effects, such as a voice from inside a box, on actor to he into the rug—usually the big end of a megaphone. Or cometimes, he turns his back to the mile and speaks into sound-absorbing droperies

## Signs and Slang Form Radio's Lingo



"CALL OUT the Marines' Battle from the pancakes" It a not a mintary commanuer speaking, but the director of a radio show calling for the sound of marching feet and a canned street brawl complete with shouts and wailing police siren

Radio directors, actors, and technicians use a strange jargon to make themselves understood. And, because silence literally is golden in the studios, they have a sign language just as weird as their speech.

The photographs on these pages, snapped by a Port (AR SCIENCE cameraman during a rehearsal in Hollywood for the popular radio drama Big Town," give you an idea of the signs and slang of the broadcast studios

POPULAR SCIENCE




In the control room, the sound mixer keeps one eye on his dials and the other on the actors and sound-effects crew. He is supposed to keep the volume needle steady in order to put the program on the air properly. If he slips up, he "bends the needle"



When the script calls for the sound of marching feet the director "calls out the Marines," and a gaffaon, or sound-effects man, works this machine in which nine blacks of wood hung on rubber bands strike a plywood base in measured marching codence

For crowd scenes where individual voices are to be distinguished, the "comfield for the mob" brings four or more microphones together in a row, "Big Town" uses 700 recorded sound effects, 1,500 mechanical ones



STRETCH I



Chemically treated potatoes, at right, do not sprout when stored at room temperatures. Untreated potatoes, below, have sprouted. Another treatment ends dormancy

# MIRACLES OF THE PLANT CHEMIST

Experiments
Promise New Control of
Farm and Garden Crops,
by Means of Chemicals
that Speed Up or Retard
Growth Activity.






Photos by William Morris

HEMISTRY, in the hands of experimental botanists at the Boyce Thompson Institute for Plant Research, Yonkers, N. Y., is providing science with new methods for the control of farm and garden crops. By means of "stop and go" chemicals, the Yonkers research men govern the activity of plants. With vapors, sprays, and fluids—used on an experimental scale—they are able to halt the blooming of orchards, prevent winter potatoes from sprouting even at room temperatures, cause fruit to set without pollina-

tion, prevent the premature dropping of apples, and make seeds lie dormant or send out sprouts.

Two chemical compounds, methyl ester of napthaleneacetic acid and ethylene chlorhydrin, are used most frequently. Like the brake and the accelerator on a motor car, these chemicals slow down or speed up activity in leaves, buds, seeds, and trees. This plant magic, the result of years of experimentation, has many practical applications.

Tests at the laboratory have proved that a



A normal hibiscus leaf (upper left) and curious variations produced when the new hormanelike chemical, naphthaxyacetic acid, is placed on the growing plant. It also will cause fruit to set without pollination

simple chemical treatment of potatoes eliminates the need of refrigeration and permits the tubers to be kept, without sprouting, at ordinary room temperatures. Methyl ester of naphthaleneacetic acid is mixed with alcohol to make a one-percent solution, and the resulting fluid is soaked up with paper towels. Four grams of the ester, dissolved in one pint of sicohol, are used for each bushel of potatoes. As soon as the alcohol has evaporated, the treated towels are placed on top of the tubers in a crock or barrel and covered with newspapers. The chemical action, penetrating downward, will keep the potatoes dormant for a year or more.

At present, this compound is rather expensive. But increased production would cut the cost and make it readily available. If the potatoes are desired for planting, dormancy can be broken in the spring by a second chemical treatment. After being cut, the tubers are placed in a closed container and subjected to the vapors of ethylene chlorhydrin for 24 hours.

An additional discovery made by Dr. John D. Guthrie, who carried out the potato experiments, is that he can make winter twigs of pear and other trees produce leaves and an increased number of buds in the laboratory simply by injecting the chemical compound, gluthathione. Ethylene chlorhydrin will achieve the same result, he has found.

Every year, American orchardists lose thousands of dollars because late frosts nip the buds of early-blooming fruit trees. This waste may be eliminated if a chemical treatment, which has proved successful in the laboratory, can be applied to full-scale operations. For two years. Drs. A. E. Hitchcock and P. W. Zimmerman have been experimenting at the Yonkers laboratory with various chemicals in an effort to control the blooming of fruit trees. So far, methyl ester of naphthaleneacetic acid functions best. Twigs, treated with it just as the buds begin to show color, delay blooming for from a few days to two weeks. So exact is the effect of this treatment that the scientists can pick out one bud and hold it back while permitting the others on the twig to bloom.

Another interesting application of naphthaleneacetic acid has been developed by Dr. F. E. Gardner, of the United States Department of Agriculture. He uses it to pre-



Cutting up blueberry twigs for rooting. To keep them dormant through the winter, they are stored at about 40° F. At right, cuttings are being dipped in root-producing harmodin

vent premature dropping of apples. When the fruit begins to ripen in the fail, a layer of cells at the base of the stem commences to separate, eventually cutting the apple free. If this occurs before the fruit can be picked, bruising and loss result. Naphthaleneacetic acid and its derivatives, Dr. Gardner reports, slow down the action of the cells and prevent early dropping of apples. In this case, as in the delaying of blooming, the present stumbling-block to practical application is the cost of the chemicals.

For generations, an agricultural mystery has concerned the reason why many seeds, carried south and planted in warm climates, produce only atunted trees. Peach trees grown in the South do not develop well because the buds on the trees likewise need months of cold to break their dormancy. Pear, peach, apple, plum, and cherry seeds have been placed for one month, two months, and three months in refrigerators at the Boyce Thompson Institute. After being subjected to a constant temperature of about 40 degrees F., they have been removed and planted. The first group produced only a few aprouts; the second group, more; and the third group-which had received three



months of cold treatment—had almost a perfect score.


Research at Yonkers in the field of those mysterious growth-inducing substances, plant hormones, forms a serial story of science. The latest chapter has been added by Drs. Zimmerman and Hitchcock. To the list of some fifty compounds already known they have added another, naphthoxyacetic acid. It requires three hours, and half a dozen steps, for a skilled chemist to prepare this hormonelike compound.

Fifty grams of beta-naphthol and 24 grams of potassium hydroxide are dissolved in 450 cubic centimeters of distilled water; and 33 grams of chloracetic acid and 24 grams

of potassium hydroxide in 250 cubic centimeters of distilled water. These two solutions are mixed and heated for an hour with a reflux condenser. As the mixture cools, potassium naphthoxyacetate precipitates. Four grams of this salt are added to 50 cubic centimeters of ethyl aicohol and shaken, after which 40 cubic centimeters of fivepercent aulphuric acid are poured in to dissolve the precipitate. When 250 cubic centimeters of water are added. beta-naphthoxyacetic acid precipitates out.

This magic dust is worth the effort required in its production. Besides causing cuttings to take root quickly, it produces mystifying effects of many kinds. Roots grow on flowers, fruit sets without pollination, stems develop curious bunches and swellings, leaves alter their customary shape, when plants are treated with this compound. This new discovery has provided the Yonkers research men with still another aid to their search for new ways for regulating the activity of the world's first chemical factory -the growing plant.






Peach seeds require months of winter cold in order to produce normal trees. The dwarf plant at right, above, come from a seed that had not received cold treatment; the larger plant, from a seed kept for three months in a refrigerator at about 40° F.

The drying tube at the far left holds chemicals which are gradually injected into the twig of a plant in a laboratory test. Glutathians, injected in this manner into the tagged peach twig shown in the accompanying photograph, caused an increase in the number of buds and speeded up the formation of leaves

# Model Studio Is Built For Television

HEN the new television broadcasting studio of the General Electric Company station W2XB goes into service, in late spring or early summer, it will represent the last word in image transmission. A large remodeled clubhouse at Schenectady, N. Y., houses facilities unavailable in outgrown quarters. Transmitting equipment employs a battery of six television cameras. Three of them pick up scenes in the main studio, a soundproofed room measuring 70 by 46 by 18 feet and occupying most of the main floor.

The cameras may be focused on a single scene, from different angles and distances, or may be used on different sets of the big




stage. An auxiliary studio contains three more cameras for telecasts from movie film. In a control room, radio engineers monitor sight and sound. They switch from one camera to another, aided by six screens showing what is on the air and what is ready. Through a large observation window, they command a direct view of the main studio, while a similar window at the opposite end serves a like purpose for visitors.

Intense illumination required for televi-

both water-cooled. The entire building is air-conditioned for comfort. A 125-foot-tall antenna will relay the programs to the main transmitter in the Helderberg Mountains, 12 miles outside of Schenectady. In winter, this antenna will be heated electrically to prevent ice formation.

WATER





22nd INFANTRY

...---





2nd AVIATION WING

38th INFANTRY





17th INFANTRY

26th INFANTRY



## Heraldic Designs

#### Form Army's Regimental Insignia

TO MOST CIVILIANS the gayly enameled metal regimental insignia worn on lapels and hats of enlisted men and officers of the U.S. Army are more decorations, but to students of heraldry and to the men of the service they tell, through symbolism, the glorious history of the regiments.

By inspecting the insignia, one versed in heraldry can often tell where and when the regiment was formed, its branch of service, and some of the major victories in which it participated.

Twelve typical insignia have been reproduced in color on these pages. All are now being used by Regular Army regiments and

by Federalized units of the Army reserve.

The five crossed arrows on the shield of the 22nd Infantry tell of the five important Indian wars in which this regiment fought. Under these crossed arrows is the representation of a five-bastioned fort, stormed by the regiment in Cuba during the Spanish-American War. (The 22nd was the first infantry unit to land in Cuba during that war.) There is also the blazing sun emblem, a Katipunan symbol indicating service during the Philippine Insurrection. (Katipunan is the name of a Filipino revolutionary society.) Blue and white denote infantry

The griffin, part eagle and part lion, rep-



35th FIELD ARTILLERY

13th COAST ARTILLERY




TIN PIELD ARTICLERY

41st C. A. C. BRIGADE



IOTH FIELD ARTILLERY

69th COAST ARTILLERY







Traditional symbolism in these insignia, worn on soldiers' lopels and hats, embodies regimental history

resents mastery over both air and land, and as such was adopted by the 2nd Aviation Wing, G. H. Q. Air Force. This unit, stationed at Langley Field, Va., was the 2nd Bombardment Wing formed after the World War.

Part of the Army of the Potomac during the Civil War, the 17th Infantry still retains the white cross pattee that was the symbol of Sykes' Army at Fredericksburg (Pattee is a heraldic term meaning narrow at the center and expanding at the extremities.) Again, there are two representations of the five-bastioned Cuban fort, to indicate where the regiment served during the Spanish-American War.

Since the founding of the United States Military Academy at West Point, N. Y., the golden helmet and sword of Mara, Roman god of war, has been its symbol.

The 38th Infantry earned its designation, "The Rock of the Marne" early in June 1918, when it stopped the spearhead of the German offensive there. This battle is noted by the broken white bar, and three other major

victories are noted by the three diagonal white bars. Above the shield is the rock.

The blue Mohawk Indian arrowhead was selected by the 26th Infantry during the World War as a symbol of courage. The armed sea horse of the 25th Field Artillery, at Fort Buchanan, Porto Rico, shows that it is an island regiment.

Both the 9th and 10th Field Artillery are now at Fort Lewis, Wash. The 10th participated in the second battle of the Marne, and a representation of "the rock of the Marne" is above its crossed cannons. The winged horse, Pegasus, indicates that this regiment used horses during the World War.

The 13th Coast Artillery is a Florida unit stationed at Fort Barrancas. The fleur-delis, a symbol of France, indicates that many members had served overseas before the unit was organized in 1924.

The motto of the 41st Coast Artillery Corps Brigade, a Federalized Reserve unit, means "above and beyond." The 69th Coast Artillery, an antiaircraft and coastal-defense unit, is stationed at Fort Crockett, Tex.



Dr. Sanford A. Moss, who found the secret of high flying and speed for modern civil and military planes

### He Harnessed a Tornado...

#### and developed the modern airplane supercharger

#### By HICKMAN POWELL

ROBABLY the happiest man in America today is Dr. Sanford A. Moss, the man who developed the supercharger, the device which makes possible the altitude, speed, and range of the modern airplane.

His greatest creation, the turbo-supercharger, at last has come into its own, after twenty years of delay, as a basis for stratosphere flying. It has become one of the most important focal points in America's sudden war effort. No effort or expense is being spared to push its mass production. At last the sky is really the limit.

Twenty-three years ago, in order to help beat the Kaiser, Dr. Moss harnessed up a red-hot tornado, sheathed it in heat-resistant metal, and hitched it up to a Liberty motor at McCook Field, Dayton, Ohio, Sheltered behind a barricade of sandbaga, he opened the throttle up wide. With a wild roar of broken connecting rods the airplane engine disintegrated. The spark plugs tore out through the roof.

Dr. Moss, a small scientific gentleman with a Vandyke beard, knew perfectly well what he was doing in this seemingly irrational behavior, just as any airplane pilot today knows that you are likely to tear your engine to pieces if you open up wide at sea level with a Moss supercharger. He was giving the turbo-supercharger its first demonstration, and he did his violent deed at the insistence of a skeptical group of Air Corps

engineers, to convince them that this odd contraption of his was worthy of an official test at the top of Pike's Peak, in the rarefied atmosphere it was built to conquer. At half throttle they had refused to be convinced.

On Pike's Peak, in September, 1918, the turbo-supercharger proved itself. In those days an airplane engine lost power rapidly as it gained altitude because, as atmospheric pressure fell, less oxygen was sucked in to mix with the fuel in the combustion chambers. The supercharger was a centrifugal compressor, or fan, which forced air in sealevel quantities into the engine's carburetor. In the words of Dr. Moss, it "kidded the engine into thinking it was at sea level." The compressor was revolved by a turbine driven by a whirlwind of flaming fumes from the engine's exhaust.


The test Liberty motor, which had produced 350 horsepower at Dayton, would give only 230 horsepower at the 14,000-foot altitude of Pike's Peak. But when Dr. Moss cut in his supercharger, it gave 356 horsepower. And this full power was much more valuable than at lower altitudes, for in the thin, high atmosphere an airplane could move at high speed with much less air resistance.

One of the great obstacles to flight had been conquered. Within two years engineers were bold enough to predict that eventually airplanes would attain the fabulous speed of 200 miles an hour! Within a few more years

Stratoliner cabins are kept at sea-level air pressure by superchargers based on Dr. Moss's work



How the turbo-supercharger harnesses flaming engine enhaust gases to feed air to the carburetor at high altitudes. It is essentially a centrifugal compressor driven by a turbine. Below, Dr. Moss examining deflector plates used in the mechanism



RED-HOT EXHAUST

GASES FROM ENGINE TO TURBINE WHEEL.

Igor Sikorsky was able to dream, quite sanely, of 100-ton flying boats crossing the Atlantic Ocean in less than 20 hours.

And if this country attains its ambition to produce clouds of airplanes surpassing in performance any warplanes that Europe can build, the device which probably will do more than anything else to make it possible will be this same turbo-supercharger—patiently refined and developed, down through the years, by this same elderly little scientist-mechanic, who never has been up in a military airplane, a man so gentle that he wouldn't put a sleeping dog out of his favorite easy chair.

If, for instance, the flying fortress is the superlatively great airplane that Americans believe it to be, that is in no small degree due to the fact that its four engines are equipped with turbo-superchargers, enabling it to fly vast distances at great altitude, with an unprecedented pay load.

In these days of complex industrial engineering, it is rare that any scientific accomplishment is so exclusively associated with one man as is the supercharger with Dr. Moss. When he retired at the age of 65, on January 1, 1938, after 35 years of engineering research for the General Electric Company, every modern American airplane engine (except a few small pleasure-plane motors) was equipped with a built-in geared supercharger that was patterned after designs made by Dr. Moss.

CARBURETOR

AIRPLANE ENGINE

**EQUALIST** 

INTAKE


VALVE

Recognized in the industry as one of the great contributors to the advance of aviation, Dr. Moss was still a disappointed man when he retired. That was because

there are two kinds of superchargers, both developed by him, but the one in common use was not his darling, his great invention, the red-hot tornado of Pike's Peak.

The commercial supercharger is a small centrifugal compressor built into an airplane engine, weighing four pounds or less, which gets its power by gears from the engine crankshaft. Its gears range to a ratio as high as 14 to 1, which means that with an engine speed of 2,000 revolutions per minute, the impeller is whirling at 28,000 r.p.m. That is no mean achievement in en-

An early racing car equipped with a supercharger built by Dr. Moss. Even at sea level, the device improves vaporization of fuel and increases power



gineering. This supercharger is of value in improving the vaporizing of fuel and in increasing power on the take-off, as well as for its main purpose of maintaining power at altitude. Lindbergh made his flight across the Atlantic in 1927 without a supercharger, but since that time the device has had its part in every major accomplishment of aviation.

From 15,000 feet on up, the exhaustdriven turbo-supercharger takes over, allowing the engine to "breathe" normally up to 25,000, even 30,000 feet. But the trouble has been that few people wanted to fly above 20,000 feet. Satisfactory as it might be for the engine, it was both uncomfortable and dangerous for the aviator. Use of the turbosupercharger had been limited to a few experimental ships and to a few squadrons of the most advanced Army planes, And though the Air Corps engineers worked eagerly with Dr. Moss to develop the turbosupercharger, it never seemed to him that the tactical units made adequate use of its possibilities.

Important as it was, Dr. Mose's supercharger department never grew very large. It occupied one room in the General Electric research laboratories in West Lynn, Mass. For years the engineering staff numbered five men; then, as business increased, it was doubled. Airplane building simply was not a mass industry; and when Dr. Moss retired, superchargers were still a dramatic but tiny part of General Electric's vast business.

Now suddenly all that is changed. The little engineering staff has been multiplied astronomically. The company's best production experts have been moved in. Great factories are being rushed into commission for mass production of impellers and turbines for superchargers. Millions upon millions of dollars are being poured in.

And back on the job in the midst of it all is Dr. Moss himself, called back to work as consulting engineer—as happy, dazed, and excited as two children at the circus. At 68 years of age, his dreams have come true.

In this LePere biplane, equipped with a Moss G. E. supercharger, Lieut. J. A. Macready made a record altitude flight to 40.800 feet September 28, 1921

The story of the turbo-supercharger is the story of Dr. Moss's life, for the device is the perfect and ultimate expression of his whole scientific career. When he was 16 years old he was apprenticed as a mechanic in San Francisco, in a shop which made air compressors of the reciprocating type; and right then began a lifetime of specialization in the compression of gases and the flow of gaseous fluids. After finishing his four-year apprenticeship, young Moss boned up for entrance examinations and started as an engineering student at the University of Califormia, sweeping up the floor of the college shops to earn his way. By 1900 he had taken his bachelor's and master's degrees, and then went on to Cornell University as an instructor and advanced student. In 1903 he received his degree as a Doctor of Phi-


All of Dr. Mose's research work as a graduate student had been on a project for a gas turbine, which so interested General Electric that he was taken on as a company engineer to continue the work. This turbine was to be a primary source of power, combining principles of the internal-combustion engine and the steam turbine. One part of this mechanism was a centrifugal compressor, on which patents were first taken out in 1904. As time went on this compressor became an important item of company business, manufactured for iron foundries, blast furnaces, pneumatic tubes, oil burners, and other purposes.

But the gas turbine itself had to be postponed. Regretfully it was put away on the shelf. In a scientific sense no experiment is a failure if it contributes to human knowledge, but it must have been a terrific disappointment to a practical inventor like Moss to put aside his great life project.

So matters rested at the time of the first World War. In fighting planes, sititude is one of the greatest advantages, and the idea for a supercharger occurred in various places at once. The British tried to develop a geared compressor. The French scientist Rateau had the idea of driving a super-

The turbo-supercharger installed at the side of the Liberty motor on an early OH-4 plane. Pilats were dubious at first about flying "with a red-hot stave"





charger with exhaust gases. The idea was all right, but the superchargers wouldn't work.

After the United States entered the war, the National Advisory Committee for Aeronautics took up this problem, and knowing of Dr. Moss's work, turned the job over to him. It was right down his alley. His centrifugal compressor was just the thing. As for power, down off the shelf came the abandoned gas turbine. Within a few months the two had been hitched up, in the tame tornado of the Pike's Peak test.

Except for refinements that have been made through the years, that first super-charger was the turbo-supercharger of to-day. Its idea was simplicity itself. The compressor sent air into the intake manifold at sea-level pressure. The gases in the exhaust manifold were also at sea-level pressure, and were directed through nozzles on the buckets of the revolving turbine.

Tachpical discussions of the turbo-supercharger are discouraged in these days of military secrecy; but the difficulties are easlly apparent to anybody who has ever had trouble with an overheated bearing. The exhaust fumes are at 1,500 degrees F. Manifolds and buckets are red bot, while the turbine revolves at 20,000 or more revolutions a minute. And on the same drive shaft, only a few inches away, the compressor is handling atmosphere which has been recorded as low as 76 degrees below zero! The turbine emits a four-foot tongue of fiame, which at high altitudes freezes instantaneously, and on occasion has settled as ice on the wings of the airplane itself.

A turbine bucket is a little fin like a blade on a windmill. In the Moss turbine the buckets are a fringe of little blades, of a secret heat-resistant steel, mortised into the rim of the turbine wheel. Tested at 22,000 revolutions a minute, a turbine bucket is traveling 1,000 feet per second, in a circle less than 12 inches in diameter. Weighing less than 1/100 of a pound, a little red-hot bucket at this speed is subjected to a centrifugal pull of about 1,750 pounds.

Moss's first turbo-supercharger was light enough for one man to carry. It was figured that a commercial compressor delivering the same amount of air would weigh 5,000 pounds and occupy a space of more than eight cubic yards.

Experimental work with the supercharger was interrupted by the Armistice of 1918. The time was yet to come when it would be tested in an airplane. Pilots looked at it dubiously. One of them described it as a combination cook stove, blacksmith forge, and flying junk shop. An airplane engine itself is a sufficiently terrifying bit of leashed power. A red-hot turbine, revolving

at 20,000 r.p.m., was hardly a comfortable companion in the crates which aviators flew in those days.

On September 27, 1920, Major R. W. Schroeder took off in a biplane fitted with Dr. Moss's turbo-supercharger. At 25,000 feet he encountered a head wind so strong that he drifted backward. But he went on, up and up, until his instruments recorded 33,000 feet. At this altitude his goggles frosted over. As he struggled with them his oxygen supply gave out. Unconscious, he dived for nearly six miles.

Schroeder never did understand how he got that plane back on the ground. Half recovering his consciousness at a few thousand feet altitude, he managed to right the plane. He could hardly open his eyes. But somehow he managed to land safely.

As Dr. Moss improved the supercharger, altitude records were broken again and again, establishing the pioneering fame of the Army aviators Macready, Stevens, Street. But the difficulties encountered by Schroeder have never been really conquered. Only recently the Mayo Clinic, after researches on the subject, announced that a man deprived of oxygen at 35,000 feet would die almost instantly. Even with an oxygen mask, at that altitude and low pressure, a man does not function normally. Army flyers in pursuit ships are under orders to use their oxygen tubes when above 10,000 feet.

In the years just preceding the present war, there were encouraging experiments with planes built with sealed cabins, within which warm air was kept at pressure. But such cabins are not punctureproof and will be less useful in war than in peace. Provision of adequate oxygen for high flyers is one of the major problems of the present war.

Miraculous as the advance of aviation has been, the slow development of stratosphere flying has of course been discouraging to Dr. Moss. That it has developed at all has been due largely to an irrepressible, impish quality of the inventor, who for 20 years encountered what he called the "glassy eye" of industrial executives and Army brasshats, and would not accept discouragement.

At the time of his retirement an anonymous writer in "Mechanical Engineering," who must have known him very well, described him thus:

"Painstaking, nervous, his eyes sparkling with fun or fury, Dr. Moss raises his pointed beard in his companion's face and looks at him through the lower lenses of his glasses. His tongue, trying to keep up with an agile mind, is ready for a persistent barrage of embarrassing questions or a volley of explanations. He possesses that disarming characteristic of small boys with whom it is

impossible to be angry for long in spite of sometimes exasperating behavior. Once you have met him you never forget him, but think of him in terms of warm affection."

Back in the days when General Billy Mitchell was unsuccessfully fighting the inertia of Army commanders, Dr. Moss was carrying on his own private war against the same thing. They couldn't get rid of him, yet they couldn't get mad.

He is a man of many engaging idiosyncrasies, and his friends have an apparently inexhaustible aupply of anecdotes about him. He always carries a pocketful of quarters, and engages every one possible in a coin-matching contest, explaining that this is not gambling because the laws of probability will certainly bring him out even at the end of the year. While enjoying a short vacation at a summer camp with some of his associates from General Electric, he was voted the "best sport." That was after he had been assigned, as his share of camp work, to be valet to a team of mules. He turned up for work equipped with an ash can, a freshly laundered white-wing suit, and a high allk hat.

He has a habit of asking young men what their pleasures were as children, and out of such researches has evolved an aptitude test which General Electric uses in its personnel work. His theory is that education should be concentrated only along the lines of the pupil's aptitudes. "A young fellow who never took a clock apart can never become a mechanical engineer," he says. He doesn't care whether the clock was ever put together again. What counts is the curlosity

Once Dr. Moss argued unsuccessfully before a police-court judge, with elaborate
mathematical formulas, that a speed cop
could not possibly have clocked him accurately, because the cop had to go faster
than he, to overtake him, More successfully
he once defied a traffic cop who told him to
pull over to the side of the road, "I won't
do it!" he exclaimed. "The law says I can't
drive without my license, and you've got it!"

On occasion, to get some place in a hurry, Dr. Moss reluctantly has flown in a commercial airplane; but he has never been on an experimental flight, "It would contribute nothing to the development of the turbo-supercharger, so I just don't do it," he explains. Once his associates at Wright Field ganged up on him, insisted that he must go up with them for consultation. He put it off to next day, and in the morning a telegram arrived from General Electric, expressly forbidding Dr. Moss to make the flight. Triumphantly he obeyed.

This reluctance seems to have nothing to do with courage. No one but a brave man would fool around with experimental turbines. During the test of the supercharger at Pike's Peak, his associates had to tie him to a post with a piece of rope, while he worked on the engine, to keep him from absent-mindedly backing into the whirling propeller.

In all his triumph, Dr. Moss is still able to find good-natured cause for complaint.

"First they told me it couldn't be done," he says. "Then they said, 'What's the good of it?' And now what do they say? They

say, 'We were going to do it all the time.' "

Now that the turbo-supercharger is really being developed, Dr. Moss is bursting with ideas of how it could be used for peacetime purposes. But he still encounters the "glassy eye." Nobody will listen. All they think about is providing the stuff to win a war.

Back in the old days he could complain, argue, make propaganda, fight for his ideas. But this time he is stumped. The turbo-supercharger is now so important that they won't let him say a word about its present or its future.

Even his dreams are military secrets.

Uncle Sam's flying fartresses owe their ability to fly high, fast, and far, to the fact that their engines have turbo-superchargers




# "Onion Throwers" Blast Dive Bombers

NEW defense awaits dive bombers tack hing Great Britain's new battleship King George V. Pictures taken when the 35,000-ton vessel visited the United States recently revealed four weapons the like of which have not been seen before in any navy Nicknamed "onion throwers" by some observers, their purpose is to throw such a

quantity of high explosives in the path of a plane that if it is not destroyed, at least it will be unable to aim its bomb effectively. A. G. Cole, writing in "Our

Navy' magazine, states that each weapon has twenty barrels, each at least 75 inches in diameter and about eight feet long. He suggested that the nearest comparable weapon was the 75-inch howitzer developed during the last war which fired a 100-pound high-explosive shell for a distance of 2,100 yards from a single barrel.



A scene in the Columbia Broadcasting Systems new studio in New York City, showing the novel "acoustivanes" in the background

### RADIO STUDIO HAS

# ADJUSTABLE WALLS

O GIVE radio sound engineers better control over studio acoustics, movable, resonant panels have been installed along the walls of the Columbia Broadcasting System's new studios in New York City. The "acoustivanes" in each studio are electrically controlled so they can be adjusted to various positions during a program. The panels are hardwood on one side and a sound-absorbing wood on the other. Most of them are 14 feet high, 29 inches wide, and five inches thick at the center.



Resembling huge vertical Venetion blinds, these movable resonant panels are adjusted by electrical control. One side of each panel is of dense wood, the other of soft, parous wood that absorbs sound

# America Listens In

Day-by-Day Recordings of Europe's Radio Programs
Reveal the Tricks of Germany's War Propagandists

#### By EDWIN TEALE


N A white frame building on a side street in Princeton, N. J., 8,000,000 words of radio propaganda have been recorded on wax cylinders, translated, transcribed, coded, and filed for study. Here, day after day, America listens in. Under the direction of Harold N. Graves, Jr., and financed by the Rockefeller Foundation, the Princeton Listening Center has been active since November 27, 1939. It represents America's first serious attempt to analyze propaganda on the air waves. Similar listening posts are now being established in various parts of the country by the Federal Communications Commission and the Defense Communications Board, though their methods of operation will be different in some respects.

From midafternoon until almost midnight, each day, J. R. Snedeker, the Center's radio technician, is busy with two short-wave receivers wired directly to electric recording machines. Earphones on one receiver, and a loudspeaker on the other, enable him to start recording as each propaganda speech begins.

Nearly 9,000 wax cylinders, representing some 100,000 minutes of speaking, have gone through the Princeton recording machines in the past year and a haif. Sometimes the translators find as many as 40, each with its identifying slip, waiting for them when they come to work in the morning. Once, Snedeker was 95 records ahead of the translating staff. But the score was more than evened up last year when sun spots disrupted short-wave communication for weeks on end.

With earphones clamped to their heads, the four translators type out the speeches in English. On each typed sheet, in the right-hand margin, a coding expert jots down symbols to indicate the propaganda theme used by the speakers. Such symbols enable later research workers to trace the develop-

How German propaganda follows or even forecasts events. Vertical scale represents references per day



ment of any given theme with a minimum of effort. After coding, the sheets are bound, according to language and broadcasting station, and filed in a research room upstairs. At present, Graves is specializing in British propagands, Philip Jacob in German, and Bruno Fos in Italian. By means of reports, graphs, and summaries, they are reducing the propagands of the belligerent nations to its basic, simple elements.

Germany, in its short-wave bombardment of England and America, makes use of half a dozen distinctive types of propaganda. The Princeton Listening Center has pigeonholed them as the propaganda of terrorism, of paralysis, of dissension, of confusion, of variety, and of division. The different types rise and fall with the shift of events.

Terrorism propaganda always reaches a peak just before a brutal, all-out attack from the air. It is the simplest and least subtle of the weapons used in a war of nerves. The devastation of Warsaw; the destruction of Rotterdam; the terrors that lie ahead for the women and children of enemy cities, are stressed again and again. Recently, to increase the depressing effect of British losses at sea, German broadcasting stations have preceded the announcement of each torpedeed ship with the delegal tolling of a bell.

Propaganda, as such, rarely changes the natural course of events. But it does accel-

erate or slow it down. So, in the early months of the war, Germany concentrated on the propaganda of paralysis during broadcasts to the United States. In an effort to slow down the natural drift toward aiding England, it tried to discredit the press and to make people suspicious of what was printed and what was released by public officials. It emphasized defeatism and the certainty of Britain's fall. It praised statements opposing foreign entanglements and lauded America's decision to keep its ships out of European waters. Before each invasion of a neutral country, when Americans might be tempted to rush into action, the tempo of this kind of propaganda was accelerated.


At the same time, an attempt to drive a wedge between Britain and the United States by the propaganda of division soomed just before each major move of the German Army. Berlin broadcasters played up such things as the seizure of American mail by the British and previous differences between the two nations. They even trotted out the ancient grudges of the Revolution and the War of 1812 in an effort to alienate the two countries.

Ill feeling of another kind is the aim of the propaganda of dissension. By recalling dissatisfactions, grievances and class hatreds within the United States itself, it seeks to produce internal quarrels. By distorting





Harold N. Graves, Jr., executive director of the Princeton Listening Center, with J. R. Snedeker, radio technicion (seated), at the two short-wave receiving sets used in recording the broadcasts

JUNE, 1941



At the right is one of the two electric recording machines wired to the receiving sets. Wax cylinders used during a night's reception are placed in rocks like the one shown above, each identified by a slip filled out by the operator. One of these slips is reproduced below





news items, it calls attention to the differences of labor and capital, of Jews and Christians, of negroes and whites. The goal of this type of short-wave propagands is to produce continual friction and prevent the nation from becoming an efficient, smoothrunning machine.

At the time of the fifth-column scare in this country, still another type of German propaganda came to the fore. In rapid succession, the Berlin commentators broadcast varying accounts of the fifth column. First, they maintained it was all sheer imagination. Then they veered quickly to the idea that it was something concocted by the British. And, as quickly, they took a new tack. It was, they

said, merely a bogeyman thought up by the Administration to distract attention from its failures. By pointing in several directions at once, the propaganda of confusion seeks to bewilder those who might feel impelled to act.

Finally, there is the propaganda of variety. For each aggressive move Germany has made, the short-wave radio has carried innumerable reasons, explanations and arguments. By giving a wide variety of arguments, the propagandist tries to suit every-

one. If one of his explanations seems phony, another may carry conviction. So he uses a verbal shotgun instead of a rifle in his attempts to present events in the most favorable light.

Close study of these different types of propagands has enabled the Princeton listeners, on a number of occasions, to obtain an inkling of com-



Isotta Masoni, one of the four translators, at work. Foreignlanguage speeches are translated and typed out in English

ing events. The propaganda of division, for example, rose to a peak last spring as the German soldiers overran Belgium, Holland, and France, Later in the summer, it began to subside and the Princeton experts concluded that the threatened invasion of England had been postponed. By noting a audden jump in frightfulness broadcasts, they also were able to predict, within a few days, the major air offensive against London. Different types of propaganda, they have found, precede all-out attacks by air and by sea. The former stresses frightfulness and the terrors of a threatened blitzkrieg from the sky; the latter features the suffering in countries blockaded by Britain, in order to justify ruthless attacks on shipping by submarines and aircraft.

Today, as many as 500 propaganda programs a week are simed at the 20,000,000 receiving sets in the United States capable of picking up short-wave broadcasts. To cope with this rising tide, the Princeton Listening Center has had to boost its staff from four to ten. The work of this group represents national preparedness of a new kind. It is preparedness on the so-called "fourth front" of the war, the front of propaganda.

#### THE SIX KINDS OF AXIS PROPAGANDA

PROPAGANDA OF TERRORISM. Its aim is to break down the morale of the public in enemy countries by threats and "frightfulness" broadcasts.


2 PROPAGANDA OF PARALYSIS. Its goal is to keep America inactive by dividing sentiment and preventing the people from reaching a united decision.

3 PROPAGANDA OF DIVISION, It tries to drive a wedge between Britain and America by emphasizing frictions and divisions of the past.

4 PROPAGANDA OF DISSENSION. Its aim is to cause ill feeling in the United States by arraying class against class, creed against creed, race against race.

5 PROPAGANDA OF CONFUSION. It attempts to prevent prompt action by public officials by be-wildering them with various hints pointing in different directions.

6 PROPAGANDA OF VARIETY. By giving a large number of arguments and excuses for Nazi actions, it seeks to convince everyone. Those who reject one explanation may accept another.





A pursuit plane at Fort Lewis, Wash., simulates an attack on an old blimp made into a barrage balloon.

### Army's Balloon-Barrage Squadron

APTIVE BALLOONS are being used increasingly by the U.S. Army. At Fort Lewis, Wash., soldiers of the 3rd Barrage Balloon Squadron have been undergoing training for some time in the technique of handling gas bags which could be used in wartime for spotting enemy positions, directing artillery fire, warning of approaching enemy planes, and as obstacles

to attack on important areas. Because no proper balloons were available when the training program began, a blimp, with the gendola removed and a basket hung in its place below the envelope, was used to give the troops practice in raising and lowering balloons. For use as protection against air attack, long steel cables could be hung from the bags in place of the basket.



Blackboard instruction on how to place ballooms around a city for an oir barrage

### America Makes Her Own Cigarette Paper from Home-Grown Flax




place supplies cut off by the war.
Formerly, all the \$10,000,000 worth of eigarette paper used here annually was imported from Belgian and French mills,
where it was manufactured from linen rags.
Today, four North Carolina mills turn out
paper of the required thinness and strength,
using the home-grown material. Large

acreages of flax straw in Minnesota are harvested by the combine method with the aid of a new pick-up baler, half as heavy as standard types and twice as fast. The bales, "ready-sliced" like bread, go to near-by processing plants, where the straw yields raw flax fiber for shipment to the mills.

# Highway Materials Tested by Electrical Oscillations

Quick and accurate testing of road-building and other materials is said to be possible with an electrical device developed at Kansas State College. A sample of concrete, subjected to repeated freezing and thawing, is placed on supports as shown at right. Oscillations are then induced in it until its natural vibrating frequency is found. This is a measure of its strength. Brick, stone, and steel may also be tested. The device employs an audio-frequency oscillator, crystal pick-up, cathode-ray tube, and vacuum-tube voltmeter.



JUNE, 1941 79

# "Calling CQ" Relates Tales of Radio Hams

ROBABLY no one will ever know how many lives have been saved, or how much suffering has been averted, by the efforts of the "hams," or amateur radio operators. Or how much pleasure the hams have derived from their hobby. But in "Calling CQ," (Doubleday, Doran & Co., \$2) Clinton B. DeSoto has rounded up some of the high spots in the history of these wanderers of the ether waves. The stories in this 291-page book range from accounts of amusing "rag-chewing" incldents to tales of heroic acts that have won national acclaim for the men who performed them. The author knows his subject, as he is a member of the staff of "QST," the magazine of the American Radio Relay League, and is an active ham himself.

# Everything on Earth in Book for Children

about the earth and the universe are the subject of Gertrude Gouvy's "Speaking of Earth," Humphries, Inc., \$1). Written primarily for youngsters eight to 14 years of age, the story of how the earth came into being and arrived in its present position with relation to the sun, moon, stars, and planets is clearly and simply told in this 64page book. Legends and beliefs of earlier civilizations about our solar system, some of which still seem strangely logical, are added to lend life and humor to the story. For children who like their science presented in pictures as well as text, Miss Gouvy has drawn 53 cartoonlike illustrations which will aid the most unscientific-minded of youthful readers to understand the fascinating story.

# Eli Whitney, Father of Mass Production

THOUSANDS of school children can tell you that Eli Whitney invented the cotton gin. But not many of them can tell you that he developed and introduced to America the manufacturing processes which we now know as "mass production," and which have made the United States the greatest industrial nation on the face of the globe today.

The story of Whitney's life, told in Roger Burlingame's "Whitling Bey." (Harcourt, Brace & Co., \$3, 370 pages) is the truly American saga of a man with a vision and the courage to pursue it in the face of derision and disbelief. The cotton gin played an important part in the story, but it was only a step toward the development of greater things.

Even as a youngster on his father's Massachusetts farm, Whitney preferred tinkering with mechanical things to farming. He was


forever turning out devices to simplify the housework or the farm work.

Probably the most important event in Whitney's life, both to him and to the United States, occurred in 1798, when he took a Government contract to manufacture rifles. The guns were needed in quantity, and in a hurry. So Whitney made machine tools

which turned out the guns so accurately that, for the first time, the parts of one gun were interchangeable with those of another, and even the most unskilled apprentice could operate the machines. To Whitney, they were only a sample of the machines that would be made some day to make other machines for the progress of civilization.

If your bookseller cannot supply the book you want, order from Book Department, POPULAR SCIENCE MONTHLY, 353 Fourth Avenue, New York.





Paintings by Matt Murphey, U.S.N.

One of the world's largest submarines, the U.S.S. Norwhal carries two 6-inch guns, six torpedo tubes

# Submarines in War

By YATES STIRLING, Jr., Rear Admiral, U.S.N., Retired

UST what is a submarine? It is a warship designed for traveling under water and attacking its enemy unobserved with torpedoes. Its ability to surprise is the submarine's most important attribute.

A surface warship, when overtaken or encountered by an enemy, must stand and fight, unless it has sufficient speed to run away. A submarine need not fight, nor need it show its heels to an enemy ship. All it need do is submerge, and the surface enemy is baffied.

The value of the submarine has not changed markedly since World War I. It has been improved, of course. Engines are more reliable and noiseless, better and greater-capacity storage batteries are installed, more rugged motors are fitted. Torpedoes have been improved in accuracy, and run with greater precision. More scientific methods of submerging have been achieved and the many instruments and devices used in underwater navigation have become more accurate and reliable. Underwater listening devices in submarines have been developed to such an extent that submarines now can fire their torpedoes using direction finders on the listening-device principle without showing their periscopes.

Submarines today are even more of a menace to shipping than they were in World War I. This is due, almost entirely, to the relatively fewer antisubmarine vessels available to combat them. The security of the

commerce of any nation fighting another with a large submarine fleet is almost in direct proportion to the number of antisubmarine vessels that can be pressed into service. Convoys must funnel into known ports, and therefore submarines can strike at them with a minimum of cruising. These submarines need only take up their stations where the trade routes converge. The convoy system is none too simple to work out successfully. Merchant ships are of different speeds, and the speed of a convoy is that of the slowest vessel. Faster ships have been placed in convoys by themselves, but this increases the number of convoys being used, and many more warships for escort are needed. The inexperience of merchantmarine personnel in maneuvering their ships in close formation is another difficulty. The

lack of experience in handling ships causes a spread of vessels in convoy, permitting a submarine to attack stragglers that are left without proper escort. This fault increases enormously the arduous duties of destroyers.

The submarine's most important function is to intercept a warship or merchant ship, using first stealth and then invisibility to arrive at a position from which to torpedo the target vessel. That seems simple enough to state, but its accomplishment is not so easy, nor is it entirely without risk to the submarine,

The merchant ship or warship may be a part of a convoy of many vessels. There may be a number of antisubmarine vessels present with the convoy, the most effective for the purpose being the very fast destroyer. The submarine is under water and therefore invisible. When it has arrived at a position from which its torpedoes can hardly miss, it fires its missiles. At this moment, it reveals its presence to all the vessels of the convoy, and then its troubles begin.

In the bow of the submarine, and sometimes also in its stern, are torpedo tubes. When a torpedo is fired from any of these tubes, with either a powder charge or compressed air, there is created a large bubble of gas or air on the surface of the sea above the submarine. If an antisubmarine vessel, say a destroyer, is alert, that bubble gives information just where the submerged vessel is located. Then

A "mother ship" and her broad. From left to right: U.S. Submarines Pollock, Planger, Pickerel, Narwhal, Perch, Permit, Tarpon, and Shark, with submarine tender Holland the destroyer charges down to the spot and lays a depth-charge barrage all about the position of the hidden submarine.

The torpedo or torpedoes—oftentimes two or even more are fired simultaneously at a particularly valuable target—are then on their way towards the victim. They leave a white wake behind them, caused by the air bubbles from the exhaust of their speeding turbines. These wakes can be seen by the attacked vessel and by the destroyers in the escort, and depending upon the distance from which the submarine has fired its shots, the attacked ship has an opportunity to maneuver to avoid the torpedoes.

The submarine, after discharging its death-dealing missiles, has an important defensive role to play to save itself from destruction. This is to avoid the depth-



charge barrage certain to be laid about it.

When the torpedoes were fired, the submarine was at periscope depth—a depth under water from which it could raise the telescoping eyepiece of the periscope above water to observe its target. The first thing for the submarine to do then is to dive as quickly as possible. From a depth of about 35 feet, it uses its horizontal rudders to carry it to as great a depth as its hull will permit, which is not far from 200 feet, and at once changes its course radically, while increasing its underwater speed. This will carry the submarine out of the danger zone as rapidly as possible

A depth charge must explode fairly close to a submarine in order to wreck it, so a submarine attacked by a destroyer still has a good chance of escape. Destroyers carry from 40 to 50 depth charges, and they are most generous with them. Depth charges are usually set for detonating at about 100 feet. The depth-charge explosion is a point and the force of the explosion is mostly upwards. Thus a cone of pressure is formed, its size depending upon the depth at which the charge explodes. If any part of the submarine is within this cone of pressure. the effect on the submarine is serious, causing extreme pressure on every part of the hull, and consequent leaks. If the hull of the submarine is outside the zone of pressure the effect is less. But even then, the shock of the explosion will cause the submarine to be badly shaken up, putting out lights and leaving the personnel in darkness, causing circuit breakers to blow, and in general disturbing the morale of the crew. Depth charges ex-



ploding as far as 200 feet away have been known to cause the personnel of a submarine to lose their nerve, blow ballast tanks, and bring their vessel to the surface, to be sunk by gunare or captured.

While on the surface a submarine is propelled by Diesel engines. On the propeller shafts are large electric motors, used for power in underwater navigation. Large storage batteries supply the power to the motors. These motors can be driven by the engines as generators to recharge the storage batteries. This recharging can be accomplished only while the submarine is on the surface. Recharging of batteries can be done also when running on engines on the surface by what is known as "floating the batteries on the line."

THE engines give the submarine a surface speed of 13 to 20 knots, depending upon the type of submarine. The large fleet submarines are given a higher speed of about 20 knots in order that they can accompany the battleships. The high underwater speed on battery and motors is seldom over tenknots.

A submarine's battery capacity is an important item for maneuverability submerged and also for safety. The battery speed of ten knots can be maintained for only an bour. After that, a speed of three to four knots can be continued for several hours. When the battery capacity has been used up, the submarine must come to the surface to recharge batteries, just as an airplane must land when its gasoline tanks are empty. Modern submarines are capable of remaining submerged for upwards of 24 hours by running only at a low submerged speed, shout three knots, until the battery is used up. That is the reason why so great a proportion of submarines escape from destroyers after having attacked convoys. Darkness often will intervene before the battery is exhausted, and the submarine can escape on the surface under cover of night.

One of the submarine's limitations is in its inability to prevent antisubmarine vessels from tracking it by using their listening devices. Listening devices have been greatly improved since World War I. In 1918, even with inefficient listening devices fitted in antisubmarine vessels, the German submarines suffered a breakdown of morale owing to the large number sunk by destroyer depth charges. The British Admiralty gave no reports on submarine sinkings, and the Germans only knew that submarines never returned to their bases.

A convoy is usually formed in columns of vessels, with the leaders in line. The distance between ships is maintained as close as the experience of the personnel seems to warrant, bearing in mind that danger from collision is as great a risk as even submarine attack.

The escort is placed on the outside of the columns. The destroyers or other antisubmarine vessels are stationed close in where they can turn quickly and steam to the location of the attacking submarine. Cruisers and even battleships and airplane carriers are located far out on the flanks of a convoy, to shield the mass of merchant ships from the gunfire of an attacking surface raider.

The submarine may be informed of the location of a convoy by patrol planes while yet the convoy is out of sight. Then the submarine will use its engines on the surface to place itself in the path of the convoy. Before being discovered by the escort, the submarine submerges and runs on its battery and motors. During this latter time the submarine will be at periscope depth, or about 35 feet, and uses its periscope observatious to correct its position relative to the selected target. When a correct position is reached, within short range of its intended victim, the submarine will fire its torpedoes, using its periscope for accurate aim, or else fire the torpedoes while completely submerged, employing the listening device to give the angles of sight for the torpedoes.

The submarine can carry only a limited number of torpedoes, so it will attempt to reach a distance from which a miss is impossible, although the torpedo will run accurately for a distance of 8,000 yards or more. The ideal position for firing is within 1,000 yards of the enemy vessel. Such a maneuver makes the submarine's part a most hazardous one.

Long-distance planes often serve as the eyes for a submarine fleet. Communication between the underwater vessels and the planes is by radio. A submarine can use its radio while submerged to communicate with other submarines and with airplanes. Between submarines, communication by radio is practical up to 100 miles. On the surface, the radio equipment of a submarine is equal in performance to that of a surface warship.

effective against submarines. Oftentimes the submarine can be surprised while on the surface and bombed before it can submerge. Bulletproof armor is carried on the exposed parts of a submarine's hull, but otherwise the hull is most vulnerable to shellfire. A surface vessel can receive a number of shell hits on its hull without seriously impairing its seaworthiness, but not so with the submarine. One shell hit, and the submarine will be unable to submerge.

The personnel of submarines must all be men of experience. They are usually of the petty officer's rating, especially trained for the duty. In the U.S. Navy a submarine school is maintained to train officers and men for this exacting service. Crews are usually made up from volunteers selected for courage, who can stand the enormous strain of submarine duty without loss of morale. Few men in submarines are over 35 years old, and most of them are much younger.

The modern United States submerine is a vessel of about 1,400 tons surface displacement. Its principal characteristics are habitability, long cruising radius, high surface speed (20 knots) and submerged speed (10 knots for one hour), and the ability to remain 24 hours under water at three knots speed before the batteries are completely discharged. Torpedo rooms are large enough to carry from 15 to 20 torpedoes. The submarine is given most efficient ventilation, and the means of extracting impurities from the air and supplying oxygen deficiencies, when submerged.

The role of our United States submarines in war is to take the offensive off the coast of an enemy. They are a maximum-purpose vessel, and can operate both against the enemy's lines of communication at consider-

able distance from their base, and likewise off our own coast line to break an enemy's blockade.

The submarine is said to be the weapon of the weaker sea power. It is relatively inexpensive to build, as compared with the large surface warships. A submarine of the 1,400-ton type costs about \$5,000,000, while a cruiser costs upwards of \$15,000,000 and a battleship as high as \$70,000,000. The submarine is a weapon of great promise, menacing warships and merchant ships alike in all parts of the ocean. In cooperation with airplanes it can extend its vision for hun-



Twelve German submarines being refueled prior to the spring affensive.
The underwater raider is the natural arm of the weaker sea power in war.

dreds of miles, and it can operate without support from any other vessels.

In war the command of the surface of the sea belongs to the side that owns the most numerous and formidable fleet of surface warships. This advantage enables that side to use the sea with its merchant shipping and all its warships. The weaker side in surface warships cannot command the surface of the sea. This is the reason Germany has used submarines to torpedo every vessel that sails the sea. Everything that moves on the surface is considered by the submarine as an enemy.

# Magic Sand with a Thirst

Silica Gel, Long Used in Industry as a Drier, Now Serves the Housewife, Hobbyist, Sportsman

F YOU dislike soggy crackers, salt that won't pour, rusted tools, and humid summer days, it's time you made the acquaintance of silica gel. The magic white substance, a friend of long standing to industry, now is making its debut in the household and home workshop as a drying agent. Home owners, housewives, sportamen, and hobbyists benefit from the remarkable properties of this "sand with a thirst."

Have a chemist analyze it, and he will


How the Dehumidifier Works DRUM MAKES ONE REVOLUTION SILICA GEL IN 7 TO 9 MINUTES BETWEEN CONCENTRIC SILICA GEL TAKING UP MOISTURE MCKIT, RE DROVEN OFF HUMID AIR FROM ROOMS HOT AIR FROM GAS DRIED AIR HEATER. TO ROOMS A HOT AIR DRYING TO OUTDOORS CHAMBER FOR AIR < RECONDITIONING STATIONARY PARTITION WITH CHAMBER FOR SEALS SEPARATES CHAMBERS SILICA GEL

tell you it is silicon dioxide, the same compound as ordinary seashore sand. The big difference lies in the physical structure of the manufactured variety. It contains innumerable submicroscopic pores, which seize and hold moisture as a magnet does iron. Although the granules will drink up nearly half their weight of water, they will still look and feel perfectly dry. In fact, the newest preparation of silica gel is impregnated with another chemical, cobalt chloride, expressly so that it will show when it is saturated by changing color from blue to pink. Heating silica gel drives out the moisture it has collected, so that it can be used over and over again.

One of the simplest household appliances

At the left are the insides of a home dehumidifier in which silica gel is put to work to take excess maisture from the air

... and this is the outfit assembled. The large outlet at the top is an air duct; the honeycomb grille covers on air filter





A jar of the "sond with a thirst," and some of its many uses in the home, in the shop, and elsewhere


using silica gel, a perforated aluminum box containing an ounce and a half of the color-changing kind, serves most of the varied purposes illustrated above. Placed beside anything to be kept moisture-free, in a cupboard, drawer, or cabinet, one of the miniature air driers suffices for five cubic feet of space. If more capacity is needed, outfits of larger size are available.

For those who can afford the luxury of an

air-conditioned home, a more elaborate silica-gel dehumidifier banishes summer humidity. Into it goes muggy air from the rooms or from outdoors, and dry air comes out. Interconnected with a central air-cooling and circulating system, the device eliminates any feeling of dampness in chilled air, and reduces the number of degrees that the air must be cooled for comfort.

In industry, similar or larger installations

### NEW "SELF-INDICATING" SILICA GEL



Because ordinary silico gel looks just the same after sooking up half its weight of water, this new preparation was made to show when it is saturated






A miniature oir drier containing an ounce and a half of the magic material. When saturated, it is restored to use by heating in an oven

rigidly control humidity in packaging, candy-making, and other operations. Another major use of silica gel is to protect all kinds of merchandise, including airplanes, from moisture during shipment by land or


Treated with acid, a silicate such as water

glass becomes a jellylike mass, which hardens into silica gel. The first world war ended before Dr. W. A. Patrick, famous American chemist, perfected its large-scale manufacture by this process. He intended to use it in gas masks, where it may yet prove its worth for trapping poison gases.


#### MORE THAN AN ACRE OF PORE SURFACE PACKED IN ONE CUBIC INCH



Two theories of silica gel: ball-like particles




or interlaced fibers resembling row cotton





The water-holding surface of the pores in a single cubic inch of silica gel totals more than an acre



Floshless welder in action. The welding electrode is fed from the reel at the back of the machine

CUV RS

BACKING /

# Automatic Flashless Welder

FEEC TUBE CHATE OF ATED

Granulated material fed from the happer seen above blankets the arc as the unit moves along a rail beside the joint being welded. The welding voltage, current, speed, and electrode feed are automatically regulated by the electric controls

DUILDING of ships and other products of steel is being speeded with an automatic electric welding machine which works equally well on curved or flat plates or parts. In addition to speed, it has the advantage of eliminating the flashing are, smoke, and flying particles of hot metal that accompany open-arc electric welding. This is done by blanketing the welding electrode and the edges to be joined with a granulated material which muffles the arc, excludes the atmospheric gases from the weld, and concentrates the heat in the welding zone. This material feeds from a hopper as the machine moves along a rail beside the joint to be welded, and it is sucked up and returned to the hopper as the weld is completed.

MOWABLE MELT-RETAINING PLATES

DERECTION OF WELD

FINISHED

WELD

PEMOVABLE FLISED MELT

WELD

# Wardrobes for Soldiers

WIDE VARIETY OF UNIFORMS MAKES
AMERICAN ENLISTED MAN ONE OF
WORLD'S BEST-DRESSED FIGHTERS

### By DAVID M. STEARNS

HE busiest haberdashery in the United States today is the Army Quartermaster Corps. It has the job of providing uniforms, complete from underwear to overcoats and from shoe laces to hats, for the entire enlisted personnel of the Army.

That means a lot more than dealing out a uniform with two pairs of pants to each recruit, because the enlisted man in the American Army is one of the best-dressed soldiers in the world. He has different uniforms for summer and winter, for field work and garrison duty, for ditch-digging and parading. Specialists, such as mechanics, cavalrymen, parachute and armored-force

troops, have, in addition to their regular uniforms, extra outfits designed to meet their particular needs.

Add the specialized items to the equipment that is issued to every doughboy and it makes an impressive list. The office of the Quarter-master General in Washington, for example, has samples of 22 kinds of hats, 17 styles of gloves and mittens, and 15 types of boots and shoes, representing just a few of the things that must be kept in stock to supply the soldiers.

The glove list includes such varying designs as bearskin mittens for troops in Alaska, fleece-lined horse-bide mittens with alits across the palms so a soldier can get his fingers out to work a trigger without

taking the mittens off, asbestos gloves for handling hot stuff, suede gloves for Army nurses, and leather gloves with reënforcements riveted on fingers and palms so barbed wire can be handled without lacerating a soldier's hands.

Hats range from headpieces for tank drivers and firemen to cloth-covered fiber helmets for wear in the tropics. Shoes run from hip boots (two styles) down to exfords for the nurses. There is even a special shoe for Philippine scouts because the ordinary service shoe doesn't fit their feet.

A list of garments the Q.M. department must keep on hand reads like a mail-order


An enlisted man in the U.S. Army beasts an autilit for every accusion. Below is a soldier dressed for:


Hot Weather Field Work: Rainy Weather Hard Labor Formal Functions











In the textile research laboratory of the U.S. Army
Quartermaster Depot at
Philadelphia, a technician
uses a microprojector to
examine wool fibers from
cloth for uniforms and blankets. Fibers are put on a
slide and placed in the
beam of light. This throws
a magnified Image on the
paper in front of the operotor, who checks for uniformity and size of fibers

Phalagraphs by Raiph Morse

catalogue. Every soldier gets, among other things, woolen shirts and trousers for cold weather, khaki ones for summer,

a wool-lined mackinaw for field work in winter, blue denim trousers and jackets for dirty work, and a heavy overcoat for "putting on the dog" in cold weather.

One of the most popular items with the soldiers is the new lightweight, wool-lined,

ekl work in wine, wind and water renellent field lacket. It has


wind and water-repellent field jacket. It has a belted and pleated back, slide fastener and buttons on the front, and button fisps over the pockets. The collar can be buttoned tightly around the neck, or worn open. When the first of these were issued recent-



ly, even the officers wanted some. However, commissioned officers are supposed to supply their own clothing, and the Q.M. Corps needed all the jackets it could get for the enlisted men.

For soldiers in mechanized outfits, a "monkey suit" has been developed that makes a soldier look
like a teddy bear, but does a good
job of keeping him warm and dry.
It is made in two pieces, with overall-type trousers and knitted bands
at ankles, wrists, neck, and waist.
Wind and water-repellent cloth are
used for the outer layer, with a
heavy wool lining. A helmet of the
same material, with a flap that extends down over the jacket collar to
protect the back of the wearer's

Below are some of the 15 styles of boots and shoes supplied to soldiers, Back row, left to right: shoe pac with leather upper, rubber bottom; half-maccasin leather boot with calks; legging-top leather boot for cavalrymen, engineers, etc.; high-top shoe pac. Front row: leather logger's boot; service shoe; garrison shoe; Philippine Scout shoe; felt inner shoe for rubber boots




the hale at the battom.

Rate of fall of the col-

omn is checked by watch





Slide fasteners for use on uniforms are tried out on this machine. It zips the fastener up and down while a counter in the background teeps the score. A belt rings at the end of 10 000 zips neck, and two-buckle arctics, complete the outfit.

Since nothing is available commercially that meets the Army requirements, the Q.M. Corps develops its own ideas and those of the Army in general in designing soldiers' clothing. Each of the many garments now in use represents months, in some cases years, of experimentation and research,

The idea for a new type of garment usually originates in the enlisted personnel or among the officers of the Army. When somebody thinks that a change is in order, he submits his suggestions to the Q.M. department. Officers trained in textile schools, and civilian workers on the Q.M. staff search the commercial

Below, more Army footwear Back row, left to right: Rubber knee boot; two-buckle arctic (used with armored-force combat suit) has cloth top, rubber bottom; four-buckle rubber arctic; tight-fitting rubber knee boot. Front row Rubber hip boot; special ankle-fit hip boot for troops in Alaska, (Samples at Quartermaster General's office)



field for designs and fabrics. Then they combine what they have found with the Army suggestions and turn out an experimental model. This is submitted to a technical board in Washington, representing all branches of the service. If the board approves, the model goes to the general staff, and finally to the Chief of Staff for a final O. K.

After that a trial order is made up and shipped to some outfit in the field for a work-out. When the garments have been in use long enough to see how good they are, a report is submitted to the Q.M. Corps, possibly with suggestions for improvements. Then general specifications are drawn up and manufacturers are invited to bid on large orders.

Most Army clothing is made by commercial manufacturers from cloth, thread, buttons, and fittings supplied by the Army. The Q.M. boys know just how many garments can be turned out from a given amount of cloth, down to the last yard, and the contractor has to return even the scraps to the Army after the job is done. These are







### HATS

There's plenty of variety in what the well-dressed soldier will wear on his head. At the far left is a helmet of fibercovered with khaki cloth, for use in the tropics. For the other extreme of climate is the winter field cap

Left to right: Fireman's hat; compaign or service hat; the tropical helmet; dress-up garrison cap; helmet for combat suit

Metal helmet for tankers; blue denim work cap; furlined cap for use by men in Alaska; khaki field cap; sou'wester for rain

Motor-cycle rider's cap; blue denim mechanic's cap; winter field cap (shown above); fur-lined cold-weather caps; cap for use by Army nurses

Old-style motor-cycle cap; hat for cooks and bakers; khaki mechanic's or work cap; service cap in wool and khaki; helmet for Air Corps flyers

weighed and the weight added to that of the garments to see that nothing is lost.

To make sure that it is getting the best material for its needs, the Q.M. Corps maintains at its Philadelphia depot what is probably the best-equipped textile-testing laboratory in the country. There fabrics are tested for strength, waterproof qualities, and durability. Thread and cords are checked for breaking strain, color, and even the number of yards of thread per spool. Slide fasteners are booked to a machine devised by the laboratory staff and opened and

closed 10,000 times to test them for wear.

Another ingenious machine developed by the laboratory staff is used to test the warmth-retaining characteristics of various fabrics. It consists of an electrically heated cylinder around which the cloth is clamped. The amount of current required to keep the cylinder at body temperature for a given period of time while a fan is blowing cold air against the cloth is measured carefully. By comparison with cloth which has already been tested in the field, this gives an index of how effective the new fabric will be.

### GLOVES

Seventeen styles of mittens and gloves are kept in stock by the Quartermaster Corps. At right are the knit woolen O.D. glove issued to all men in cold climates, and a fleece-lined horsehide mitten with trigger slit

Left to right: Leather workgloves; asbestos mittens; leather work mittens; leather gloves reenforced for barbed wire


Gountlet-style leather mittens, blue woolen knit mittens' gloves; bearskin mitt (Alaska); gauntletstyle leather work gloves

Leather gloves for motorcycle riders, flyers, etc.; horsehide mittens (shown above); riding gloves for cavalry; leather mittens

More leather work gloves; O.D. woolen gloves (shown above); suede dress gloves; white cottan dress gloves (trapics); nurses' gloves









### Twenty-Ton-Atom Smasher Will Generate 8,000,000 Volts

To DELVE deeper into the secrets of the atoms, a 20-ton atom smasher, shown above as it looked during assembly, has been built for Notre Dame University. Capable of developing energy of 8,000,000 volts, it will be used for experiments in the disintegra-


tion of nuclei by high-speed electrons, and in the production of radioactive elements by X rays. For this latter work, it is believed that the X rays developed by the machine will be the most penetrating of their kind ever produced.



Above, electric welding down on the farm, by means of a machine shop mounted in a truck. Right, the truck drawn up in a horvest field

### Farm Machine Shop on Wheels

REPAIRING harvesting combines and similar machinery in the field is the purpose for which this traveling machine shop mounted in a truck was developed. Generators hooked to the truck engine supply current for welding, and also for operating floodlights.





Flames envelop a tank hit by a "Molatov cocktail," a blazing battle filled with gasoline and ail

## HOMEMADE TANK BOMBS

HERE'S more than one way to stop a tank, and one of the simplest is the "Molotov cocktail" which has been used successfully on European battlefields. Lieut, Col. William F. Heavey, U. S. Army Corps of Engineers, writing in a recent issue of the "Infantry Journal," states that an efficient bomb of this type can be made from an ordinary quart bottle. This is filled with a mixture, half gasoline and half oil or creosote, as gasoline alone burns out too quickly. A good-sized piece of cotton waste is taped to the bottom of the bottle, and an engineer's fuse lighter to the side. In use, gasoline is poured on the waste, the lighter is pulled and the bomb is thrown. Because these devices can be dangerous to throwers as well as to targets, Col. Heavey suggests that troops should practice for a while with waterfilled bomba before using an explosive mixture. A direct hit will usually create enough heat to force the crew to abandon the tank in a hurry.



The corporal pulls the fuse lighter taped to the side of the battle, and heaves it overhand at the ancoming tank






Twisting a stick of oak. Sooked in a concentrated urea solution and heated, the wood is easily shaped

# Simple Chemical Bath Makes Wood Plastic

STRIPS of wood literally can be tied in knots without breaking, and sawdust can be molded into solid blocks, with a process developed at the U. S. Forest Products Laboratory at Madison, Wis. It consists of soaking the wood in a concentrated solution of urea, drying, and then heating it to about 212 degrees Fahrenheit. At this temperature the wood becomes plastic and can be formed into any desired shape. Upon cooling it retains that shape, but regains its pristine strength and hardness. Sawdust and chips, put through the same process, can be pressed in molds while heated. After cooling, the products thus formed have practically the strength of the original wood. The process was developed by W. K. Loughborough of the laboratory's timber physics department.

W. K. Laughborough, of the U. S. Forest Products Laboratory, placing a piece of oak in urea solution



Samples of plasticized wood. The figure-8 piece was bent with the grain; the loop at the right, against the grain. The large disk was laminated by pressing small pieces; the small disk was molded from sawdust

After soaking and drying, wood is heated in an aven. Shaped while hot, it regains hardness upon cooling







Model of New York's municipal asphalt plant, now under construction. A conveyor will bring materials under the East River Drive

GOOD example of how engineers and architects can work together to design an industrial plant that will harmonize with its surroundings is this municipal asphalt plant, now under construction for the Borough of Manhattan, New York City, on the East River Drive. Machinery to be housed in the plant made a tall building a necessity. At the same time, it was important to avoid creating an eyesore. The concrete structure

was therefore designed around the machinery, with windows only where they were necessary to admit daylight for inspection of moving apparatus. Materials for mixing the asphalt can be brought to the plant in barges, from which a conveyor belt running under the Drive will carry them into the plant. The exterior of the building was designed by Ely Jacques Kahn and Robert Allan Jacobs, New York architects. All buildings handling explosives at the new Hercuies powder plant at Radford, Va., have emergency chutes

Below, C. A. Higgins, president of the company, shows how he'd get away from an explosion



### Safety Chutes Provide Quick Exit from New Powder Plant

When something goes wrong in a gunpowder factory, etiquette prescribes getting out—and quickly! Dignity goes by the boards as C. A. Higgins, president of the Hercules Powder Company, sets an example for his employees. He's trying out one of a series of escape chutes, resembling amusement-park devices, installed at his company's new Radford, Vs., factory. The \$44,100,000 plant will help supply ammunition for defense.

## Antisubmarine-Net Tender Is Launched for U. S. Navy



Twelve craft like the Locust, shown being launched, will guard U. S. ports

PICTURED during her launching at Cleveland, the 158-foot net tender Locust represents a new kind of U. S. naval vessel. Named after trees. twelve of these craft have been ordered, to handle antisubmarine nets that would be stretched across entrances to important naval and commercial harbors in time of war. Made of steel mesh, the nets have movable sections that can be swung open, like gates, to permit passage of friendly ships.




A close-up of the tentacles and book of a squid cought off the coast of Peru by the Lerner-American Museum Expedition. Handing squid is delicate work, as the sharp, parrotlike book can bite off a hook—or finger

Photos Courting of the do Manual Andreal text-y

Collecting Specimens for Study Provides Thrilling Sport for a Scientific Fishing Expedition

SQUIDDING is not a pastime for the aver-Sage game fisherman. Squid have a nasty habit of squirting an inky irritant on their captors, and their tentacles can cut and tear the toughest skin. Their parrotlike beaks can make quick work of snapping off a man's finger. But, in the interests of science, Michael Lerner, leader of the 1941 Lerner-American Museum of Natural History Big Game Fish Expedition, caught a number of Pacific gray squid recently in South American waters. The catch ranged in size from four to seven feet in length, and the latter size tipped the scales at 75 pounds. They were found in deep water, and the fishing was best between midnight and dawn. Most of them were caught in the Pacific off the coast of Peru. The average time required to bring a squid to the surface was fifteen minutes. Photographs on the following pages show the scientific fishermen in action.





A Weird Battle
by Night in the
South Pacific
Between Hooded
Fishermen and
Ocean Monsters
Using Nature's
OddestWeapons





"BOATING" A SQUID. Aboard the fishing boat Alone, about 70 miles off the Peruvian Coast, Michael Lerner, leader of the expedition, gets a squid strike. He is using a rod and real of the type commonly used by game fishermen, with a 15-thread line. Gong hooks, a dozen or so to the line in rather close clusters, are baited with chunks of other squid or fish. The man wear hoods for protection against the irritating "ink" ejected by squid while being boated. A squid of average size (about five feet) puts up a 15-minute fight before he can be gaffed, as shown at the left, and dragged aboard. As he comes to the surface, he lets fly with his stinging barrage



SQUID LEAVES ITS MARK on the hands of Capt. Douglas Osborn, skipper of the Alone. The scratches were made by the suction cups on the tentacles, which are lined with sharp cartiloginous material. From midnight to dawn were the best hours for squidding. Smaller squid were found near the surface, larger ones forther down, usually over racky bottom areas

PACKING UP THE CATCH. Ashare at Talara, Peru, espedition members pack up their collections of fish to be shipped back to the American Museum of Natural History for study. Specimens are packed in formalin, in scaled metal cases inside wooden containers. Main purpose of the expedition was to check up on the migrations of swordfish and marling.




# Here's My Story



IRVING LANGMUIR'S INTEREST IN SCIENTIFIC RESEARCH GOES BACK TO HIS FIFTEENTH YEAR, WHEN AN OLDER BROTHER TOLD HIM ABOUT THE DISCOVERY OF ARGON



HE WAS GRADUATED FROM COLUMBIA UNIVERSITY IN 1903 AND THEN WENT ABROAD TO CONTINUE HIS STUDIES



HE JOINED THE GENERAL ELECTRIC COMPANY IN 1909, AND IS NOW ASSOCIATE DIRECTOR OF THE COMPANY'S RESEARCH LABORATORY



THERE HE DEVELOPED THE GAS-FILLED INCANDESCENT LAMP THAT TODAY PROVIDES MUCH OF THE WORLD'S ELECTRIC LIGHT



# THE CAREER OF DR. IRVING LANGMUIR





RADIO TUBES INVOLVING DR. LANGMUIR'S PATENTS WERE THE SUBJECT OF A 12-YEAR LEGAL BATTLE, WHICH HIS COMPANY FINALLY WON IN 1926



THE FOLLOWING YEAR HE PERFECTED AN IMPROVED METHOD OF ARC WELD NG WITH ATOMIC HYDROGEN, ON WHICH HE HAD BEEN WORKING FOR MANY YEARS



"Invisible" GLASS, WHICH ELIMINATES REFLECTED GLARE, IS ANOTHER IMPORTANT DEVELOPMENT BASED ON DR. LANGMUIR'S WORK



Today, at 60, Dr. Langmuir holds more than 65 patents on uses of electricity, one of his recent inventions simplifies photographing X-ray images on fluorescent screens



# Dog Tighting-



Flying a Fighter Plane Is Just the Beginning of the Pursuit Pilot's Training . . . Now He Must Learn Gunnery and Tactics

HIS is an article about dogfighting and pursuit gunnery, but there is no use talking about fighter planes and their tactics without visualizing the kids who fly them. A pursuit plane is nothing until it is fused with the personality of a scrappy, cocky youngster whose skill is sharpened and kept to a razor edge. Rush Howard Willard, from Bay City, Mich., is a good indication of what is involved when America tries quickly to set up a strong air force.

Rush Willard is 22. He first had his hands on an airplane stick at the age of six, when his legs were too short to reach the rudder controls. At 16 he was flying solo, and about that same time he and a friend built themselves a plane, out of salvage from several wrecks. The inspectors would not give them a license, but they hopped it over a few fences, just to prove it would fly, then made it into an ice boat.

Rush probably would be graduating this June from engineering school if he had not, in the fall of 1939, attained his greatest ambition. He was appointed a flying cadet in the U.S. Army Air Corps. Out of a batch of 20 applicants, he was the only one to pass the physical exam. Out of a primary training class of 56, he was one of 30 who made the grade and won their commissions at Kelly Field last September, after nine months of intensive training.

Now that he had won his wings, Second Lieutenant Willard still had a great deal to learn about flying. Assigned to the 33rd Pursuit Squadron, he spent the next three months in the exciting process of mastering a tactical airplane, a fast, powerful, single-seat Curtiss P-40.

By the time I met him, in late winter, be was a precision pilot, a good formation flyer, and in the regular morning rat race he could throw his plane around with the



Pursuit pilots at Mitchel Field, wearing the axygen masks they use in high-altitude flying. Fighter-plane engines are designed to operate best in the rarefied upper air



The Curtiss P-40, American counterpart of Britain's Spitfire and Hurricane, Germany's Messerschmitt

ON OUR COVER is one of the newest pursuit planes—the gull-winged Vought-Schorsky fighter XF4U-1 now being put through its paces by the U.S. Army Air Corps. Painting by John T. McCoy, Jr.

best of them. He was now ready to begin learning to be a fighter.

To most of us, the mere flying of a plane is an accomplishment far beyond our expectations. Young Willard was already an aviator before he enlisted as a cadet, and that gave him about as much head start over his classmates as a child has who learns to read before he goes to school. Only by a few flying hours, for instance, did he have any advantage over the other 99 percent of cadets—like his roommate, Lieutenant Max McNeil, from Raymond, Wash., who had been in a plane only once before he became a cadet.

Willard was one of the youngsters breaking in as a pursuit flyer at Mitchel Field,
Long Island, under the tutelage of Lieutenant Phil Cochran, of whom I told last
month. While I waited for a chance to talk
more with Cochran, I sat around getting
acquainted with the kids.

"You know, it was POPULAR SCIENCE that got me started in this," said Max, when I told why I was asking so many questions. "I read an article on Army flying, which got me all excited. I was a sophomore at Washington State College in 1939 when the flying board came around giving exams,

and I remembered that article and joined

up."

"That's funny," said Rush. "I read that same article, and after that there wasn't anything I cared about but getting in the Air Corps. I took a physical exam every six months to be sure I'd be able to pass." Rush went two years to Bay City Junior College, to qualify for the Air Corps mental standards. He earned his way by leading a 12-piece dance band.

. . .

Phil Cochran looked out of his cockpit at Rush Willard, who was close beside him in echelon right. Phil held up his right fist, shook it beside the glass pane of the canopy. Rush held up his left fist and shook it back. A challenge had been accepted.

The pair cut out of formation and swung off where there was plenty of room. They separated, then drove at each other head on, at top speed, passing close. At the instant of passing, the fight was on. Now it was a question which could turn the

quickest, without losing speed.

Back in the World War days, flyers lived in an age of invention. The man who could discover a new trick became an ace, because he took his opponents by surprise. Nowadays it is about as easy to invent some new way of throwing a plane around as it would be for Joe Louis to produce a blow brand-new to boxing. The pursuit flyer has to learn all the tricks, as part of his elementary knowledge. But he depends on his turn, as a fighter depends on his left,

A pursuit plane fires only in the direction in which it flies. The flyer does not aim his guns, he aims his plane. Also, it is virtually impossible to shoot down a fighter plane from the side, because it is moving too fast. Therefore the dogfighter has two objectives: to get on the tail of his opponent, and to keep the opponent off his own tail. Only from the tail can he get a good shot. The quick turn is the means of accomplishing both these ends. That is what they

mean by maneuverability.

A plane built primarily for speed has small wings, a high wing load. In turning, banked vertically against centrifugal force, such a plane will "mush," as an automobile skids; and this slows up its turns. That is one reason the British planes, with lower wing load, have done so well against the fast Messer-schmitts. In a close turn, a Messerschmitt stalls.

There has been some con-

troversy about the relative qualities of American and European fighter planes; it has been said that the Messerschmitta can run away from anything America produces. I didn't discuss this with Phil Cochran, and certainly he wouldn't want to get mixed up in any controversy. But it is interesting to consider his fighting philosophy, which he is imparting to the youngsters.

Phil doesn't figure he is going to want to run away, or that his opponent will want to, either. He will be trying to get at a bomber, while his opponent will be trying to protect the bomber, and the two of them will stay right there and fight it out. In such a finish fight he wants to be able to excel in

the turns.


"The guy that can turn inside the other will win," he tells the kids. So they practice turns, drawing them tighter and tighter, fighting against each other. If the turn is too tight, then the plane stalls—that is, it loses speed and starts to fall. The idea is to pull the turn up just to the point of maximum effectiveness. And of course, in any turn worthy of the name, the flyer blacks out; centrifugal force drives the blood from his head and he goes unconscious for an instant. He has to go on flying his turn precisely, while semiconscious. It takes not only skill, but constant practice.


Chasing tails this way, one plane often wants to duck away. A dive is bad, for though speedy it loses altitude, the fighter's great advantage. One helpful trick is to dodge into a cloud. The unwary pursuer will follow, but the wise one will climb above the cloud and wait for his quarry to reappear, then dive on him. Another trick is to climb straight into the blinding sun, and thus to lose the plane behind.

Working in all three dimensions, planes

"Sandwich fire," the breath-taking maneuver in which a whole squadron of 12 planes concentrates all its guns on one target in a curtain of machine-gun fire







JUNE, 1941



This black panther is the insignia of the 35th Pursuit Squadron, Each of the three flights in a squadron has a commander, whose plane is morked with distinctive stripes to guide their positions. Squadrons have different colors for noses, stripes, and wheels, and each plane carries its squadron insignia. A grim humor is often displayed in designing these symbols

do not merely make horizontal turns. A pull back on the stick brings the plane up sharp into the start of a loop, which is a vertical turn. But Phil Cochran tells the kids that the loop is a silly maneuver. Speed is lost. There is a good chance the following plane can turn inside, and in any case he can probably draw the loop just as tight, so there is nothing to be gained.

There is another turn, though, used when a pursuer is close behind. The pilot draws himself up close and tense, then shoves the stick hard forward. The plane noses down and under. With a terrific jolt, the wing load reverses. The sudden reverse strain, of seven or eight gravities, would tear anything but the best plane apart. The flyer's safety belt is strained to the utmost. He'd better have his neck pulled in, or he will crack his head on the canopy above it. No black-out this time, for the blood all rushes to the head. It is very uncomfortable.

It is especially uncomfortable for the flyer following, for he hasn't been expecting it and hasn't had a chance to get set. It is embarrassing too, for in doubling under the leading plane goes into the blind spot underneath its pursuer, and for the time being cannot be seen.

After Phil Cochran told me about this violent maneuver, I was talking about it to another flying officer.

"Oh, yes," he said. "That's one they say the Messerschmitts use to get away from Spitfires. The German planes have fuel injectors, which are not affected by the reversal of gravity. But the Spitfire has a carburetor. When it reverses, the carburetor float control pulls up, and the engine dies for a moment."

Thus the fighter pilot feels for, and uses, the weaknesses of his adversary.

. . .

Fighter planes move so fast that, when a plane does manage to get on the enemy's tail, the pilot must fire on the split second. And he must aim, with microscopic accuracy, at a plane which may be traveling more than 300 miles per hour. There is no use for a pilot even to start gunnery practics until he can fly with the utmost precision.

Rush Willard and his contemporaries were ready, this spring, to take the ground gunnery course—known, from its Army regulations number, as "Four-forty dash forty." For this course the pilot goes to a gunnery camp and spends three weeks.

Stretched across the range is a row of six targets, enough for one flight to use at a time. Each target is ten feet wide, six feet high, and is set at an angle of 60 degrees on the ground. The bull's-eye is three feet in diameter, and there are two rings around it.

After a certain amount of preliminary work, the gunner starts making his runs for score. One of his four guns is loaded with 50 rounds. Diving on his target, his eye glued to his sight, he must not fire until he has passed the marker for a range of 500 feet. Then a light touch on the trigger, which is on the handle of his stick. There is time for no more than four or five shots before he has to pull out of his dive. He has ten dives in which to fire a run of 50 rounds. Then he lands to reload and the score is counted up. A hit on the bull'seye counts 5, the next circle 4, the next 3,



Flyers receive assignments for duty in this busy operations office. The skill of a fighter pilot is acquired only by constant practice, and it takes more of the same thing to keep it

and a hit on the target subside the circles is worth two. The possible some is 25 life man is ready good he will shot around 230.

To make an official score in '440-40, the flyer makes two runs at 500 feet, two runs at 700 feet, and two runs at 1000 feet, from right and left-hand approaches.

The good marksman loes not merely aim at the target, he aims for 5, 6 or 7 oclock

n the ball seve. In a cross wind he has to take for crub a scleways notion of his plane. He has to have his wings precisely level when on the target. The several guns on the plane are set, of course, to converge n a small pattern at a selected range. But when the plane is three a variable latter enters. A bullet does not fly straight its trajectory is an arc vertical to the earth. The trajectory does not tilt with the

plane. Lift a wing and your guns are out

After making his score on the ground targets, the pilot must shoot at a moving target. This is a tow target which is attached to the end of a cable that extends several hundred feet behind the bomber that is flying it. The pilot has four runs of 50 bullets, and each hole in the sink counts one point. Several genners fire on the same sock



Doglighting and rat-racing are not the only subjects in the curriculum. Here some of the boys are brushing up on dats and dashes for radio work



Ready to take off. Note radio headphones and jack cords

but each has his bullets painted on the tip with a distinctive color. The bullet which hits leaves a telltale trace of paint around its hole.

There are three ratings for men who have taken this gunnery course: Expert, Sharpshooter, and Marksman. To remain a pursuit pilot, a flyer must rate as Expert.

Ground gunnery, of course, is only an introduction to aviation marksmanship. The pursuit pilot must fire at moving objects, and providing a counterpart for actual combat shooting has always been a problem. For a while the Army used camera guns, but these proved to be inaccurate, for light travels to a camera faster than a bullet goes to its objective. Like a duck hunter, the pursuit pilot always has to take a lead. Today the British are using cameras in their planes to record the effect of combat marksmanship on strips of motion-picture film. But for practice something else had to be found.

One method the Air Corps now uses is to fly a plane over water in bright sunlight. The shadow on the water then becomes the target. Diving on the moving shadow, the gunner can determine just how accurate his fire is, by watching the splashes.


A pursuit squadron is supposed to have 25 planes, with three extra pilots. But in the air its strength is 18 planes in three flights of six, unless the squadron commander chooses to fly separately as a nineteenth. Each flight commander's plane has a stripe marking; each squadron has a distinctive color for the nose, stripes, and wheels of its (Continued on page 220)

It len't all work, however. A pilot shows pictures of his early flying days—or the girl back home




## Un-Natural History

### Gus Mager




ROVE BEETLES WEAR SHORT PETTICOATS - SCALY PLATES UNDER WHICH THEY NEATLY FOLD THEIR WINGS / ADULTS RAISE THEIR TAILS AS THOUGH TO STING, BUT THEY ARE PERFECTLY HARMLESS.








WHILE THE SKUNK'S
POWERFUL ODOR BATTERY
SEEMS PLAINLY A
DEFENSIVE WEAPON, THE
TINY MUSK DEER OF
NORTHERN INDIA HAS
AN EQUALLY STRONG
BUT FRAGRANT ABDOMINAL
SAC WHICH SUPPLIES THE
BASE OF FINE
PERFUMES!







ALTHOUGH THE PINT-SIZE FENNEC FOX GROWS TO BE ONLY ABOUT IS INCHES LONG-OF WHICH HIS TAIL IS 7 INCHES—HE SPORTS THE LARGEST EARS OF ALL THE FOXES! THEY ARE STUFFED WITH HAIR TO KEEP OUT DESERT SAND!




Pr ha Return Smit


# EMICALES BLOOD

for emergenties

in emergencies, the American Red Cross is preparing the largest reservoir of blood plasma in the nation's history. It will contain 10,000 units of dried plasma, equal to 10,000 pints of blood. The campaign for blood for Britain proved that dried plasma, which can be kept for five years, is the best known form in which to store material for transfusions, Pictures on the following pages show how it is prepared.










2 Dr. Earl Taylor, wearing rubber glaves, removes the collecting bottle from the sterile canvas sack in which it was shipped to the haspital from the laboratory near Philadelphia, Pa

4 When filed the collecting bottle is tagged with the donor's name and stored in a large refrigerator with other bottles awaiting shipment to the laboratory for preparation [CONTINUED]







5 At the Sharp & Dohme Laboratories, cortains of blood are unloaded from a truck. Each of these cartons contains six collecting bottles




6 Norris Harrington removing a collecting bottle from its convas sack. This is done in a room kept constantly at a temperature of 34° F.



7 The collecting bottle is placed in a centrifuge. Made of armor plate % of an inch thick, this mach he has a speed of 2,500 r.p.m.



8 When the bottle is removed from the centrifuge, the blood plasma is at the top, and the red and sold material rests at the bottom



10 Plasma is tried out an animals to see if the has any taxic effect. Dr. J. E. Schneider holds a guinea pig while C. H. Barr injects plasma







11 Technician Richard Hardcastle examines on ampule of blood plasma before freezing, to make sure that it does not contain any foreign matter




12 For the "shelling" process on ampule of piasma is piaced on a geared spirale which rotates it in a trough in a both of dry ice




13 Vacuum pumping for 72 hours in this dehydrating machine removes water from plasma leaving a dry flaky powder containing oil other elements



14 The dehydrated plasma is corked under vacuum and the neck of the glass ampule is sealed by holding it in jets of flaming gas











This tower cools water for liquefying natural gas

# bas on Ice

#### Storage Plant Shrinks Fuel to 1/600 Its Normal Volume as Reserve for Emergencies

IQUEFYING natural gas by chilling it to 250 degrees below zero, and storing it in three big globular "ice boxes," has solved the problem of providing reserve fuel for customers of the East Ohio Gas Company, in Cleveland and other Ohio cities.


When thousands of patrons meet a cold snap by turning on their gas heaters, all at once, the audden demand quickly empties ordinary gas tanks. Even the common expedient of compressing gas in miles of pipe lines, to the limit of safety, has failed to bridge a spell of below-zero weather. The new scheme of liquefying the gas shrinks it to only 1/600 of its normal volume, permitting an adequate supply to be kept ready.

Piped from a West Virginia field 150 miles away, the gas is refrigerated in turn with ammonia and ethylene, transforming 4,000,000 cubic feet daily into a super-cold fluid that looks like sods water. It fizzes and gives off curling "smoke." Pipes deliver it to spherical, cork-insulated tanks, each 63 feet in outside diameter. When needed, the liquid is drawn again through tubes surrounded by live steam, which regasify it at a rate of 3,000,000 cubic feet an hour. During late fail months, when demand is low, the gas will be stored up for winter use,

Because moisture would turn to ice, and carbon dioxide to "dry ice," clogging the piping, both are removed from the gas before refrigeration. A special steel alloy forms the inner shell of each tank, since the extreme cold would render ordinary steel brittle enough to shatter at the tap of a hammer.




The old and the new in gas storage. The conventional tank in the background holds 2,000.000 cubic feet of gas; the smaller spherical tank holds liquefied fuel equal to 50,000 000 cubic feet of free gas. Between them are the refrigerating tower and liquefying plant of the newer system




## WHAT IS IT

### A QUESTION BEE


Usually we tell you what's what in our pictures; this time you tell us. Try to identify the abjects in the photographs, from the hints given. Furn to page 222 for the answers and see how you fared.



3 Airplane motors have to be kept from overheating. Here is a mighty radial engine of 2,000 horsepower is it cooled by air? Water? Gasoline? Chemicals?



A queer-looking thing, isn't it? Possibly it's a radio transmitter, or a cyclotron. But on the other hand, are you sure that it isn't a seismograph or a dynamometer?



4 For boring holes in wood, this tool aften comes in handy. Maybe it's a gimlet bit—but then again, it might be an expansive bit, or, perhaps an auger bit.




2 The weather man distinguishes between different kinds of clouds, such as cumulus, nimbus, and cirrus. Can you tell which of these kinds is illustrated above?



5 Here's a handy man busily at work with his spokeshave. Wait a minute-perhaps that's wrong and it's really his saw set, or milling cutter, or milter box.




6 Who hasn't seen this handsome butterfly, shown above in reduced size? It's a Tiger Swallowtoil—no, It's a Monarch—or would it be called a Cabbage Butterfly?




Pfigure out this picture puzzle, if you can. Is it a photograph of Mars? The sun? The moon? Or a European battlefield, devastated by heavy artillery fire?




From this pilot's-eye view, would you conclude that the U.S. naval vessel in the picture is a mine layer? A cruiser? An aircraft corrier? Or a river gunbout?




10 top joints sometimes are used to fasten things together. So are mortise-and-tenon joints, universal joints, and devetail joints. Which kind is pictured?



8 Possibly you may imagine that these objects are drum sanders, or roller bearings, or lathe face plates, or improved hockey pucks. In one case you'll be right.



11 If you peer into a microscope and see things like this, are you looking at snowflakes? Diatoms? Bacteria? Algae? Or a sample of dust collected from city ou?



## Charge of the Iron Brigade

## HOW THE MACHINE-TOOL INDUSTRY OF AMERICA STOLE A MARCH ON THE GERMAN HIGH COMMAND

#### By RAY MILLHOLLAND

INCE the earliest beginnings of modern warfare, down to the machine gun and 40-mile-an-hour tank, every successful general has won the final verdict with battalions under orders to stay away as far as possible from the firing line. England and France almost forgot that lesson at the beginning of the World War of 1914-1918. They drafted skilled mechanics indiscriminately with other men of military age and rushed them off to the firing lines. And almost too late they attempted to remedy this nearly fatal mistake and withdrew from the front their men skilled in the production of mechanical weapons. By that time Germany, which had kept her skilled mechanics well back of the firing line busily engaged in turning out munitions for her victory-flushed armies, was within arm's reach of a final knockout of her enemies when the United States entered the war. Then and there Germany's doom was scaled

Perhaps no country in history has learned so much from a crushing defeat as Germany learned from hers of 1918. This time she entered the war against France and England with her machine-tool production eight times larger and employing ten times as many skilled mechanics as the one which had falled to insure her victory in 1918.

The dazz)ing swiftness with which in this new war Germany has crushed every enemy within striking distance of her mechanized army is proof of the overwhelming power of her war-material production machine. Opposed to German tanks and planes by the thousands, England and France could only fight a suicidal rear-guard action with a mere handful of similar weapons.

The truth is that Germany had already won those blitzerieg battles of Poland and France back in 1934, when she began-openly and without violating the letter of the Treaty of Versailles—to build more machine-tool plants. By 1939 she had increased her machine-tool production capacity by 800 percent. It is significant that Germany did not openly defy her former conquerors by reoccupation of the Rhine-

**4** 

Machine tools can reproduce themselves: A turret lathe turning out pinion gears to be used as parts for similar turret lathes

land and the open manufacture of guns and planes and tanks until her machine-tool production capacity was overwhelmingly larger than the combined capacity not only of France and England but of the United States as well. And the first direction in which Germany struck after she was ready for war was against Czechoslovakia, the second-largest producer of machine tools on the European continent.

Why did Germany first get her machinetool production in order before daring to come out openly in violation of the Versailles Treaty and manufacture forbidden military equipment? That is a question far easier to answer than why France and England looked on while their former enemy continued to double her machine-tool capacity year by year without their taking warning and following a similar course. The explanation for Germany's action is that machine tools are the master creative machines of all mechanical goods useful for either peace or war. A lathe can today be innocently employed making a motor for a housewife's vacuum cleaner and tomorrow can be converted into a machine for making parts for a Stuka dive-bomber motor. In fact, with an elaborate plan of secretly prepared special gauges and tools, such a lathe can be transformed from a peacetime operation to war work in an hour or leas.

That is exactly what Germany planned to do from the very start when she began expanding her machine-tool building capacity. She was preparing for M-day, when countless thousands of lathes and drill presses, and other seemingly innocent machines working on automobile parts and cream separators and vacuum cleaners. could be switched over to war production between sunset and sunrise. Proof of this lies in the fact that, prior to 1934, while Germany was suspected of doing some bootleg manufacture of war planes and tanks, neither France nor England considered the volume of this illegal production to be a serious menace.

From 1936 on, however, disturbing rumors became current that Germany was rearming at an amazing rate. By 1938 competent and disinterested aviation experts were declaring that Germany had the largest air fleet of superior fighting planes of any nation on earth, larger than the combined fleets of France and England. Then, there were further rumors that tanks and mechanized artillery units were pouring from her factories in unbelievable volume. The reports of the quantities of these highly dangerous war machines Germany was reported to be building were so fantastic that her former enemies laughed them off as being ridiculous. Today the world knows to its sorrow that those reports were modest understatement of the facts.


Why is it that if Germany could jump into plane production practically overnight, as reported, it takes so long for our American plants to step up to a similar rate of production? Germany, aware that an overwhelming supply of machine tools, properly equipped with the necessary gauges and fixtures, would have to be on hand before she dared defy France and England by building a single warplane, devoted the bulk of her financial resources and skilled manpower to building still more and more machine-tool plants. As each new plant was erected and equipped, it immediately went into threeshift production. For building tanks or airplanes secretly? No, for building more machine tools; for machine tools are the only self-regenerating machines yet devised

by man. A lathe can be employed for making still more lathes; an iron planer can reproduce itself to the extent of 90 percent of its own weight; a horizontal boring mill can reproduce many of its own parts—and these machine tools, with a few other basic types, can go on reproducing every known kind of machine tool, ad infinitum.

Thus did Germany secretly prepare to stun the world with the suddenness of her blitzkrieg victories over her enemies. She was grimly content to disguise her feverish war preparations as peaceful engagement in the manufacture of machine tools which—for some reason that looked silly to her former enemies—she proceeded not to sell abroad but to keep at home and use for making still more lather and precision grinders and gear cutters and iron planers and milling machines—like the farmer who raised more corn to feed more hogs so he could buy more corn to feed more hogs.

Then suddenly the "footish" corn-hog-corn cycle of German machine-tool activity came to an end. From out of packing cases and off the warehouse shelves came secretly prepared jigs and fixtures, designed and built for the conversion of this plethora of

Another example of the self-regenerating power of machine tools. A planer planing a bed for another planer. This machine can reproduce itself to the extent of 90 percent of its own weight



machine tools to the mass production of Stuka dive bombers and their motors, for the production of lightning-fast tanks, for the production of machine guns and cannon. Before the world stopped laughing at preposterous rumors leaking out of Germany, planes were rolling from factories at the rate of 1,000 a month and tanks were clicking off the assembly lines like trucks from a Detroit factory.


All Germany needed was a few months of such well-planned and integrated production of war materials to outstrip all the reserves that her former enemies had built up on an easy-going production program. A six-months' head start was all Germany dared ask for. She even felt justified in taking the risk of having war declared against her, if only she could be permitted to run her war production plant unchallenged for three short months!

But for nearly two years Germany was allowed to operate her war production plant unmolested before she had to divert some of her energies to war itself. Meanwhile her machine-tool plants were continuing to make still more machine tools and train still more battalions of highly skilled mechanics, while her frightened enemies frantically sought to assemble from the junk yard and the scrap heap enough worn-out and outmoded machines to produce a trickle of war material from neglected arsenals and munitions factories. It was too late then for France.

Germany's experts on war production, with their own machine-tool production facts and figures before them, were confident that it would be utterly impossible for the American machine-tool industry to expand its capacity in time to save England. Had not the entire German nation been working for five years at an all-out pace to expand the German machine-tool industry to the point where it was larger than all the rest of the world's combined? The German temperament is not given to bluffing at any game. And in this case German economists, working from freely available and reliable data on American machine-tool production for as far back as 1929, were able to plot our average capacity curve for machine tools with more than average accuracy.

Going back over the records, German economists found (Continued on page 228)

A milling machine simultaneously finishing both sides of a large Diesel-engine connecting rod. Many machine tools can be turned overnight from peacetime work to the making of war materials







Stunt Planes

Like a well-drilled team of dancers, these planes do their stunts together

HEN THE WORLD looks topsy-turvy to Dan Fowile and Don Berest, they straighten everything out by doing a bit of upside-down flying. To make it complicated, they hook their planes together before taking off. hooked together, they perform loops, figure 8's, dives, and climbs. think nothing of swooping past a grandstand with the wings of their planes overlapping and less than a foot apart, or landing side by side, each plane on one wheel, and taxiing across an airport in that position. So the spectators won't be confused, slogans are printed upside down on the planes.



Fastened pickaback (above) they swoop to the ground after looping and diving, but it's even more impressive when (as below) they fly separately but with wings overlapping and less than a foot apart





A scientific tent for a traveling exhibit. Sectional struts support the canvas by means of halyards

## Aerodome Houses G.M. Show

Supported by jointed aluminum girders, this light-proof tent, 80 feet by 135 feet, houses the General Motors "Parade of Progress" exhibit which is now touring the United States in 22 trucks

I. Tent hangs on halyards which control its tension


2. Strots made in bolted sections for easy storing

3. Staked foot plates and the cable anchor the tent

4. Tubular spreaders make salid structure of frame

5. Holds for entrances are closed by slide fosteners

6. Aluminum paint on convas acts as heat reflector







A punch bowl of ice, decorated with flowers and the caver of your favorite magazine frozen in

To freeze the bowl P. B. McE henie fills this actogonal mold with water and puts it in a tank of brine

When 11/2 Inches of ice have formed in the mold, he sticks the decorations an and-freezes it again

Decorations Frozen
Into Punch Bowls
Made of Molded Ice

PINCH BOWLS of Ice, with flowers and other decorations frozen into them, are turne t out by P. B. M. Elhense, repairman for the Southern Ice Company at Charleston, S. C. He fills a mold with water and places it in a tank of cold brine. When the water has frozen 11 inches thick inside the mold, he lifts it out, sticks the decorations to the inside of the ice, and puts it back to freeze some more. Such bowls are said to last four or five hours at r m temperature,





#### Compact Picnic Cooker Burns "Heat Tablets"

HERE'S a cooking kit for camping and picnics which burns fuel in tablet form. The stove is a metal box containing a framework on which to set pota and pans, and a cup in which to burn the fuel. One tablet will burn seven minutes and heat a half pound of liquid or solid food. For more heat, two tablets can be burned at a time. The fuel can also be used for starting camp fires.

## AUTOS



Letterner Concilforentig beit fir

By Following a Simple Step-By-Step Check-Up You Can Insure Your Car Against Hot-Weather Ills

#### By SCHUYLER VAN DUYNE

of many long hot drives and short strenuous car errands ahead, the wise motorist will make his automobile ready now for the weatherman's worst. In doing so, he will assure himself of a season of trouble-free driving, and additional dividends will be paid off generously in quieter operation, better economy, easier control, and greatly increased safety.

Typical tasks will be the adjustment of the carburetor pump to deliver less raw gasoline to the cylinders during sudden acceleration, and the replacement of light lubricants with heavier ones where called for. Moreover, steps should be taken now to clean from under the car the ice-melting chemicals splashed up from the streets during the winter months. There will be water condensed in your crankcase and dirt caked



Ice-melting chemicals splashed an your car should be removed with a pressure hase before they can attack metal

on steering knuckles, universal joints, and other exposed parts. Numerous engine accessories such as fan belts and throttle linkages may need attention.

To simplify these jobs for motorists, a brief step-by-step chart of chores for summer-conditioning a car is given on the opposite page. Check off each item as it is



Few batteries wind up a hard winter without need of care, Tests should be made . . .



. . . to show up weak cells, voltage output under load, and the specific gravity of the liquid. Add only distilled water



Brakes are jobs for the expert, Linings and drums should be examined for wear. Leaks in the hydraulic system are danger signals

attended to. When all are checked, your car will be fit for long tours or short hauls, and you'll make the most of the qualities the manufacturer built into it.

The chances are slim that you can do it all by yourself, for many service jobs require tools and equipment you don't possess and couldn't use if you did. Some of the simpler jobs you can handle. But the advice of the experts is that you must not start anything you cannot finish, and that it is a shame to make a guinea pig out of a good automobile just to learn how not to do a job the next time.

In short, use good judgment on what to do yourself and what to leave for your service man. It's a pretty safe bet that the less you do yourself, the better.

The experts break down the jobs on your car into five divisions: Engine, chassis, brakes, wheels, and body. They urge motorists to neglect none of them in the spring overhaul.

Start with the engine crankcase, which should be drained, flushed, and refilled with the oil specified for the season and the car's age. The old oil should be examined for excessive water, which shows up a cooling-system leak; and sludge, which may indicate worn piston rings or valve guides, or a dirty oil filter.

A well-aged car probably needs carburetor work—definitely a job for the experts. However, many carburetors have an adjustment you can make yourself. This is on the acceleration pump that shoots an extra charge of raw gas to your cylinders when you step ou it. You can easily set this to pump a smaller quantity of gas, for summer driving.

The fuel pump should be checked and cleaned at the same time, and a new pump diaphragm installed if needed. Remove water and dirt from the sediment bowl, and replace the bowl carefully to avoid damaging the seal.

Two other filters on your engine need regular cleaning—particularly at winter's

#### **Summer-Conditioning Check List**

NGIN	E:
Oram, f	lush, and refill crankcase
Drain, f	lush, and refill radiator
Clean c	arburetor
Reset co	rburetor acceleration pump
Check fo	uel-pump diaphrogm and filters
Clean c	ir filters on corburetor and liter pipe
Check o	il-lilter mileage
Clean c	and adjust spark plugs
	and readjust or replace dis- tar points
Turn of	hot-water-heater valve
HASS	15:
Grease	all chassis fittings
Check (	or refill) transmission
Check (	or refilt) rear end

Check battery condition	
BRAKES:	
Check master and brake cylinders for leaks	
Check hydraulic lines	
Check brake drums	
Check brake linings	
Check broke rods and cables (if mechanical)	
WHEELS:	
Check fires	
Check wheel alignment	
BODY:	
Check all lights	
Oil door hinges and latches	
Clean under fenders and chassis	
Clean and wax finish	

end. They are the carburetor air cleaner, which requires a gasoline wash, a short drying, and a thorough soaking with engine oil; and the oil-filler cap—the automobile engine's most neglected orphan child. The latter does double duty as air intake and air filter for the carefully engineered air-conditioning system built into your crankcase, extracting the bearing-destroying abrasives of air-borne dust. Give it the same treatment the carburetor air cleaner gets.

Spark plugs, distributor points, and igni-



Drain alcahol from your radiator, then apply a weter hase to the fit or pipe and flush the system for several minutes. Running the engine will help to . . .

of adequate water supply during the running. After rafilling, turn off the supply valve to your heater



tion wiring come in for attention next. You need an ignition expert for this, too, with tools, meters, gauges, and testers. Few cars, after a winter's driving, will fail to show improved gasoline economy after a proper ignition overhauling.

Under the "engine" heading, there remain but two major items: drain, flush, and refill your radiator if you have been using alcohol as antifreeze; and turn off the water supply to your hot-water car heater. If you used an ethylene glycol antifreeze, opinion is divided on whether to leave it in or drain it and store it for next winter. It is a good idea to flush out the radiator and engine block anyway, whether you put the antifreeze back or not. And when the flushing job is finished, then, and not before, shut off the heater valve.

The chassis comes next on the program. The first step is to get it clean of salt, calcium chloride, and other chemicals that the highway departments put on the streets to melt snow and ice. Most such chemicals slowly attack steel. They also attack rubber fittings, with which the modern car chassis is liberally equipped. A pressure-hose bath, elbow grease, and a stiff brush will be needed.

Proceed from here to a thorough greasing job, changing grease and oil where recommended, with special attention to the requirements of hypoid rear ends and of fluid drives and hydramatic clutches and transmissions. Next, check the battery cells individually and collectively for voltage output, and add distilled water to cover the plates. A battery hydrometer will show the state of charge of the cells.

Brakes are the province of your service man. Just to remind you why, recall that the master and the wheel cylinders, pistons, and linkages need inspection to show whether repairs or replacements are called for. Brake linings should be examined also for uneven wear, and brake drums for high and low spots. If your brakes are of the mechanical type, rods, levers, cables, and other fittings require equally careful inspection.

Car wheels, after a season of skidding on ice, pounding over ruta, and plowing through heavy snow, should be checked. Rear wheels rarely get out of line except from collisions, but front wheels, more flexibly mounted, often give alignment trouble. Bad steering, shimmy, rapid tire wear, and sideways "drag," are a few of the symptoms here. In addition, the tires should be gone over for cuts, bruises, and potential punctures from bits of glass and wire, nails, tacks, and stones. And remember that no inspection—except by an X-ray machine—reveals the condition of the inner walls of tires

unless the tires are taken off the wheels, tubes removed, and the casings spread open.

The car body is next, and it is well to include all lights—head, tail, interior, parking, and turn-indicating—in the list of things to be checked in this department. Your garage man will check on headlight-beam direction. Following this, thoroughly clean dust from the floors and upholstery, and remove upholstery spots with an approved spot-removing compound.

After a good washing, your car is ready for waxing—another elbow-grease-consuming task, but one that repays you well in improved car appearance and increased life of car finish. The wax will make subsequent cleanings easier, too, since a quick rubbing with a dust cloth restores the luster when needed

Lastly, apply light oil to door latches, locks, and hinges, carefully wiping off any excess that might spot clothes. You'll be amazed at the number of squeaks, rattles, and canary birds bothering you for weeks that suddenly disappear, just from this simple treatment.

If any detail of automobile maintenance is to be stressed

over others, it probably is lubrication While oil companies have developed lubricants in recent years to perform astonishing tasks compared with those of ten years ago, the best of them have a limit to the miracles they can perform. And proper car lubrication, is not alone a summer-conditioning chore but a year-round service "must" for those who want their cars to





Remove spork plugs, clean them carefully, and reset the points. This is another job best left to the . . .

All in all, the jobs to be done on your car now are many. After you've done what you are equipped to do yourself, turn the rest over to a skilled garage man. He's an old hand at summer-conditioning cars. So he'll probably repeat the chores you've done, then finish the job with all the technical skill that it calls for.

Preliminary step in tire check-up. To be thorough, you should remove the tire from the rim and the tube from tire to inspect the inside of each shoe







Inside, a spray of shot is expanding a piston. A wheel, steadily turned, keeps jet in motion


Removing piston after Koetherizing. Large wheel an top controls oscillating table which holds piston

#### Spray of Shot Expands Worn Auto Pistons


INE STEEL SHOT, sprayed against the inside of auto-engine pistons by a blast of compressed air, has proved an effective means of expanding piston skirts that have become too small because of wear or "collapse" of the metal. Named Koeth-

erizing after its inventor, E. A. Koether, this method restores pistons to their original size in a few seconds. Pistons to be treated are first measured to see how much expansion is needed, and then placed in the "Koetherizing" machine. A chart shows the

length of treatment required to restore the piston's size, and a timer on the machine tells the operator when the proper amount of spray has been applied. The piston is fastened to an oscillating table. While the treatment is under way, the operator turns a small wheel on the top of the machine which moves the spray jet providing a proper distribution of pressure on the piston. The sprayed shot does not strike the piston pin bosses or struts, which might be distorted by the application of so much pressure. Number 16 shot is used, which is about as fine as granulated augar, and it is blown against the piston by air under a pressure of 60 to 80 pounds a square inch, depending on the type of piaton. Inner surface of the piston is strengthened and hardened by the process.



POPULAR SCIENCE



Sam Hanks (autside) and Pat Cunningham, star midget-car drivers, skid on a turn at a mile a minute

## Battle of the Mighty Midgets

#### By ANDREW R. BOONE

URED by \$1,000,000 in prize money, drivers

of 5,000 midget autos race thousands of
miles every year, while more than 5,000,000
spectators throng to 300 tracks to watch
them firt with sudden death. Speeds of 78


miles an hour on the straightaway are not uncommon, and some of the speed bugs average a mile a minute in races on fifth or quarter-mile oval dirt tracks.

So rapidly has this speedster's sport spread since the first midget races were held at Loyola University's stadium in Los Angeles in 1932 that several dozen circuits now operate throughout the country. Many owner-and-driver teams spend their time playing one-night stands, covering six tracks a week. After each meet they load their racers onto trailers and drive through the night to the next meet, which may be as far as 400 miles away.

Power plants for their churning

chariots may be anything from a rebuilt, two-cylinder motor-cycle engine to a complicated four-cylinder, 16-valve, double-overhead - camabaft, dual - carburetor job that can turn up 6,800 revolutions a minute.

Scores of successful midgets are powered with the four-cylinder, eight-valve engines



This speedster, driven by Ed Haddad, has novel bumpers to prevent serious crashes when it bumps into other racers



Rannie Householder, ace of the western tracks.
Crash helmet and gaggles word off flying clods



Most expensive midget is Charlie Allen's \$6,000 job. Perforations in windshield cool the driver




Bud Lewis, one of the top "B" class drivers on the Pacific Coast, looks grim at the finish line

turned out by Fred Offenhauser, who has also turned out winning engines for cars racing in the annual 500-mile Memorial Day race at Indianapolis. His midget creations sell for \$1,800, minus gear train, carburetor, and magneto.

The "Offica" were hard to beat for a long time, but those 16-valve jobs which are being produced by Alden Sampson, another Los Angeles motor builder, are giving them some stiff competition. Ronnie Householder, one of the top-flight midget drivers, recently installed one in one of his two cars. The second was powered with an "Offic," When the two cars were pitted against each other both of them established new records for the track on which they were running in a qualifying round.

Anyone who has the \$2 entry fee and the car can enter a midget race, though he's expected to be a skilled driver before he tries it, for his own sake and that of the other drivers on the track. To get their initial experience, many of the beginners pick a flat field or an empty airport, stake out an oval





Householder set a track record at Gilmore Stadium [14.9] seconds for the quarter mile) with this car

track, and go whizzing around all alone.

Most of the midget drivers are in the game for the thrill of it, but there's money awaiting the consistent winners, most of whom devote their entire time to the sport Top-notchers can make as much as \$10,000 in a year, though much of it goes back into the upkeep of the midgets. Householder, for instance, keeps on hand at all times \$5,000 worth of spare parts for his two cars.

There are plenty of thrills for spectators as well as drivers. One car recently did an end-over-end down the track, landing wrong-side-up on its driver, who walked off uninjured. Occasionally a midget becomes a flaming torch when a gas line breaks. Or a tire blows out, throwing the racer into a wild skid in the path of the following cars.

So far, there has never been a bang-up national meet to see who is the national champ of the sport. The midgeteers are hoping, however, that someone will arrange a 200-lap, 50-mile contest that will test drivers as well as machines, to see which is the nation s niightlest midget.

With this tiny crone, which he designed himself he can pick up his cars easily for repair work





... and this 16-valve Sampson engine. Note dual carburators and the fine construction throughout




In his garage workshop, Householder fits piston rings while reworking an engine between races


If track conditions change just before a race, Householder can change gears in eight minutes




## EIGHT TIMESAVERS









- I REPLACING HEADLIGHT RIMS is much easier if you use a simple trick that I tried out with great success. It consists of just marking a line with crayon or chalk across the edge of the rim and the edge of the lamp housing—this before you have removed the rim. Replacing the rim, use the line as a guide. The holding screws then will be easy to put back.—L.D.
- 2 Time valves can se removed quickly with a tiny tool you can make yourself and carry on your key ring. It is particularly useful for tires whose caps are not equipped with slotted stems. Obtain a short metal tube of suitable diameter, slot one end as shown in the sketch to fit over the keys of the valve insert, and attach a ring in the other end to go on your key ring.—R.W.
- 3 SWINGING RED REFLECTORS will attract more attention than stationary ones behind your truck. Using free-swinging strap or T hinges, fasten reflector buttons, of the type sold for attaching license tags, to the holes in one leaf of each. Then screw or bolt each other leaf to the back of your truck or trailer. Motion of the vehicle will make the hanging leaves swing.—A.H.W.
- A DASHBOARD HOLDER for eyeglasses can be made from a metal glasses case and two inexpensive rubber vacuum cups. Screw the cups tightly to the bottom of the case through holes drilled for the purpose. Cover with adhesive tape any projecting metal in the case, and press the cups wet with glycerin against the dash.—R.C.D.


## FOR CAR OWNERS


5 A LEFT-TURN SIGNAL I made from an old fog light whose reflector was too dim for its original purpose has proved very satisfactory. I cut strips of adhesive tape and applied them to the lens to form the arrow, and painted the whole surface black. When the paint dried, the tape was peeled off. A dash switch controls the lamp, which I installed as shown.—C.H.


6 ELECTRIC ACCESSORIES, such as fans, fog lights, and heaters, can be more easily attached to the output side of your car ammeter with the terminal strip installed as shown. The copper strip can be bent easily in a vise. Leave adequate space between the set screws.—J.J.B.

7 SINGLE PIECES OF LUGGAGE, if simply thrown into the luggage compartment of a car, are apt to be jounced around and to emerge with corners chafed and the appearance generally marred. I put a firmly inflated old inner tube around my values and set it on the trunk floor. The trunk lid, when closed down tight, squeezes the tube just enough to hold it and the bag firmly, no matter how rough the road may be.—E.S.

I soldered a tiny angle of metal to a point close to the tip of the spout of my oil can, as shown in the illustration. This serves as a hook to catch under and lift the tiny spring-tension covers on the oil-hole caps. The tip of the spout can be lowered into the hole to keep the cap open. It permits one-handed operation, and also keeps dirt from getting into the spout in the course of the operation.—F.G.









## Patented Process Gives

## High-Octane Gasoline




W. S. Farish, president of the Standard Oil Company of N. J., beside a model of the new "fluid cotalyst cracking" apparatus for highactions gasoline. Right, a type of refinery in which the new system will be installed



Better gasoline and more of it at no increase in manufacturing cost is the promise in a new petroleum cracking process recently developed by the Standard Oil Company of New Jersey. Yielding up to half again as much gasoline from stock as present thermal cracking plants, the new process turns out 90-octane fuel, 10 octane higher than called for by present cars, and only 10 octane below that required for military simplanes. Blending with lower grade fuels or with antiknock chemicals readily makes it suitable for either use.

Known as "fluid catalyst cracking," the process does away with the delays common to present catalyst cracking plants by keeping an automatically cleaned fluid catalyst, or reaction speeder, flowing in a continuous stream through the refining system. To use the new process, three plants with outputs of 6,000 barrels a day each are being built,



"phantom" car above. A chassis that is part of the body instead of a separate piece, and internal bridge trusses, all welded into a single frame, are used to form a unit that is said to be twistproof and rattleproof. The saving in weight makes it possible to get

more miles a gallon of gasoline without decreasing the power or size of the car. Coil springs support the weight of the car body at all four wheels.

#### Folding Vise Bracket Fits on Truck Floor

DESIGNED to provide a convenient support for pipe or machinists' vises, a recently developed bracket can be fastened to a truck floor in such a manner that it can be swung outside the truck to give plenty of room for using large tools on material clamped in the vise.

#### Device Checks Highway Surface

To develop smoother highways, the California Department of Public Works builds roadways of various materials on an oval test track and then checks the evenness of the surface with the "rough-o-meter" below. Two sets of runners transmit irregularities in the surface to a tape in the upper part of the device, where they are recorded. By charting changes from month to month, pavement life is estimated.





## GUS rescues an amateur

#### By MARTIN BUNN

T WAS getting along toward five o'clock on a warm spring Saturday afternoon when Joe Clark came out of the Model Garage office into the shop and began picking timeand-material slips out of the old cigar box on the end of the workbench into which his partner Gus Wilson always drops them after he has filled them in.

"Pretty near quitting time," Joe remarked as he glanced over the smudged forms, "Good day, hey? Where's Bill?"

"I let him off an hour early," Gus said. "He's going upstate to visit his folks over

the week-end, and he's got a long drive in front of him."

A horn sounded outside, and Joe stuffed the slips into his pocket. "There's some one who wants gas."

Gus glanced toward the open shop door. "No they don't," he said. "They're coming in. It's the Callenders, and they're in trouble again. Wonder what it is this time."

A snappy roadster was driven into the shop, towing a shiny and expensive sedan steered by a portly and plutocratic-looking middle-aged gentleman whose red face and awanky golf clothes were generously smeared with grease and grime.

From the roadster leaned an easy-to-contemplate young woman whose dark eyes showed amusement. "Dad's done something foolish to his car so it won't run and I've had to tow him down here. Incidentally, Mr. Wilson, now I've got myself late for the heaviest date I've had in weeks!" she said, indicating eagerness to be off. "Now you can take care of him," she laughed. "Untie the rope, will you please? I'm going!"

Gus untied the tow rope, and she maneuvered the roadster expertly out of the shop. Callender waited silently until his daughter had departed. Then he climbed out of his sedan, looked at Gus and Joe with a help-me-I'm-lost sort of expression on his florid round face, and shook his head slowly. "I'm licked!" he said briefly.

Joe tried to look politely concerned and mildly disapproving at the same time. Callender is a well-to-do-man who moved to town recently with his three-car family, and who has become an excellent customer of the Model Garage in spite of what Joe Clark considers his reprehensible habit of doing a lot of little car jobs for himself. But that habit doesn't bother Gus Wilson—he soon found that Callender isn't nearly so successful a mechanic as he is a broker, and that most of the little jobs he tackles turn up, often in aggravated form, in the shop to be done over again. "What's the trouble?" he asked, succeeding in smothering a grin.

Callender looked freshly aggrieved. "I can't understand it," he said fretfully. "It's

really beyond me. For the past few days this car has been making a most peculiar sort of noise, and this morning it refused to start. I decided that, as I wasn't going down to the city today, I'd find out what was the matter with it. My boy Kenneth—he got high marks for a course in automotive mechanics he completed at school—told me !t might be a leaking head gasket. After making various tests, I removed the head of the motor. I found that the piece of copper between the upper and lower parts of the motor - the gasket—was broken in a couple of places. I drove down to the city in my

> Next, he took off the rotor and just as carefully checked it for loose or duty contact between the spring and brush

daughter's car and brought back a new gasket.

"I had used meticulous care in taking the motor apart—I had marked each part, and even put labels on some of them, to make certain that I'd get them back in exactly the same positions that they had been in I reassembled the motor with the same care. And now"—Callender seemed on the verge of tears—"and now the darn car won't start!"

Gus looked more serious than he usually looks when he tackles even a tough trouble-shooting job—as he said afterward, he was afraid that this time Callender had really gummed up the works.

He got into the car and stepped on the starter. The only response was a muffled cgugh from one of the eight cylinders. He got out, raised the hood, took out one of the spark plugs, and examined it carefully. Then he made a quick job of stripping off the engine head. All the plugs were good and wet, and each cylinder contained considerable water.

He gave Callender a queer sort of look. "What gets me," he said, "is where the devil all this water came from!"

"Why," Callender said, "I put it there." "You what?" Gus demanded.

"I put it there," Callender repeated. "I noticed that there was water in the cylinders when I took the head off the motor, so to be sure that everything was exactly as it had been, I poured a little water into each



cylinder before I put the head back on. Nothing wrong about that, was there?"

Joe Clark said that he heard the office

phone ringing, and left hurriedly.

Gus's face didn't change. "Being careful backfires on a fellow sometimes," he said diplomatically, and went on to explain how the original gasket had caused the trouble by breaking through at some of the water ducts and allowing water to leak into the cylinders. While he talked he worked—swabbed the water that Callender had so carefully poured into the cylinders out of them, dried the spark plugs thoroughly, and then replaced the engine head. "Try her now," he said when he had finished.

Callender, his face red, stepped on the starter, and the engine took off with a heart-warming szing. "You must think I'm an

awful fool," he said.

"No, I don't think that," Gus told him. "It's just that repairing cars isn't your job, any more than buying and selling stocks is mine. I'll let you in on a secret, Mr. Callender. When I started fooling with the market back in the easy-money days I made a bigger mistake than you made when you poured water into those cylinders—and one that cost me a lot more!"

Callender grinned. "I get your point," he said. "After this, any work that has to be done on our cars will come right in here to

you."

After Callender had driven out of the shop, Gus glanced at the clock, saw that it was after six, and started to wash up. While he was at it, Joe Clark stuck his head in at the office door. "Say Gus," he said, "a fellow just phoned that his truck is stalled a few blocks down the road, and he wants to know if we'll tow him in and fix him up. Says he's got to get to New Haven tonight or bust. I know it's past quitting time, and that Bill is away, but this driver claims that if he doesn't make his delivery it'll mean holding up a national-defense job, so I thought. . . ."

"You thought right," Gus interrupted. "Till

go get him, of course "

He found the stalled truck—it was a recent model of a popular make—laid out at the side of the road. Its driver withdrew his head from under the raised hood when Gus stopped the wrecker beside him.

"The darned thing just plain quit on me," he growled. "Gasped a couple of times, and then quit cold. It did the same thing this morning, but then it ran all right after a garage fellow had cleaned out the fuel pump. But this time . . ."

"Hop in," Gus told him. "Over in my shop we'll have something to work with."

After towing the truck into the shop, Gus climbed in and stepped on the starter. The engine took hold on the first whirt. "It'll start all right," the driver said discouragingly, "but it won't keep going."

Gus speeded up the engine a little. For perhaps a minute and a half it ran smoothly.

Then it gasped. Then it stopped.

Gus tried again. This time, when the engine began to die off, he pulled out the choke and opened the throttle a little. But again the engine stopped, "Acts to me as if it wasn't getting enough gas," he said. "How's your tank?"

"At least three-quarters full," the driver

told him.

Gus grunted and lifted the hood. He removed the gas line between the fuel pump and the carburetor. "Step on her," he said. The starter turned the engine over fast. "Switch her off," he instructed after he had satisfied himself that the pump was working efficiently and delivering gas under plenty of pressure.

He checked the carburetor carefully—float level, the high-speed and idling jets, and the choke valve. Everything was in perfect order. He replaced all fittings.

"Start her again," he said. Again the engine took off promptly and ran smoothly and again after running for over a minute

it stopped.

"Must be the distributor," Gus said, more to himself than to the truck driver. He checked the distributor. Its points were clean and correctly spaced. Its bakelite head had clean contacts and showed no cracks.

Gus hummed another tuneless tune. Then he took out the spark plugs and checked each one for its gap and for cracks in its insulation. The gaps didn't need any ad-

justment, and he couldn't find any cracks.

He replaced the coll and condenser, and then checked the timing. It was perfect!

Gus loaded and lighted his pipe. He puffed clouds of gray smoke as he did a job of heavy thinking. Then he shook his head. "It just ain't so" he decided, (Continued on page 218)

### GUS SAYS:

Funny thing how cars seem to drive a lot easier in warmer weather. Maybe that's why a lot of drivers neglect changing their oil and getting regular grease jobs in the summer months. They don't save any money that way, believe me!

### 1401MIE and WORKSHOP





## New Finishes for Fir Plywood AND AND



A fluorescent fixture, if available, gives an unchanging light for matching and blending colors on plywood panels

## **Knotty Pine**

By RALPH G. WARING

ARCHITECTS, master painters, home owners, and amateur craftsmen have all joined in asking for simple, durable, and attractive finishes for plywood and knotty pine. Many of them also want to know how to obtain bleached or blond effects comparable with modern furniture finishes. The need for such finishes is especially felt in basement recreation or "rumpus" rooms, because these rooms rarely have sufficient window lighting, and the general finish should therefore be light in tone.

Price considerations often require the use of the cheaper plywoods, such as rotary-cut Douglas fir, which in many sections can be bought in three-ply stock, good on



This recreation room is paneled with inexpensive Dauglas-fir plywood and trimmed with bamboo. The game room illustrated on the facing page is also paneled with Dauglas fir and treated with a Cayuga sand finish. The moldings are finished in high-glass scarlet enamel. In the average home, however, it is better to be more conservative and use wood moldings of harmonizing rather than contrasting color

one face, for five cents a square foot. Such material is often beautifully figured, but finishing difficulties in many cases have prevented the use of this otherwise valuable wall board. Its heavy, conspicuous grain of hard summer wood and very soft spring

wood is difficult to stain and finish in soft tones, free from bizarre figures caused by uneven stain penetration.

Since the recent introduction of what are called "wood preservative" or "penetrating" finishes, however, a new technique of color

### PRESERVATIVE FINISH-Natural

[PAINTING]

- Sand panel with 4/0 garnet paper. Rub with the grain in straight lines only.
- Brush on clear wood preservative. (This type of finish is made by various companies and is sometimes called "penetrating floor finish" or "floor seal.") Dry 45 minutes.
- 3. Rub clean with 00 steel-wool pads to a bright, even surface.
- 4. Dry 24 hours at 70 deg. F.
- 5. Recoat lightly. Dry 15 minutes. Rag off clean.
- 6. Dry 12 hours.
- 7. Steel-wool wherever necessary for even sheen and soft feel.
- 8. Wax. Dry 10 minutes. Polish with rags, brush, or flexible-shaft equipment with lamb's-wool pad. Do not use self-polishing waxes unless previously tried out on a completely finished sample panel.

POPULAR SCIENCE MONTHLY SHOP DATA FILE

### PRESERVATIVE FINISH—Cayuga Sand [PAINTING]

(FOR BLOND EFFECTS ON DOUGLAS-FIR PLYWOOD AND OTHER PANELS)

- Sand with 4/0 garnet.
- 2. Mix one part ivory or cream eggshell wall enamel with one part of clear wood preservative. Brush or spray on a light, even coat so that wood grain is subdued but not covered. If brushed, use a dry, wide wall brush to blend the coating gently in continuous straight lines the entire length of the panel. Wipe bristles quickly at end of each stroke to keep them dry and clean. Work with tips of bristles only and use no pressure. Dry 24 hours.
- 3. Use 2 0 steel-wool pads to secure the final even tone.
- 4. Wax. Dry 15 minutes. Polish.

If color is desired, use glazing colors as for Quaker gray or autumn green (or use wainut or mahogany) and blend out soft and evenly. First work out a sample panel on the back, keep a record and check the results. A glazing liquid for colors over Cayuga sand is mixed as follows flat varnah. 4 az. boiled linesed oil, 2 oz.; pure turpentine, 1 oz. Buy artists' tube colors, thin out small amounts in separate cans with brushes, apply in small areas as needed, and blend out immediately with rags or dry 2" brushes. Have a separate rag or brush for each color.

POPULAR SCIENCE MONTHLY SHOP DATA PILE

application has made it possible for anyone to finish this type of fir plywood in beautiful, even colors, suited to the most exacting tastes. These finishes, which are often sold under names such as "penetrating floor finish" or "floor seal," almost without exception have tung oil or China-wood oil as their base material—the most waterproof vegetable oil in existence. When combined with various resins, and in some cases with waxes, it produces a film that actually penetrates the pores of the wood and acts as a sealer. It can be applied with a brush, rag, mop, sponge, or spray. The coat is left a definite

length of time, then rubbed off the surface with rags or steel wool, allowed to dry, recoated, again rubbed off, and finally waxed, if desired.

A number of firms, including some of the better known paint companies, are now making these finishes. The prices range as a rule from about \$3.10 to \$4 a gallon. The finishes can be obtained colored as well as clear, but the clear type is used in the accompanying specifications.

The durability of the new finishes almost surpasses belief. One test panel, a small section of which is illustrated, was given the

standard stroke-machine test with a 2" belt faced with No. 00 garnet abrasive paper. After 300,000 strokes it was difficult to find any trace of wear.

Many contractors and builders and practically all amateur woodworkers make it a practice to erect the studding and other framework, then fasten on the panels with nails or self-bonding glues, and finally finish the entire wall areas as standing work. Time may be saved and a much better result obtained by carrying on the finishing process separately at the same time the carpenter work is being done. For the home craftsman this method is of distinct advantage since he can finish a few panels at a time in the evenings.



Applying clear wood preservative to plywood. It is always desirable to finish the wood before erection, if possible—a good method for those who wish to finish a few panels at a time

1. Sand with 4/0 garnet paper.

2. Mix 1 pt. soft-brown four-hour enamel, 1½ pt. natural wood filler, and 1½ pt. turpentine. Also mix: 1 pt. jade-green enamel, 1½ pt. natural wood

filler, and 14 pt. turpentine.

3. Brush on each color in various hand-sized areas, leaving many open portions between to show natural wood. Blend each color with rags to give cloud effects devoid of sharp margins. The color values should grade from heavy at the bottom to quite light at the top in order to give color balance in the room itself.

4 As soon as colors are wiped off, coat in the entire panel with clear wood preservative; then use rags and 2/0 steel-wool pads to secure desired blend and weight of colors. Keep best panel as a master panel against which to

check all subsequent matching and blending. Dry 45 minutes.

5. Steel-wool clean and bright. Dry 24 hours.

6. Recoat lightly with wood preservative. Dry 15 minutes. Rag off clean.

7. Dry 12 hours.

8. Wax, Dry 10 minutes. Polish.

Note: By following the same specifications but using gray tan green and the natural wood a four-color blend called "forest" or "chromewald" can be obtained. Keep the colors suft and subdued, in clouds rather than in heavy areas, which would give a spoily effect.

POPULAR SCIENCE MONTHLY SHOP DATA FILE

The wall areas should be carefully measured and the panel spaces numbered in rotation so that the panels may be selected and matched for color and grain figure. Pick out the choicest panels for the positions where they will be displayed to the best advantage.

A visit should be made to the lumber dealer, and a study made of the type of figure best suited to the room in question. Some runs of veneer give bold, heavy effects, some have finely balanced center-grain designs, and others show an even, lacy effect over the entire surface. The thoughtful architect or owner can thus assure definite decorative effects that would be lost if the panels were chosen at random. As a rule

the dealer will be only too glad to sort a reasonable number of panels from stock in order to satisfy a customer who is buying a reasonable quantity.

When the panels have been delivered, the final selections should be made and an identifying number marked on the poor face of each panel (indicated by the dealer's stamp or by knots or other defects). Panels to be viewed from both sides must, of course, be chosen from stock made up with two good faces, but wall stock requires only one face to be of selected veneer.

The next step is to decide upon the schedule of finishing. If fir is to be used, bleaching with commercial bleaches is not needed for blond effects and should not be attempted.

Unretouched photograph of part of a cheap grade of Douglas-fir plywood panel which had been given a preservative finish and then subjected to 300,000 strakes of a 2" belt faced with No. 00 garnet abrasive paper in a continuous machine test—more wear than any wall would get in years of use





To insure the best appearance, it is desirable to select and match the panels for color and grain figure. All are then numbered in the order they are to be erected around the room.

On woods like maple, birch, or basswood, which can also be used in this work, bleaches may be used if desired. The reason bleaching is not desirable on Douglas fir is that the

grain becomes excessively raised, and a disproportionate amount of hard sanding is required to reduce the grain to a level surface. This will inevitably cut below the bleach penetration, so the effort is entirely wasted.

Blond or bleached effects on Douglas fir may be obtained by some modification of the accompanying specification for a Cayuga sand finish. The grain is partially subdued and may be sanded or steel-wooled to secure any final effect desired with the least labor or any of the specifications listed. The finish, applied as far as the third step, may also be used as a first sealer coat and followed by color-glazing in walnut, mahogany, or other colors to produce wall panels in the finest of Tiffany glazes—a finish well suited to recreation and similar rooms.

After the finishing schedules are complete on all panels, they can be erected according to their numbers and fastened in place with rosin-coated nails at the edges and with self-bonding glue on the center stude so as to avoid any holes in the center areas. Such holes would require putty

glazing, which is entirely unnecessary with modern erection methods.

Those readers who are unfamiliar with the glued type of construction will find it a

### PRESERVATIVE FINISH-Quaker Gray [PAINTING]

- 1. Sand with 4/0 garnet paper.
- Mix. 1 qt. gray four-hour enamel, 3 pt. natural wood filler, and 3 pt. turpentine.
- 3. Brush on entire panel. Rag off quickly.
- 4. Apply wood preservative coat immediately and blend color with rags for even tone or cloudy effect, as desired.
- 5. Dry 45 minutes. Steel-wool clean and bright. Watch color.
- 6. Dry 24 hours after blending and using 2 0 steel wool.
- 7. Recoat with wood preservative. Dry 15 minutes. Rag clean and bright.
- 8. Dry 12 hours.
- 9. Wax. Dry 10 minutes. Polish.

POPULAR SCIENCE MONTHLY SHOP DATA FILE

great improvement over nailing. Suitable self-bonding glues of the heavy casein type are supplied by large dealers in Douglas fir plywood, but any heavy-bodied casein glue may be used. Some of the dealers also have glue guns that may be rented. These are similar to the caulking guns used for applying flexible caulking material around windows. The glue can also be applied with a 1½" brush, but a gun saves considerable time.

Some provision must be made for applying pressure to each panel within ten minutes after gluing. This can be done by using two by fours and wedges or a jack, or with nailing strips, which are nailed at 6" intervals and left on for about four hours before being removed. Where panels are to be finished without nails, the pressure jig is left on merely for as long a time as is found necessary for the glue to set; this depends upon the temperature and humidity.

The glued construction is much more rigid than the ordinary method of using nails; in fact, there is about as much difference as between the modern welded all-steel automobile body and the early bolted and riveted body.

What type of moldings to use for hiding the joints is, of course, a matter of personal preference. Metal-covered strips in various finishes are sometimes chosen to give a smart, modern appearance, but properly designed wooden moldings, finished in a harmonizing rather than a contrasting color, are more satisfactory for most purposes. They give a subdued accent that is more pleasing in the average room than the

darker linings that are so frequently employed. One or two preliminary coats of finish may be given these moldings, and after erection all brad holes should be glazed so that the final coat will produce the selected finish.

The home worker who has a well-equipped shop, especially if he is fortunate enough to have a fluorescent lighting fixture, can do the color work on the panels in the evenings even better than under failing daylight conditions. With a master color panel always before him for checking and comparison, he can obtain uniformity of treatment and color. The white fluorescent tubes produce a constant and unchanging light value, and such a fixture will soon compensate for its apparently high initial cost.

Knotty pine, as specified by architects for libraries or large rest rooms, continues to be finished in a soft, dusty, amber tone such as might be found on a very old piece of longused and much-waxed natural white pine. It is suggested, however, that a modification may be obtained by using the Cayuga-sand specification as a first coat and then blending out with steel wool and wood preservative as a second coat. This offers a new, light, and distinctive effect that is entirely in harmony with modern furniture ensembles. A mild use of subdued forest colors in tans, grays, and greens as glazes would also enhance this use of knotty pine.

The accompanying specifications are offered as working guides for the new finishes and may be modified to produce almost unlimited color effects just so long as the fundamentals are retained.

### PRESERVATIVE FINISH FOR KNOTTY PINE [ PAINTING ]

- 1. Sand with 4/0 garnet paper.
- 2. Stain with turpentine asphaltum, ½ pt.; turpentine, 1½ pt.; gasoline, 3 qt. The color is controlled by using more or less asphaltum, but work up a large sample piece with this complete finishing schedule before judging color.
- 3. Dry 24 hours.
- 4. Brush on clear wood preservative. Dry 45 minutes.
- 5. Steel-wool clean and bright. Avoid cutting through the color.
- 6. Dry 24 hours.
- 7. Recoat lightly. Dry 15 minutes. Wipe clean.
- 8. Dry 12 hours.
- 9. Wax. Dry 15 minutes. Polish.

POPULAR SCIENCE MONTHLY SHOP DATA FILE

IDEAS FOR OWNERS

AIR-CONDITIONING UNITS that could be used in small houses at small cost would add luxury to life in many homes. Here's one that its inventor, Thomas W. Carraway, thinks is ideal for such use, Designed to sell for about \$300, it employs a re-evaporation system to keep humidity down while cooling the air. At the right is a model of the outfit, prepared for display at the last Inventor's Convention in Dallas, Texas, A working unit of this machine would measure six by four by four feet, and could be installed at a convenient central point.

BENDING STEEL TUBES where they project through walls or floors is often a difficult job. To aid plumbers in overcoming the difficulties of such work, a tool has been developed which can be set right up against the surface through which the tube projects. It consists of a clamp which fits around the tube and holds against it a curved channel over which the tube can be bent to any de-

ENDLESS CLOTHESLINE. Pulleys with supporting brackets on only one side permit clothes to be moved to any point on this line without taking them down They also make it possible to remove a single piece of washing from a point at one end of the line without disturbing others, and to use both sides of the line. Clips are used instead of clothespins.





Inventor Thomas W. Carraway demonstrates a model of an air-conditioning unit for use in small homes

sired angle without danger of buckling. This curved piece is fitted with a long handle which can be set at any angle so that it can be braced against a solid surface. A notched joint between the parts locks them instantly in the desired position.




Special clips and pulleys enable any piece of wash to be removed from this line without disturbing the rest




KEEPING THE KITCHEN neat and shiny is made easier with a liquid refrigerator polish now available for cleaning and waxing white-enameled surfaces. Working in much the same manner as certain types of auto polish, it removes finger prints and unsightly films with a little rubbing, and at the same time deposits a glossy coat of wax on the surface to protect it from further accumulations of dirt and stains. It also can be used on silver, chromium, and nickel finishes, as on bathroom fixtures, table accessories, and the like.

FINDING A PLACE to put your paint brush when you want to stop painting for a few moments is no problem at all when this combination can and paintbrush holder is used. It clips on the side of the paint container to form a handle for the can, and its upper end is formed into a clip to hold the brush handle. It is sold in sizes to fit ½-pint, pint, and quart cans. A "wiping bar," which clips into the top of the can for wiping excess paint off the brush, is provided with the holder, and returns to the can paint that would ordinarily be wasted. Both the wiping bar and handle are instantly detachable.







Made of a new synthetic composition, this thin pocket stone is quite flexible


workmen who like to sharpen their tools frequently but don't want the bother of carrying a bulky stone should welcome the pocket sharpener shown at the left. It is only 1/16" thick, %" wide, and 4%" long, and so flexible that it can be bent almost double without injuring its sharpening surface. Its size and flexibility make it ideal for carrying in a pocket or wallet. Sportsmen, model makers, and wood carvers will find it convenient.

GARDEN HOSE that weighs only eight pounds for each 50 feet of length, including couplings, has been developed for use where standard-size hose might prove cumbersome. When attached to a spray nozzie or sprinkler, it carries from 65 to 75 percent as much water as the conventional size at average faucet pressure. Women and even children can handle it easily.






SOME PAINTS, WHEN APPLIED, will dry to a different shade than they appear to be in the can. Painting a bond of the color around the container will identify it upon the shelf and provide a permanent color sample for reference and comparison



THIS VENTILATED CABINET keeps dish maps, scrapers, sink brushes, and the like out of sight yet within easy reach, and a lows them to dry thoroughly. Paint to suit and fasten alongside the sink

### KEEPING



TO PRODUCE NEAT CORNERS when covering a table with ailcloth or other fabric, fold over one edge and slit the material as, above. Tuck one edge behind the other. Fasten with tacks from beneath




LEAD-COVERED ELECTRICAL WIRE, noiled to a wall or other flat surface so as to leave loops as shown above, forms convenient holders for maps, brooms, garden tools, and other household articles




LOOSE PHONOGRAPH RECORDS can be carried safely in a partable-typewriter case. Fill up the bottom with cardboard to the height of any catches or hooks. Most cases will hold twelve-inch records


## THE IIIINE SHIPSWAPE



IN CASE OF FIRE in the basement, should there be no other supply tap nearby, connect the gorden hase to the drain faucet of the water heater. Having water readily available may save the day




SHORT COIL SPRINGS make effective friction catches where appearance is not of first importance. On doors which close flush with the frame, the spring should be fastened with scraws Inside a martise cut into the robbet. On a narrabbeted frame, it is necessary only to fasten a short spring to that face against which the door closes



WHEN REPLACING WORN PLUG PINS in a pin tumbler lock, keep cylinder pins in place by using a piece of tubing or rolled-up sheet metal to push the plug out. Turn plug slightly for easy removal



A LARGE, EMPTY ADHESIVE-TAPE CONTAINER will serve as a convenient dispenser for absorbent cottan. Keep the contents clean by opening container only enough to take out what is needed



WHEN NO HOT PAD IS AVAILABLE, hat utensils may be set upon a loop of the asbestos-covered connecting cord of an electric table stove, but this should be done only as a temporary expedient




more or less by its intended location. A corner of the garden may be a likely spot for one such as shown in Fig. 1. Fireplaces built against a dwelling, as in Fig. 2, may make use of the house chimney, provided that proper dampers are installed. If a separate chimney is built, it should rise at least two feet above the ridge of the nearest roof. A lesser height will result in down drafts that will blow smoke back through the fire box.


When at all possible the fireplace should face prevailing winds. If this is not feasible, the chimney should be similar to the one shown in Fig 1, with openings front and back, which will induce a satisfactory draft by suction. Avoid a location close to trees. Not only are these likely to be damaged by the heat, but they occamonally cause troublesome down drafts.

Some communities have rather stringent fire laws governing the use of outdoor fire-places, Ordinances may require that the per-

mission of neighbors be obtained. It is therefore advisable, before going to any trouble or expense, to consult the authorities concerned. Local regulations may require installation of a spark arrester, such as shown in Fig. 1 and Fig. 6, and this is an advisable precaution to take in any case in order to safeguard near-by trees, shingle roofs, and the like.

The style of the fireplace and its con-





struction should by all means harmonize with the type of architecture prevailing in the neighborhood. Rustic fireplaces are ideal in rustic settings, but formal brick or stone designs are more appropriate to conventional surroundings.

Brick, concrete, concrete block or stone may be used, but stone must be carefully selected because not all types will withstand severe heat. The shales, limestone, and sandstone are to be avoided, for they may chip or explode when exposed to fire; and as they absorb water, they are even more likely to do so if subjected to heat while wet. However, granite or other unstratified rock is quite suitable, and even porous stone may be used if the fire box is lined with fire brick. Such lining should also be installed if the fireplace is made of concrete block or common brick.

The dimensions shown in the accompanying drawings are based upon the use of fire brick 21/2" by 41/2" by 9", but standard sizes vary in different localities, and firebox proportions may have to be altered to suit the size of brick obtainable. The same holds true for concrete block, which may not be locally available in the size specified in Fig. 3.

The fireplace shown in Fig. 1 is especially suitable for the corner of a garden wall. No fire-brick lining is provided for in this design, and for that reason fire-resistant rock must be used. All four chimney openhardware cloth (wire mesh). The sides of the fire box are built with ledges upon which the grates rest, and the upper grate may be pulled forward for conveniently placing and turning food, or removed entirely when no cooking is to be done but a roaring, companionable blaze is wanted. Cooking utensils may be kept in the triangular cabinets flanking the fireplace. The space under the benches is convenient for storing fuel.

A fireplace built against the projecting breast of a house chimney is shown in Fig. 2. It is, of course, necessary to make an opening in the chimney, and care must be taken to close the damper of the indoor fireplace before kindling a fire in the one outdoors. A fire-brick lining is specified. The design provides for a broiling grate, to be heated with wood, and, to one side, a duplex charcoal steak grill, anchored in the masonry. The crane shown will be found convenient for making stews. Cooking equipment may be kept under lock and key in




Fig. 3. Concrete block is the material specified for this simple but afficient fireplace, in which a wood grate might be used instead of the charcoal pan shown, The combination top grills and cooks at the same time




Fig. 4. Plenty of shelf space and a hinged cooking top that may be lifted when the fire is to be laid are features of this design if fire-resistant rock is available, the fire-brick lining may be amutted

the cabinet at the right. Desirable counter space is provided by the tops of the cabinet and the fuel bin, and by two projecting ledges of the fireplace proper, which should, of course, be built of the same material as the house chimney.

An example of the use of concrete block is shown in Fig. 3. Blocks 4" by 4" by 12" are specified in this design, but if this size is not obtainable the proportions may have to be aitered somewhat. The fire box must be lined with fire brick, which may be laid face-toface or edge-to-edge, the latter method requiring fewer bricks and reducing the size of the fire box less. A raised back provides shelf space for utensils. The combination grill and flat plate shown permits of both cooking and broiling at the same time. Although a charcoal pan is specified, a grate for burning wood may be substituted, but should be placed somewhat lower. A charcoal fire should be about 4" to 6", a wood fire 8" to 10", below the cooking surface. Although the fire could be built directly upon the floor of the fire box, a grate raised 4" above the floor will insure a much better draft through the fire from beneath. In this design both grates are supported by metal lugs embedded in the fire-box lining. In Fig. 4 is illustrated a fireplace that may be built of porous stone, with a refractory lining of fire brick. The cooking surface is a fiat plate, which can be purchased as a ready-made unit. It hinges at the back on a rod set into the masonry, and may be tilted up when the fire is being laid, making it unnecessary to stoop. Many experienced outdoor chefs prefer such a flat plate to an open grill. The fire-box lining is laid with two projecting courses of fire brick, upon which the wood grate rests. Broad shelves afford plenty of convenient space for utensils and other cooking equipment.

The barbecue spit and fire-box unit shown in Fig. 6 may be purchased ready-made, or the design may be altered by using an open fire box such as shown in Figs. 8 and 4. The aink, with its gooseneck tap, eliminates the necessity of carrying water. Flagstones, slate, tile, or even wood may be used for the top of the cabinet and the counter space around the sink. The chimney is fitted with a spark arrester.

A proper foundation for the masonry is the first thing to be considered in planning a fireplace. For small ones in mild climates, a 6" thick "floating" mat or slab of reënforced concrete, poured over a well-tamped base of cinders or sand from 2" to 4" deep, will suffice. This concrete slab should extend 4" below the ground and 2" above, and should be reënforced with 6" galvanized wire mesh, from 10 to 18 gauge,




Fig. 5. How to build a charcoal pon is shown at the left. Concrete foundations prevent settling and cracking of masonry. Make spork arresters of iron rod and galvanized hardware cloth, as at the right

or with %" to %" steel rods laid checkerboard fashion, about one third of the thickness of the slab from the top. One part of cement to 2½ parts of clean sand and 4 parts of gravel is a good mix for foundations.


For heavy fireplaces, or in localities where the ground freezes deeply, concrete footings should be used. These ought to be at least 10" deep, or, preferably, deep enough to extend below the frost line.

A good mortar for ordinary brick and concrete block may be made by mixing one part of cement with three parts of clean, hard sand, and adding from 10 to 15 percent as much lime as cement. Use only enough water to make the mortar work easily. Some building-supply dealers offer ready-mixed cements, which require the addition of only sand and water

Mortar for fire brick consists of fire clay to which has been added enough water to make a workable mixture. Granite and other unstratified rock, which requires no fire-brick lining, should be bonded with a mortar made of equal parts of cement and fire clay. This mix should also be used for nonrefractory masonry directly behind fire brick, which is subjected to a certain amount of heat. Joints in brick and stone masonry should not be wider than ½". Joints in fire brick should be as narrow as possible—that is, 1/16" or less. Soaking ordinary brick in water before laying produces a better bond.

Chimneys should be no higher than necessary, although as mentioned before they should rise at least two feet above nearby structures to avoid the possibility of down drafts. Smooth flues make for a good draft. Terra-cotta linings are desirable in this respect. The cross section of the flue should be at least one tenth as large as the com-

RAMMAT OF AL OF



bined areas of fire box and ash pit.

For an open-front fireplace this proportion should be one eighth.

There are a number of good grates, angles, grills and supporting lugs on the market, as well as complete barbecue units and spits, so that the necessity for improvising such equipment is not so great as it once was. Such ready-made parts simplify construction, but if it is desired to keep the cost down a little ingenuity will enable the builder to make good use of old stove parts, scrap material, and the like.

One all-important warning is in place here: The temptation to start a fire in a newly finished fireplace is tremendous, but must at all costs be resisted. The masonry should be allowed to dry for at least a

week before it is subjected to heat, and only then further dried by means of a slow fire.

Having water available is especially desirable if the fireplace is at some distance from the house. A weatherproof electrical outlet also will be found convenient for connecting a radio, percolator, or lights.

Outdoor cooking requires special tools. Figure 7 shows a very useful set, which can be made directly from these drawings. It

Fig. 6. Working drawings for this fireplace appear at the left. When brailing is to be done, the barbecue hood and spit shown are removed and the grill slid back. The entire fire-box assembly can be purchased as a ready-made unit




Fig. 7. These outdoor-cooking accessories can be made of sheet metal and iron rod. Rivet or weld the parts together


is a good idea to embed short lengths of iron rod in the masonry of the fireplace, as shown in Fig. 1, to hold such tools within convenient reach. A pair of asbestos gloves should also be available for handling hot utensils or other objects.

Hardwood and charcoal are the best fuels for cooking. It is important to remember that cooking is properly done over glowing wood coals, not over burning logs. It is for this reason that maple, oak, or hickory are preferred to softer woods, which burn to ashes much too quickly. It may take from one to four hours to produce coals for broiling, depending upon the depth of the fire required and the size of the logs used.

A good charcoal fire can be prepared in


less time, and gives steaks a flavor that cannot be produced by other means, although it is claimed by some expert cooks that for broiling fish and chops oak coals are even better.


Flat plates are sometimes preferred to grills because meat can be cooked on them with less loss of the juices. Whichever is used, the meat should not be punctured with forks or knives during cooking any more than is absolutely necessary. Let it broil completely on one side, then turn with gloved fingers. It is a good idea to keep a pair of white cotton gloves especially for this ригрозе.



Built-in Bar for

DESIGNED AND






The basement plan and, below and at right, three views of the bar

built-in bar and cabinets for the basement recreation room illustrated last month (P. S. M., May '41, p. 162). This built-in section is separated from the stairs by means of a ¾" fir plywood panel 4' wide, braced with a heavy round post that rests on the top tread. The large panel has sixteen holes cut into it as a decoration; the inner edges of the holes, in this particular installation, were painted a bright red.

is continued right ground


The bar top itself is of solid mahagany, but maple or other hardwood could be used. Access to the bar is through a hinged section in the upright part. The entire upright front of the bar is made of a '%" hard composition board bent around ribs. This may be finished in any way desired, but in the original room was faced with leatherette.

The back bar is a counter with a mahogany top and locked cupboards below. Above, two cabinets are fastened to the wall. The wall under and between them is hidden by mirrors. The joint between the mirrors is covered with a fixed shelf for glasses, while above it are two plate-glass shelves supported on pins in the sides of the cabinets. A fascia board covers the top, and so-called "lumiline" lamps are set into the space between the cabinets.



## Basement Recreation Room

ILLUSTRATED BY JOSEPH ARONSON



# Refreshment Lart


#### By JOSEPH ARONSON

Author of The Encyclopedia of Furniture

"HIS refreshment cart is a modern version of the old, but always useful, tea wagon. It has an unusually large amount of tray surface in three tiers, as well as a closed compartment, which may be locked if desired. Materials: 13/16" plywood, 1 pc. 16 ¼ " by 28" for top, 1 pc. 174," by 204," for middle shelf, 1 pc. 171/4" by 27 3/16" for bottom, 2 pc. 6 1/4" by 23 1/4" for sides, 1 pc. 15%" by 22 11/16" for back, and 1 pc. 14%" by 231/4" for door; 4 posts of solid wood, 1%" square by 23%"; 2 pc. %" by 1%" by 34" for top side members; 2 pc. %" by 1%" by 16%" for handles; 4 good quality 3" rubber wheels or casters; 1 pr. 2" by 2" broad brass butts (hinges); I builet or cupboard catch; 1 cabinet lock; 1 knob. Any available plywood and wood may be used. Build up the cupboard section by doweling the sides and back together, and dowel this to the bottom. Dowel-joint the other members. Note that the top panel is framed with two strips %" by 1\%", and the end members of this frame are shaped bars, which serve as handles. Assemble the top like a tray and

dowel it to the case and posts.

Colored lacquer or enamel is recommended for the finish, as such a piece is likely to be used in several rooms. A soft gray will be quietly harmonious with mahogany, walnut, or maple furniture, although many other shades might be suggested by the room furnishings. Whatever the finish used, a good quality wax applied over the final coat and rubbed down will be found to provide a considerable degree of protection against hot dishes, liquids, and alcohol.





## NOISE CONTROL in the HOME WORKSHOP

### By EDWIN M. LOVE

HE whine of the circular saw and the buzz of the jointer are music in the ears of the confirmed home-shop enthusiast, but not so to his family in the living room, or neighbors beyond the fence. To them these machines are merely vexing noise makers, suffered in patience or railed against, according to the temperament of the individual. Whether located in the basement or the garage, the home shop is a potential disturber of the peace, and it is up to the owner to keep its racket within limits.

There are two points of attack—reduction of sound at its source and restriction of its passage through the walls of the workroom. There is little hope of eliminating the noise of a machine in action. A circular saw takes 150 or more bites a second, and the wood being cut vibrates from these impacts like a sounding board. But criticism can often be

Loosely fitted insulation board between the wall proper and folse studs such as those will reduce noise leakage, Mineral or glass, wool padding may be used instead

avoided by proper timing. Plan the work on a project so that loud machines are used in the early part of the evening, leaving quiet processes for later hours. Careful thought in this respect may save the trouble and expense of soundproofing.

In many cases, however, tact alone is not enough. If light manufacturing is attempted, it is especially important that noise leakage be limited.

Sound is transmitted mainly in two ways—by direct vibration and by air waves. An
unbalanced machine, bolted
solidly to the floor or wall,
may set up vibrations that
travel through the whole
frame of the house. Air-borne
sound waves, surging against
thin walls and cellings, set
these members to vibrating
like a drumhead, and they reproduce the sound outside.

The average home-workshop machine is remarkably well balanced, yet even a slight vibration, if transmitted to the floor and walls, may set up an astonishing amount of noise. The remedy is a matter of adapting to shop mechanism the familiar

rubber mounting of an automobile engine. Try putting a block of sponge rubber under each foot of the machine, and tighten the bolts only enough to hold the base in place, as sketched. In a similar way machine stands may be sound-insulated by setting their casters into a slotted block cushioned in a wooden cup on a square of sponge rubber. If the machine tends to rock in service, substitute a more solid type of rubber.

Tool boards or cabinets attached to machine stands can be quieted by covering the supporting bolts with rubber tubing and using rubber washers under boltheads and nuts. Sheet-metal housings sometimes vibrate with unpleasant sound effects, but can be damped by lining with 1/2" fiber insulating board, or a special asbestos sheet that may be cemented in or held with acrews and sheet-metal washers. The same treatment


is effective for silencing ventilating ducts.


Noise that cannot be prevented should be confined to the workshop. If the shop is in the basement, sound penetration through the walls is no problem. But the ceiling is another matter. In one of the drawings is shown a method of reducing sound leakage by building a false ceiling under the floor joists. It is hung without direct connection to the floor on 2" by 3" subjoists laid across the foundation walls. Whereas insulation board nailed to the floor joists proper would defeat the purpose by transmitting vibration to them, insulation board fastened to auch hanging subjoists, being free to vibrate independently, damps out much of the sound. If the cellar is too large to span with subjoists supported only at the ends, support them between the walls by means of insulated hangers. These are made of 1" by 3" stock and 1/4" insulation board in such a manner that there is no wood-to-wood contact between them and the ceiling joists proper.

Still greater insulation efficiency may be obtained by the use of a mineral-wool blanket tucked between floor and ceiling joists, in addition to the insulation board.

Ceiling light outlets can be extended by bringing wires down from them to boxes and fittings installed in the hanging ceiling. An attic workshop reverses the situation and requires a floating floor. As strength is necessary, 1" by 3" sleepers are laid over insulation board tacked to the floor, spaced about 16" from center to center, and a finish floor is nailed to these. Attics often have studded walls through which sound passes with ease, this being especially true of walls that are unplastered or lined only with thin wall board. Filling the spaces between the study with mineral or glass wool will reduce sound leakage as much as 40 percent.


More complete insulation requires a false wall built on 2" by 2" stude inside the partition separating the room from the rest of the house, or even a floating wall all around the room similar to a floating celling. The





Insulating machine bases and mounting bolts with rubber will reduce much noise at its source. Below, fitting a lathe stand with caster cups cushioned on sponge rubber





Simple rubber-mounted caster cups keep machine stands from creeping, and absorb vibration



plates (horizontal members) are separated from floor and celling with strips of 1/4" soft-fiber insulation board, through which they are spiked. Leave 1/4" between plates and the wall. If the floor is concrete, insert insulation pieces in the space between plates and wall, in addition to the other padding, and nail the plates to the wall. Studs are spaced 16" on centers to come between the old wall studs. Keep plate ends and end stude separated a little from end walls.

A single blanket of insulation padding inserted between the two sets of stude should result in a reduction of as much as 50 percent in noise transmission; a double blanket, 75 percent. The false wall is then preferably covered with 14" insulation lath and plastered.


If insulation board is used between the two sets of stude instead of padding, apply it as described in the following paragraph.

Where a false partition is added to a ceiled or plastered partition, use 2" by 4" plates nailed as previously suggested, with 2" by 2" studs spaced 16" on centers. Stand sheets of 3/4" insulation board between the floating stude and wall, as in one of the photos, overlapping the sheets 4". They are left unnailed. Lath and plaster complete the wall.


What of openings? An ordinary window

Racks and cabinets fastened to machines are prone to act as sounding boards. Damp out noise-producing vibration by insulating supporting clamps and bolts with soft rubber

RUSSER PADS



will let through as much noise as walls, floor, and ceiling combined, and the inference is that if noise is to be confined, windows must be dispensed with in favor of artificial light and ventilation. If windows are to be retained, equip them with weather strips, set the glass in rubber or leather channels held with wooden strips, and install storm sash, leaving as much air space as possible between inner and outer panes. Glasses of different weights help damp out sound, Glass bricks, if properly cemented, will serve




as fairly good sound insulators.

Weather-strip all doors, and cover one or both sides with %" tongue-and-groove boards. The extra weight, as well as the thickness, goes far to deaden sound transmission. It will be necessary to set over the binges and perhaps the stops, and a third hinge may be needed to support the weight. If sound persists in penetrating an entrance, a vestibule with a second door may be added.

Finally, fill all holes, even the openings through which pipes enter or leave the shop. If there is enough clearance in the hole around the soil pipe, make a sleeve of insulation board and push it up into the hole, or use a piece of wool batt. Rock wool or similar

material can be loosely tamped in if a sleeve is not practical, and is also good for plugging oddly shaped openings.

This completes our discussion of equip-



A flooting floor will absorb much of the noise of an attic workshap. The sleepers must be laid over insulation board

ping, lighting, and soundproofing the home shop. The next article in this series will contain some suggestions for those who wish to earn money by their craftwork.


### Sanding Disk Serves as Nonskid Worktable for Small Parts

To Hold small or delicate work for sanding or other operations—work that because of its shape or fragility cannot be gripped in a vise—a motor sanding disk may be used. Clamp it face up in a vise and lay the work upon it. Sand with a finer grit than that on the disk, using a block, as shown. A friction surface made by gluing coarse sandpaper to a piece of plywood may be used in a similar manner as a nonskid worktable.—F H.



### MAKING A MORTISE BY HAND

#### [ WOODWORKING ]



- 1. With Mortising Chisel. (a) Mark length of mortise, and gauge its width from face side or edge, this width being equal to the thickness of the tenon the mortise is to receive. (b) The chisel used should be of the same width as the mortise to be made. Make cross cuts with chisel and mallet, starting near one end and spacing the cuts about 1/4" apart. Pry the chisel backward and forward to break the chips, and rake them out. (c) Work from end to end until the bottom is even. The depth should be a little greater than the length of the tenon, to allow space for excess glue. (d) Trim the ends to the line.
- 2. With Auger Bit and Chisel. (a) Lay out as above, and draw a center line. (b) With an auger bit bore a line of overlapping holes to mortise depth. (c) Trim sides and ends with a chisel.

Through mortises should be cut from opposite edges to avoid splintering.

POPULAR SCIENCE MONTHLY SHOP DATA FILE



For exploring rivers and inlets—and when the wind dies down—an authorid motor is a useful auxiliary



## PART IV: HULL OF "WHITECAP" NEARS COMPLETION WITH ADDITION OF DECK AND CABIN


By Bruce and Willard Crandall

OW that the hull of our 19' cruising sloop Whitecap has been planked, it will hold its shape and may be removed from the form and turned right side up. Before going further, it will be wise to give the inside one or more priming coats of paint.

The sheer line should be planed until it is perfectly fair, and then the breasthook, deck beams, and carlings may be installed. Several cross braces will be necessary to hold the hull in shape until the deck and cabin are in place. The curves of the deck beams may be laid out from the drawings. As the center line of the deck is perfectly straight

fore and aft, a cord or wire may be stretched from the stem to the center of the transom to aid in lining up the deck beams. The deck beams are acrewed to the side frames, and in the case of the intermediate beams to cleats fastened to the battens. The curves of all the short deck beams can be taken from the curve of No. 10.

Great care should be taken in fairing up the deck beams. The length of the short deck beams must also be such that the carlings and the coaming assume a true curve. A %" by 1%" piece notched into the breasthook and beams will act as a center deck



Patterns for the beams. Adjust the length of the cabin beams to suit the individual boat

The deck may be either nailed or screwed. Doubling up the short deck beams will be necessary where joints occur in the plywood.

necessary where joints occur in the plywood. If the deck is not to be canvas covered, be sure that these joints are made water-tight with plenty of marine glue.

The coaming is screwed to the carlings and cut to shape as shown in the drawings.

Gross Section PLYWOOD

At Station No. 8
(LOOKING AFT)

Va" OR Va"

PLYWOOD
SEAT

Va" OR Va"

PLOOR SOARDS

KEEL AND KEELSON

SKEG
KEEL AND KEELSON


W.L.

The approximate curve of the cabin beams is given in the drawings, but their lengths will vary slightly with the individual boat. They are fastened with screws to the coaming

A %" wide slot is cut through the keel and keelson for the centerboard well. The centerboard trunk is built as shown. Its plywood sides are first screwed to 1%" by 8%" bed logs. Use marine glue on the joining surfaces. Next, what will be the inside of the trunk is painted, and the sides are fastened to the end posts with 1%" No. 8 screws, spaced about 1%" apart, plenty of marine glue again being used on the joining surfaces.

The bottom of the trunk assembly must be perfectly shaped to fit the keelson, and a canvas gasket cut out, which, when soaked with marine glue, will make the joint between bed logs and keelson water-tight. The bed logs are then bolted through the keelson with galvanized carriage bolts, at least six

Three cross sections of the hull at stations Nos. 2, 5, and 8. These show the seam-batten construction used in building the original model





The edges of the plywood deck are planed flush with planking and carlings, then sealed with resin sealer

to each side, and the protruding ends of the end posts are sawed off flush from the outside of the boat. The whole assembly is later braced to the bunks and cabin roof.

The rudder is made as in the drawings, with ¼" galvanized rods driven through at various places to prevent warping. It will be attached to the sternpost with standard

gudgeons and a %" rod.

The mast step and partner should be cut out and installed as shown, and fastened to the frames and cabin beams. For strength and light weight, the partly hollow mast preferably should be of Sitka spruce. It should be solid as far up as the boom fitting, at the top, and at the point where the tangs are fastened. Assemble the mast with resin glue or casein and hold it



The importance of fairing the deck and cabin beams properly cannot be overemphasized. It is a task requiring great care because any slight unevenness will be conspicuous after the deck is added

The curve of the short deck beams can be taken from beam No. 10. To give additional support to the carlings and deck beams, it is necessary to brace them securely with diagonal supports at two or more points an each side




The assembled centerboard trunk must be fitted accurately to the keelson, to which it is bolted. Above at right, after the rudder is cut to shape, the oft and bottom edges are slightly streamlined




The most step and corresponding most partner should be installed before the top of the cabin is completed. Their dimensions are given in drawings at right above

Right, holes are bored so that the portholes can be sawed out. Notches or robbets are then cut to hold the giass, which is retained with plywood frames










Sail plan and details of most and boom. It is advisable to have the sails made by a professional. The boot can carry more canvas than this, so an alternative sail plan will be given in the next issue

tightly together at all points with clamps or some sort of form and wedges. No screws or other fastenings are needed. The boom may be made in either of two ways as shown in the drawings.

The cabin top is '4" plywood, and what is left over will be sufficient for the bunks. The cockpit seats and bunks may be arranged as desired. Left-over material and planking will serve for the floor boards. The sheer molding is screwed to the frames with 14° No. 8 screws and should be put on carefully to assure a pleasing appearance of the sheer line. This completes the hull, which is now ready for sanding and painting.

(TO BE CONCLUDED)





SPOTTED, AND WHITE HORSES. PLYWOOD

#### By H! SIBLEY

NE or more of these miniature carnival rides will convert an unused backyard or lot into an unrivaled playground for children. Secondhand lumber may be used to keep the cost low. Dimensions may be modified as necessary to suit the available materials.

Leg-Power Merry-Go. The riders take turns at pushing, but can jump aboard once the platform is in motion. A local garage or machine shop can make the pivot shaft and countersunk plug, the latter with a centerdrilled oil hole. The edges of the platform and well opening are padded with old garden hose. Horses are of 14" outdoor plywood, brightly painted. The canopy may be replaced by a large beach umbrella. A portable radio enlivens the fun with music. If space is lacking, the diameter can be reduced and the various parts scaled down to suit.


Roll-Coaster Ride. This can be built to fit available space. The car rolls on four skate wheels, side thrust being taken by


POPULAR SCIENCE

two greased hardwood blocks. Screw these fast from the inside and round the outer corners well. The starting platform may slope slightly toward the rear to allow riders to mount in safety, the track being blocked so that the car cannot fall off backwards. Check the angles between rail sections for clearance against the wheel blocks to make sure the car will run smoothly.

High-Boy Scesaw. This new teetertotter design combines a high ride with
a low center of balance. Two planks
are joined by means of side members
and rigidly held by long bolts passing
both under and over them. Sections of
an old tire serve as bumpers, and riders
cannot hit the ground as on the conventional seesaw.

Dos-d-Dos Swing. The pantagraph principle applied to this design keeps the seat and foot rest always horizontal. Riders will find it easy to set the swing in motion. Galvanized pipe and two threaded steel rods form the upper bearings. The seat and foot-rest bearings are bushed with brass tube. Diagonal strap-iron braces prevent side sway





## New Appliances



A NOZZLE WITHIN A NOZZLE enables this new vacuum cleaner to remove even hard-to-get dirt and lint. Pressure on the extension-tube handle lowers an inner nozzle, which concentrates suction upon a small area. For general cleaning the outer nozzle is used, Hinged to the handle, it always lies flat and may be used even under low furniture having a floor elegrance of less than two inches



TO HOLD SHOWER CURTAINS snugly against the edge of the tub and prevent water from splashing out upon the floor, there is now on the market an ingenious retainer consisting of a clip attached to a small but powerful bar magnet. It will hold on any bathtub made of ferrous metal, even though the latter be coated with enamel or parcelain. Photo below shows comparative size of parts






THE VELVET PRESSING BOARD above makes it easy to iron out wrinkled valvet dresses without steaming. This device consists of a piece of heavily padded convas from which project hundreds of tiny wire bristles one eighth of an inch long. The valvet is placed map down upon these and ironed on the wrong side. The bristles cannot harm even delicate fabrics, but prevent matting of the map such as would occur if the valvet were ironed against a smooth surface. A special brush is available to clean the bristles of lint after use

## for the Household

GUMMED RUG BINDING, costing but a few cents a yard, affords a simple way of repairing frayed carpet seams and edges. It is attached by ironing, as shown at right, and the bond is not affected even by washing. No water or adhesive is required Available in green, blue, black, wine and in two shades of brown, it may also be used for binding rug cushions or repairing paper or fabric articles

A NEW BUTTER CONDITIONER is now featured in certain refrigerators. The temperature of this compartment may be independently adjusted to keep butter fresh but at the correct consistency for spreading, so that it may be used immediately upon being removed. A door seals out adors, and electrical heating coils maintain the desired temperature








MADE OF ALUMINUM, this new baking oid not only sifts flour any desired number of times without the use of extra containers, but also thoroughly mixes dry ingredients. To resift, the screen is reversed by a twist of the handle, and the entire assembly turned upside down. Both covers have measuring indications. Its construction makes the sifter very easy to clean



JUNE, 1941

HOUSEHOLD



### Horse-Head Book Ends

### By HOWARD MUNNS

en book ends especially appropriate for a man's room, although they are equally suitable for use in library or living room. The heads themselves are a challenging, but not too difficult, project in hand carving. Those illustrated were made of mahogany; the book ends proper of primavers, a warm, straw-colored South American wood. Walnut could be used for the heads, and nicely grained maple or satinwood in place of primavers.

The curved blocks upon which the heads are mounted should be band-sawed from four thicknesses of %" stock glued together, and dressed down %" on each side to a final thickness of 2%". Clamp to the base and back, and drill for screws as shown. The

upper screw holds the head in place.

In carving the heads, a beginner will do well to use cardboard templates. Mark the profile of each head upon a block of 1½" thick mahogany. Have the grain run parallel with the ears in order to leave these as strong as possible. Cut out the blocks on a band saw, outside the line. Draw a median or center line around the blocks, and mark the template lines across the top and sides.

Start carving on one side of a head only, leaving the other flat as a reference plane for the templates. Refer to the photographs when shaping the sides. Finish one side completely before starting the other, then carve so that the head is symmetrical when viewed from the top and front.

In carving, remember that the widest part of the head is just behind the eyes. The head tapers from there to the nose and, less sharply, from the eyes to the ears and back of the head. The top of the nose is a narrow ridge, broadening to an almost flat surface between the eyes. Under each eye is a definite ledge which ends abruptly at a point one-third of the distance between eyes and nostrils, as shown by template II and in the side views.


The mane is carved with a V-gouge—
on one side only, of course. Make the
lines long and flowing, starting at the
bottom and ending at the top center line
of the neck. Use an informal, realistic
treatment. Allow a few strands to lie
over the main mass of hair. Stain the
mane and forelock a walnut color. The
head proper may be darkened, if desired, with mahogany oil stain.


The head should be sanded to an accurate fit against the curved block. This is best done on a power sander. Assemble head and body parts with glue and

fasten with screws. To increase the weight, one or more ¼" holes may be bored into the base from the back and filled with molten lead.

Finish both bodies and heads with two or three thin coats of white shellac to which has been added just enough orange shellac to produce a warm tone. Rub well with very fine steel wool between coats. Apply paste wax all over, allow it to dry for a few minutes, and polish to a satiny luster.

The screw holes may be plugged, or felt may be glued to both the bottoms and backs to conceal the screw heads and protect books and furniture. Surfaces to which felt is to be applied should not, of course, be waxed.





These five projects require little material, yet the finished articles are both useful and attractive. The shelf at the top of the facing page, for example, can be jig-sawed entirely from a single board

### WORKING TIM

TRIM CORNERS SCOUTLY

BLANK FOR DISH


BLANK FOR SPOON

Pewter Salt-Dish Set

BEND BACK WERE

PEWTER SALT-DISH SET. Collectors are on the alert to find antique salt-dish sets, but any amateur craftsman can make a decorative one of his own from pewter. The dishes are hammered from 18-gauge over a tapered maple block. Care should be exercised not to allow the metal to buckle. Trim the edges and bend the handles back. The salt spoons are hammered, bent to shape, and smoothed with a file. A pair of dishes, if packed in a neat box, make an attractive wedding gift. Average time, each salt dish, % hour; each spoon, ¼ hour; box, 2 hours.

PIPE SMOKER'S ASH TRAY. Turn the tray to shape and remove it and the faceplate together from the lathe. Mix plaster of Paris with water to which a little vinegar has been added; the consistency should be a little softer than putty. Pack the plaster tightly into the tray. Mix some fresh plaster to fill out the dovetail groove around the outside. Cut a large cork in half and glue one piece to the knob in the center of the tray. Clamp until the glue is dry, then remount the faceplate on the lathe, turn the plaster lining smooth with a gouge, remove excess plaster around the groove, and turn down the cork. Sand smooth and finish the wood as desired. After being used, the plaster lining turns brown like meerschaum. Craftsman's time, 21/2 hours; beginner's, 34 hours.





### ONE EVENING

NAUTICAL MATCH HOLDER. This salty little piece can be turned from any nicely grained hardwood. Shape the outside of the cup between centers, then mount on a screw center or faceplate to turn out the inside. The two parts may be fastened with a single countersunk screw or glued together. Spokes are turned four at a time and spaced 45 deg. apart. Varnish and wax inside and out. A design cut from copper or thin plastic may be added. Craftsman's time (not including design), 2% hours; beginner's, 4 hours.

SCROLL-SAWED SHELF. Both the shelf and its supporting brackets are cut from one piece of wood ½" by 6" by 29". The parts are assembled without giue, dowels, nails, or screws. Black walnut was used for the shelf illustrated, but any wood will serve. Craftsman's time, 1½ hours; beginner's, 2¼ hours.

RACK FOR TOASTING FORKS. Early American toasting forks, ladles, and similar long-handled antiques can be displayed beside the fireplace on this Colonial rack. The forks hang on brass nails set in the edge of the shelf, upon which a Betty lamp, candlesticks, or match box can be placed. Craftsman's time, 1½ hours; beginner's time, 2¼ hours.





# HAMMERED ALUMINUM

WHEN not in use, this water-lily relish dish makes an attractive table center-piece, especially if placed upon a round mirror of suitable size.

The twelve-petaled lily and the blank for

the pads are cut from 16-gauge aluminum with a jeweler's saw, and the edges filed and further smoothed with emery cloth. For shaping, which is done against the smoothly cut end grain of a maple block, a forming hammer is best, but a highly polished ballpeen hammer can also be used.


The concave lily petals are shaped one at a time by raising the edges of each, bending them

up to overlap evenly.

Tools for chasing the veins in the pads may be made from brass or steel. Flatten the ends to blunt edges, and polish well with emery cloth. Sketch in the veins, and with the chasing tools hammer the metal lightly into a saw kerf cut into a maple block. When the veins have been formed, turn the

blank over and raise the edges of the pads.

Remove tool marks by filing, and clean the file after each stroke. Polish with emery cloth and fine steel wool. Assemble with an aluminum rivet.—Tom E. MOORE.



. layout on 9"x12" piece 16-ga. aluminum .





LEDGATE CENTER
WITH DIAGONALS

2. INSCRIBE CIRCLE
3. WITH COMBINATION
SQUARE DRAW
FOUR LINES AT 45?
TAMGENT TO CIRCLE


L LOCATE CENTER WITH DUAGONALS


2. WITH RADIUS

A-C DRAW ARCS
FROM EACH CORNER
INTERSECTING
ADJACENT SIDES
3. CONNECT POINTS

3. CONNECT POINTS
OF INTERSECTION, AS B-B ETC.
Two Ways to Cay Out Octag

For fair competition, the eight-sided value must be accurately cut. The markings may be incited and filled with enamel.





### Curious Old English Game Revived for Home Entertainment

Titls game, which is derived from one that was popular in Old England during the Christmas season, will entertain the entire family. An octagonal umbrella handle or similar object may be used for the roller, or it can be made of wood, bone, or plastic of any convenient size. The one shown is of ruby plastic, 1½" across the flats and 3½" long. Be sure the faces are of precisely equal width and each is at 135 deg. to the adjoining faces. The markings may be painted, incised, or inlaid. Those on opposite faces are alike. Craftsman's working time (wood), 1½ hours; beginner's, 2½ hours.

The players are provided with counters, beans, matches, or the like. To start the game, each contributes a like number of these to a pool. The "Long Lawrence" is rolled by each player in turn. If face I rolls uppermost, it is a flush, and the player takes the entire pool. Face 2 obliges him to put down two counters. Face 3 leaves the stakes unchanged, and the roller is passed to the next player. Face 4 entities the player to pick up a counter from the pool. The original names for the four throws are, "flush," "put down two," "lave all," and "sam up one." It adds interest to use these.

### RUBBER-STAMP METHOD

[METAL ETCHING-6]

Where a rubber stamp is to be used in etching letters, designs, trade-marks and the like on metal, the following method saves time:

Paint the metal with a thin, even cont of asphaltum varnish and let dry Saturate a piece of blotting paper with lacquer thinner. Press the rubber stamp upon it just enough to wet the printing surface of the rubber; then hold the stamp firmly against the asphaltum-coated metal for a few seconds, during which the lacquer thinner will "cut" the varnish. If too much thinner is taken up on the stamp, it will obliterate the outlines of the letters. A little experimenting will show the right amount to use.

Brush the metal surface lightly with water to remove loosened varnish, apply the etching solution, and let it etch to the desired depth. The acid is best applied with a cotton swab, and should be carefully kept off fingers or clothing

For copper and brass use clear commercial nitric acid. For aluminum use one part water to two parts muriatic (hydrochloric) acid. A mixture of one part nitric acid and one part muriatic acid will successfully etch steel.


When the etching is complete, wash the metal and remove the asphaltum with kerosene or lacquer thinner.

POPULAR SCIENCE MONTHLY SHOP DATA FILE

# Slide-Rest Shaper

A TIMESAVING ATTACHMENT TO BUILD FOR YOUR LATHE

By C. W. WOODSON



OUNTED on the cross slide of a lathe V in place of the compound rest, the shaper attachment shown in Figs. 1 and 2 will finish many small parts that require planing, shaping, keyway cutting, or slotting—work that ordinarily would have to be done by tedious hand filing in shops with limited equipment. It will also save labor in those types of tool, die, and model work that require the cutting of semicircles and square holes, or the shaping of internal gears, punches, dies, and other intricate work. The many uses to which this versatile accessory can be put in difficult shaping of these types will well repay the time and effort required in its construction.

The first essential is a suitable wormgeared motor to drive the ram at the proper speed. This should be in the neighborhood of, but not over, 200 strokes a minute. The tool will work best at this or a lower speed. The motor shown was specially built and is not on the market, but a number of other motors quite similar to it are available. This type of motor is fairly expensive, and if a used one can be obtained the saving will be well worth while

With the motor on hand, work can be started on the pattern for the base. The motor output shaft should be located at right angles to the ram stroke, and the base shaped to fit the motor mounting. This pattern is cut out on the jig saw, the hole for the column shaft being sawed with the table tilted to provide the necessary draft. No core is necessary if the hole has enough taper to allow the pattern to be withdrawn from the sand.

The collar for the shaft end of the base is turned with a decided taper, both inside and out. It is glued in place on the base, and the hole sanded until perfectly smooth. The lug for the clamping screw is next cut out and glued in place. Sharp angle joints are rounded out with beeswax fillets run in with a hot rod. If this precaution is not taken, the casting may crack at these corners when cooling

The pattern for the ram is built up around a 13/16" block, and two %" pieces are cut to shape and glued to the sides. These pieces add a streamlined appearance to the ram, but the pattern may be simplified to a plain rectangular shape if desired. The ram could, in fact, be made from a solid bar of brass or steel instead of from a casting. When the patterns have been well sanded and shellacked, they are ready for the foundry.


Machine work on the castings is started by chucking and facing off the base as shown in Fig. 3. This part is then clamped to a faceplate, Fig. 4, and the shaft hole bored to size. A light cut is next taken, with the piece held in the milling attachment, for the motor base.


Holes are drilled for the ram-slide screws, the motor screws, and the clamping screw, the latter operation being shown in Fig. 5. The casting is split with a back saw, Fig. 6, for clamping the shaft. One half of the clamping lug is tapped 5/16"-18 threads per inch, and the other half is cleared with a 5/16" drill. The clamping screw is made from a %" steel bar turned to the dimensions in the drawings, threaded 5/16", and finally bent to shape.

The ram slide is built up from cold-rolled steel flats. In drilling the built-up guides, the steel shoe for the ram is clamped to the %" thick slide plate, and the guides are clamped firmly against the shoe. This makes a snug fit for the shoe and keeps the guides in alignment. Six holes are drilled into the %" plate for fastening it to the base. Either


fillister-head or flathead screws will do. Figure 7 shows the base complete with the slide.

In machining the ram, the casting is first chucked and center-drilled for tailstock support. Then the end is faced smooth. The sides and bottom are machined with the part held in a four-jaw chuck, as in Fig. 8. This would ordinarily be done on a milling machine or shaper, but in the absence of












these machines the work can be done on the lathe. The slot for the sliding crank is cut with an end mill in the milling attachment as shown in Fig. 9. Care should be taken to have this absolutely smooth and straight, as any irregularities will prevent smooth operation of the ram. The steel shoe is fastened to the bottom of the ram with six flathead screws countersunk flush with the surface. A small hole is drilled and tapped for an oil cup, and the ram is ready for the clapper box.


(To BE CONCLUDED)









Finished base and slide (above), and two photos showing operations in machining the ram. Below are drawings of slide, ram, clapper, and trank









### Efficient Squeegee Sweeper Keeps Workshop Floor Clean









The unfolded edge is securely locked behind the other. Shorp punch indentations help to hold the rubber strip

This squeegee will be found excellent for sweeping up shavings and other workshop litter or spreading spilled liquids so that floors will dry more readily. A piece of 24-gauge galvanized iron is drilled and bent as shown, one edge being folded twice along the dotted lines and squeezed shut over a strip of heavy sheet-rubber packing. Make punch marks along one edge to further secure the rubber. On a disk or drum sander bevel the strip to a thin, flexible edge. Slot


one end of an old broom or mop handle, insert so that the folded edge of the metal engages the slot, and fasten with a single screw.—Benjamin Nielsen.

# Contact Point of Dial Indicator Plated for Greater Durability

CHROME plating the tip of an indicator ball point, if it is not already so finished, will lessen friction between it and the work, add to the accuracy of the contact, and cause the instrument to last considerably longer.—ROBERT RAUCH.

#### GRINDING LATHE CENTERS

Precision lathe work requires that centers be kept in perfect condition. Centers may be trued with a toolpost grinder as shown. Set the compound rest at 30 deg. See that the wheel runs perfectly true,



and adjust the center line of the grinding wheel exactly on the center line of the lathe spindle. If the wheel is too high or too low, the angle produced on the work will necessarily be

incorrect. Run the lathe at low speed and the grinder, if possible, in the same direction. Feed the wheel back and forth across the conical face of the center with the compound feed, taking very light cuts (0.002" or 0.003"). Test with center gauge. Remove the sharp point with a touch of the grinding wheel. Protect the lathe ways from grinding dust by covering them with cloth or paper.

POPULAR SCIENCE MONTHLY SHOP DATA FILE








### Wide Half-Lap Joints Quickly Made with Aid of Jointer

MANY circular saws cannot be set for a sufficiently deep cut to make half-lap joints on wide stock. Usually the cut is finished with a handsaw, but if a jointer is available the work can be done more quickly as follows: Make the shallow cut across the grain on the circular saw in the usual way;

then set the jointer to the required depth, and feed the stock across the cutting head with a hold-down or push stick such as shown above. This removes all the waste, leaving the joint ready to be assembled. Note the saw cut in the partly finished joint at the left.—R. O. LISSAMAN.




### Thumb-Tack Lifter and Knife Ground from Nail File

A HANDY tool for draftsmen and artists may be made from a small nail file as shown above. The notched end is used for prying up thumb tacks, and the knife edge at the pointed end for erasing errors and trimming paper and tracing cloth.—D. E. L.


### Length of Shaft Increased by Cutting and Welding

INSTEAD of welding in an extra piece to lengthen a shaft that is short by only a fraction of an inch, cut it at an angle as below. Rotate one part to bring the longer sides together. The open joint thus formed is ideal for welding.—William SWAN.




# Delicate Lathe Work Gauged with Drawing Instruments

DRAFTING dividers and rules are useful for gauging small precision parts. They may be used for both internal and external measuring, and are convenient for laying out faceplate work.—H. R. H.



Drafting instruments are convenient for laying out and measuring small parts accurately in the lather






A PICKER for out-of-reach cherries can be made in a few minutes. Insert one end of a long pole about 1" in diameter into the wooden plug from a roll of wrapping paper. A local store will usually furnish such a plug for the asking. Drive four or five finishing nails part way into the plug to serve as teeth.-DONALD C. MCMILLAN.


THIS REEL will hold the garden line taut at any desired length. Bend it to shape from 1/4" strap iron, and clinch the ends under a nut threaded on the boit that serves as the anchor. Mount upon the shaft, attach a knob or spool for the handle, and finish with aluminum paint. In use, the shaft is driven partially into the ground and the line paid out and fastened at the end, as at


> A. The slack is then recled in and the shaft B .- J. MODROCH.



FOR TRANSPLANTING, applying vitamin B1, or watering roses without wetting the leaves, the gardener will find this irrigation bucket convenient. A 36" length of shower hose is connected to it by means of a 🔏 " pipe nipple as shown. Water can be supplied exactly where needed, or left to flow without further attention. When necessary to carry

the pail, clip the hose to the handle with spring 20. clothespin. Use it also to shut off the flow of water when desired.---G. C. BAIR,






Delicate seedlings can be watered safety by pinching the tube to control the rate of flow

ROLLING GARDEN-TOOL HOLDER. This can be made from an old rack of the type used by storekeepers to display brooms. Four wheels

from a discarded baby buggy are attached by nailing the axles fast to the wooden crosspieces. as at the right. -J. C. MURPHY.





### ALL-BALSA PLANE MODEL

# ... The Minute Man

### By FRANK ZAIC

Editor of the 
"Model Aeronautica
Year Book"

pable of flights of over 2,000 feet, can be built and launched in less time than is usually required to construct the fuselage of more complicated models. Its sturdy, simple design is an instructive example of what can be done with lightweight and quarter-grained ("C" cut) balsa sheets (see P.S.M., Dec. '40, p. 198).

In selecting the balsa, see that it is light and shows the speckled surface which identifies "C" grain. Cut the fuselage and wing parts cleanly with a sharp blade to produce smooth edges. The dimensions of the fuseiage cross braces should be taken from the numbered scale which appears in the drawings. Notice, in the detail of the nose, how the eight braces are offset for maximum strength. Spread cement carefully along the full length of the edges when assem-

bling the fuselage. The top and bottom sheets are trimmed flush with the sides after the cement has hardened.

The wing camber is obtained by moistening the under surface with water, and allowing the single end rib to extend the camber
along each wing. The sheet may at first
tend to curve upward, but will assume the
proper downward curve as it dries. When
it is quite dry, apply broad streaks of cement to the underside, as shown in the
drawings. These are important.

Cut the propeller blank from a straightgrained block of balsa, %" by 1%" by 8".



All materials for this trim little ship cost less than half a dollar

Because no model plane is better than its propeller, the builder is urged to read the instructions given in the article following this one.

The freewheeling device shown in the plans operates in this way: The long hook is so fastened to the propeller that it normally springs out of contact with the triangular hook on the motor shaft. After the rubber is wound, the hooks are engaged by hand. When the motor has been exhausted in flight, the propeller overruns the shaft, and the long hook springs free, permitting the propeller to turn upon the shaft. It is



Form the dihedral angle by elevating wing tips three inches above the center, and cement on the overlapping strip and fairing black



Propeller, detachable nose block, "freewheeler," and rubber motor. The hook on the propeller engages the shaft while motor is under tension, springing free when the energy of the rubber is exhausted

#### LIST OF MATERIALS

2 pc "C" cut balsa 1/32" by 2" by 36" for fueslage

1 pc. "C" cut bales 1/20" by 3" by 36" for wing and tail

2 pc. hard balsa 1/16" square by 86" for fuselage braces

1 pc. balsa %" by 1%" by 8" for propeller

1 pc. balsa %" by 1" by 2" for nose block and fairing block

1 pc. 0.034" piano wire, 24" long, for landing gear

1 pc. 0.020" piano wire, 3" long, for freewheeler

8' rubber strand, %" flat (brown); 1 pair hardwood wheels, 1" diameter; 4 washers, 3/16"; 2 shaft bushings, %" long; cement, celluloid, bamboo, rubber bands.

Estimated cost: about 35 cents


important that there be no friction between propeller and shaft once the hooks are disengaged. A drag at this point may cause the propeller to act as a rudder during the glide, spoiling the model's performance. In the case of a small ship such as this, a dragging propeller may even cause it to spin down in a spiral dive when the rubber is exhausted.

The motor consists of six strands of %" flat rubber. Form it by winding the rubber over two nails placed 15" apart. Wet the ends, and tie with several knots. Lubricate the motor with glycerin before pulling it through the fuselage.

The nose block is made of two parts cemented together, its upper face being grooved for the rubber band which holds it to the fusclage. An eyelet is used for the shaft bearing. The fuselage shape shown will give the nose block an offset or down thrust of 1/16". After test flights have been made, or when the motor is to be wound up for maximum duration (700 turns), the nose block should be given about 1/16" right thrust. Only experiment will determine exactly the correct amount.

Before flying it under power, test the model's glide. Move the wing back if the ship stalls, or forward if it tends to dive. The rudder may be warped if a circular flight in desired. After a smooth, flat glide is obtained, make a test flight with the motor partly wound, and correct the wing setting if necessary. Once the adjustments have been made, the ship should readily make flights of more than a minute's duration in calm air.

Simplicity and sturdiness are the keynotes of this all-balsa design. Study the plans before starting work



### The Trick of

# Carving Good Propellers



Blank marked for cutting to proportions shown in the drawings. The shaft hale must be drilled true before any carring is begun



The under camber of each blade is first corved perfectly flat, then undercut and sandpapered to a concave surface. Below, testing the propeller for balance after blades have been trimmed to shape. Sand the upper camber to produce a true airfail section



oDEL airplane meets are often won or lost by propellers. No matter how excellent the remainder of a model may be, a poor propeller dooms it to mediocre performance. To obtain maximum results from a rubber-powered model, the "prop" must be hand carved and of the proper design to convert efficiently the power of the motor into flight.

If you have been disappointed in your models, look to the propellers. The machine-cut or semifinished type usually is of too high a pitch, has insufficient blade area, and may be too thin to permit of shaping good airfoll sections. A beginner's very first hand-carved propeller may prove superior to the manufactured type.

Follow the instructions step by step. Do not try to hurry. Be sure your knife is sharp, and the balsa block straight grained and without knots.

Outline the propeller blank on the block to the dimensions given in the plans of the model in hand. Locate and pierce the shaft hole, using a drill press or a guide block of hardwood in which a true hole has been drilled. Saw out the blank exactly to the lines. The portion back of the hub may be cut out now or after carving, if plans call for a narrowed hub.


Begin by carving the under camber perfectly flat, making no attempt to form a concave surface at this time. Draw a line along this flat blade, one third of its width from the leading edge, and make a light cut along this line. Carve the narrower portion of the blade downward toward the cut. The depth of this undercutting is often shown upon the plans. It should be equal on both blades before the wider portions are carved down to complete the camber. The curve formed may be checked by sighting against a ruler laid across the blade and run from tip to hub.

Compare the two blades carefully. Rough spots are then removed by sanding lightly with 2/0 sandpaper. Meanwhile check the camber occasionally. Finish the surfaces with 6/0 or 10/0 sandpaper. This completes the work on the undersides.

In carving the upper camber, avoid heavy cuts. Note the gradual taper toward the trailing edge and the thicker, rounded leading edge in the airfoil section shown. The thickness may be judged by holding the blade against the light. Bright areas indicate thin spots, which should not be touched until the surrounding surface has been carved down. The blade thickness of propellers varies greatly according to the use for Which they are intended, but should always taper toward the tips, the lat-

Finish shaping the upper camber with 2/0 sandpaper. Test the balance by inserting a wire through the shaft hole. If one blade is very much heavier, examine it and sand down excessively thick portions. Make a template of the blade shape to transfer it to one blade. Cut and sandpaper this to shape; then make a paper template of it for outlining the other blade. Trim to shape, but, before going further, balance the propeller and note the heavy side, which should be finished last.

Now sandpaper the upper camber until a true sirfoil section is obtained throughout the blade. The under camber should not be touched except at that portion nearest the hub. Check the balance continually while sanding. When both blades appear finished, check for thick portions and sand the upper camber of the heavier blade to balance. Occasionally one blade may be left slightly heavier to counterbalance a so-called "free-




Hubs of large propellers may be shaped when the blank is sawed out. Final hub thickness should be one half that of the propeller black

Several coats of cement that has been thinned slightly with clear dope should now be applied. This doubles the strength of the blades and provides a very smooth surface when properly polished. Brush on two coats and when dry rub down with No. 360A Carborundum paper, used wet. Apply two coats more and rub down again, then one or two final coats, sanding the last with No. 400A paper. Before waxing, cement the hub bushing and freewheeler or folding hinges in place.

All propellers for rubber-powered models should fold or freewheel, assuring a longer and more stable glide when the power is exhausted. Freewheeling devices should allow propellers to turn upon the shaft with minimum friction. The hinges, hooks, wires, or other parts of such devices, which are subjected to a considerable strain during the motor run, should be well fitted and firmly cemented and bound in place.

### Drip Collector Recovers Oil Left in "Empty" Cans

A GARAGE owner in Akron, Ohio, recovers enough oil from quart cans, after their contents have been emptied into engines, to keep several small oilers filled for general lubricating use. Such containers always have a small quantity left in them, which can be drained off by means of a drip collector made from an old enameled lamp shade of the type known as an "RLM dome." This is placed funnel-like over a bucket, and several clips bent from stiff wire are hooked over the rim to hold the upturned cans. If a shade of this kind is not available, a large funnel such as is used in drain pits will do.—Walter E. Burton.





### Bent Handle on Aquarium Net Helps in Removing Fish

Almost every one who owns an aquarlum has sometimes torn up aquatic plants while trying to remove fish with a net. This can be avoided by making a 90-deg. downward bend about ¼" from the mouth of the net, and straightening the handle with another 90-deg. bend as shown. This makes it easy to trap a fish against the glass side, as the offset handle clears the upper frame of the tank.—S. P. Wiener.

## Holes Punched in Light Sheet Metal with Aid of Strap Hinge



An ordinary strop hinge will serve as a die for punching small holes in thin copper, bross, or tin. The hinge pin should fit without play to keep the two leaves aligned

SMALL HOLES can be punched in lightweight sheet metal with the help of a common strap hings. Bend one leaf of the hinge to close parallel with the other, and drill a hole of the required size through both. It may be necessary to bend the hinge pin to eliminate any play between the parts. Use either a pin punch or nail set ground to the size desired. When the holes in the hinge are worn too large to be of further service, it is a simple matter to drill new ones elsewhere.- E. A. BOWER.




### Lampblack and Alcohol Polish Reflectors

A PASTE of lampblack and alcohol is excellent for cleaning highly polished metal reflectors. If no lampblack is at hand, simply hold a tin can over a yellow-burning acetylens or natural-gas flame, and scrape off the deposit. Mix with alcohol and rub on gently. After cleaning, polish the reflectors with a soft cloth.—Roy Elton.

### Silent Mercury Switch Made from Auto-Cord Connector


A Noiseless automatic switch that will turn on a light when a door or lid is opened, as for example in an automobile luggage compartment, a photo-printing box, or the like, can be made for a few cents. Plug one cap of an auto-cord connector with a stove bolt, pour in a small amount of mercury, and acrew the cap fast, as shown below. Mount to close the circuit as desired.—B. N.





### Replacing Worn-Out Contacts in Ornamental Push Buttons

It is often impossible to buy an exact duplicate of an ornamental push button that matches other house fittings. If the contacts of such a button are worn out, simply remove them, ream out the hole to fit a midget pearl push button rather tightly, and press the latter into place. In this way new contacts can be fitted as often as necessary. The decorative shell will, of course, last indefinitely,—H. P. S.



# Electrical Errors?

Two electrical errors are shown in Fig. 1, one in Fig. 2, and six in Fig. 3. Can you find them? The answers are given below.

nected under circult terminal acrewa.

(e) Fusee missing on right side of cut-outs.

(f) Double fusing shown on left side of cut-outs.

outs not in accordance with present practice.

conductors are to be connected to a cabinet, to must have back witing spaces or side spaces, or it must be of the gutter type.

(d) Transfermer wires must not be con-

8 (a) Porcelain bushings must be used where open submains enter a box. The use of conduit is preferable with a metal cabinet.

(b) Transformer leads also should enter the cabinet through porcelain bushings, or through a pipe nipple if the transformer is through a pipe nipple if the transformer is mounted in a separate metal box.

2. A base or convenience outlet cannot be connected to a switch unless both the live and grounded sides of the line happen to be available in the switch box. Usually there is only a cut loop of the live side.

I. A brass pull socket should never be attached to a drop cord through an ordinary threaded cap. A cap with an insulating bushing must be used. The threads for the shade holder at lower and of socket, shown as left-band, are always right-hand threads.

### Home-Laboratory Experiments Show

### How the Body Works

NLY RECENTLY has a camera been perfected that will adapt itself to light conditions with a self-adjusting iris diaphragm, as the human eye has always done. The eye's amazing power of automatic focusing still defies imitation. Science has yet to duplicate marvels of mechanics and

chemistry that the human body constantly performs. But the simple experiments described on these pages will help to satisfy a person's curiosity about what makes him tick. The final experiment shows how nature, in an emergency, allows a subordinate to act without consulting its superior, the brain.



Iris diaphrogm of these eyes has closed down, in bright light . . .



whereas now the light is feebler, and the diaphragm has opened up

# Your Own Eyes Act as a Light Meter

PHOTOGRAPHIC instrument makers were far from the first to conceive a device that would register and adjust !tself to light changes. In the human eye, as in those of many animals, nerves cause the iris diaphragm to close down as light increases, and open up as it dims. So accurate is this response that a new exposure meter provides a mirror in which the user can gauge the diameter of the pupil of his eye to get the right exposure.

## How Swallowing Affects the Human Eardrum

Blow into the tube of the set-up illustrated, and a partial vacuum will draw the rubber membrane inward. Similarly, if a man holds his nose and swallows sharply, he will feel his eardrums snap inward. They will spring back when the nose is released, if the Eusta-

chian tubes connecting them with the nose and throat are clear. Divers and sandhogs do this before going under compressed air.






Apparatus illustrates the effect of air pressure on eardrum

### Valves in Veins Help To Keep Blood Moving

AFTER PASSING through the arteries and minute capillaries, blood has lost much pressure. Squeezing movements of muscles around the veins, and tiny one-way valves within them, help boost blood back to the heart. To show this, cut two sacs of rubber from a toy balloon, and cement one edge of each to the inside of a bent glass tube. Connect the glass tubes with rubber tubing. Pour water into the right-hand tube, in the diagram, and it will rise to equal height at left. Squeeze the rubber tubing, and the water will flow only to the left, because of the valve action.







# How the Eye Focuses To Picture Distant and Near-By Objects

A MAGNIFYING CLASS and a candle will demonstrate the principle of focusing, which the eye performs automatically. The nearer an object, the farther a lens must be from a screen to make the image clear. Consequently, muscles of the eye focus an the retina by image on lengthening the eyeball for near objects and by shortening it for far ones. Some people have abnormally short eyeballs, which make them farsighted. They cannot bring near objects into focus. since the image is formed behind the retina. Others, with long eyeballs, are nearsighted and cannot focus on far objects because the image forms before the retina.

### Dilating Diaphragm Pulls Air Into Lungs

Toy Balloons, the top of a glass coffee maker, and glass tubing will demonstrate how, distending the diaphragm draws air into the lungs. Glass tubes from each balloon pass through a stopper in the neck of the coffee maker. Adhesive tape holds a rubber diaphragm over the large end. Normally the balloons hang limp, since air pressure inside and out is equal, But when the diaphragm is pulled down, producing a partial vacuum, air drawn in from the outside expands the balloons.




### Getting Food from Blood to Tissues

To REACH the tissues from the digestive organs, dissolved food travels via the blood stream. To show how it gets in and out, insert a glass tube in the small end of an egg, sealing it with wax. At the egg's large end, break away enough shell to cover a penny, without damaging the lining membrane. Stand the egg in water, as at left. After several hours, water entering through the membrane will have forced the contents of the egg into the tube. The phenomenon is called osmosis.

### Reflex Action Pulls Hand from Fire

IF A FLAME burns your finger, a sort of short-circuit called a reflex takes place. Faced with an emergency that cannot wait for instructions from the brain, the spinal cord switches nerve impulses from the finger directly to muscles that jerk the hand away. A switch operated by expansion of copper with heat will actuate a homemade electric model of a similar "reflex."






HOME SCIENCE




### Illuminated Calendar Lists Week's Radio Programs

To REMIND you when your favorite radio programs will be on the air, a rotating, internally-illuminated calendar is now available. Shown below, it is made of frosted glass with metal trim, and has spaces for listing programs for each day of the week.



# "Floating" Needle Filters Scratching from Records

THE ECRATCHING of a needle against a record, which so often spoils otherwise good phonograph reproduction, can be eliminated by using a new long-life needle that stops the scratch noises right where they start—in the needle. A point made of an alloy of ruthenium, osmium, iridium and rhodium (precious metals of the platinum group) is



# Phonograph Arm Provides Adjustable Needle Pressure

ANOTHER STEP toward better phonograph reproduction is this pick-up, which has a frequency range of 40 to 6,000 cycles, and on which the needle pressure can be adjusted from one to three ounces. This is accomplished with a sliding weight similar to that used on some types of scales. A calibrated scale on the pick-up shows the pressure exerted by the weight in various positions. All moving joints in the unit are fitted with ball bearings.



mounted in a shank that allows the point a "floating" motion. This sets up a vibratory movement and filters out the minute scratch frequencies without interfering with the recorded tones. This shank also protects the point from damage.

### Loudspeaker Within a Loudspeaker Is Used for FM






Diagram shows hook-up of double loudspeaker used in high-fidelity reproduction



A LOUDSPEAKER within a loudspeaker is now manufactured for use with highfidelity equipment such as is found in frequency. modulation and television receivers. A small permanent-magnet speaker mounted in the center of a 15-inch diaphragm reproduces frequencies above 2,000 cycles, the larger one the low notes. With a proper amplifier, this outfit can reproduce frequencies of 50 to 12,000 cycles,







You can "broadcast" a record directly from the suitcase phonograph to any portable radio

### By ARTHUR C. MILLER


THIS SUMMER there will be thousands of battery-operated portable radios in use on beaches, in parks, and on picnics and excursions everywhere. They will range from the camera-style midget or "personal" radios to the "twenty-pounders," capable of bringing in Europe on the short-wave band.

This battery-operated "wireless"

phonograph was designed for use with these portable sets. As the name implies, the unit will transmit recorded sounds to the portable, through the medium of radio waves. The radio in turn reproduces them through the loud-speaker. No connections between the phonograph and the portable are necessary.

This combination of radio and phonograph will enable you to fill the interludes between radio programs that appeal to you with recorded dance music, symphonies, or whatever you wish. The volume control will

Underside of the phonograph's Masonite baseboard, showing transmitter, batteries, and turntable motor



Above, sketch of the set-up of the suitcose 'wireless' phonograph, as shown in photo on previous page. At right is wiring diagram

make it possible to lower the sound of your music so that it will not disturb your neighbors, or turn it up to fill a room with music for dancing.

Being light and compact (12 by 8% by 4% inches) the phonograph can be carried along as easily as a small suitcase. It is entirely self-contained and self-powered. Two small batteries (similar to those used in the personal-type radios—a 1%-volt flash-light cell and a 67½-volt "B" battery) supply all the current necessary to operate the transmitter. The power of this


transmitter is so small that it will not radiate signals beyond a few feet. It is the only type of transmitter that can be operated without a license under Federal Communications Commission regulations.


The transmitter uses a 1A7GT converter tube which acts as a combined modulation and radio-frequency amplifier. The electric impulses from the phonograph pick-up are modulated by the first and second grids of the tube. In a 1A7GT, or similar tube, the second grid acts as a plate. The modulated signal is then superimposed on the carrier wave, generated by the second portion of the


tube, and transmitted to the receiver, where it is amplified and transformed back into sound,

The transmitter is tuned by a .00014-mfd. (or 140-mmfd.) tuning condenser and a standard four-prong broadcast coil. To cut down costs, the four-prong socket for the coil and the eight-prong (or octal) socket for the tube are both wafer types, inverted so that they can be mounted on the Masonite baseboard and used instead of the more expensive molded socket.

The suitcase into which the phonograph is fitted can be purchased almost anywhere for







Completed phonograph seen from above, with eightinch turntable. The seven-foot antenna is coiled

less than \$1. A spring motor can be picked up secondhand for about \$2.50, or it may be ordered direct from a manufacturer. An eight-inch or smaller turntable must be used, otherwise a larger suitcase than is shown in the accompanying illustrations will have to be purchased. A Masonite panel 11½" by 8½" is used for mounting the motor, pick-up, and transmitter parts. In the set shown here, the panel was left in its natural brown finish, since this blended with the brown-



Left, detail of the suitcose, and above, a stage of mounting, before installation of the turntable

striped covering of the suitcase. The two batteries are strapped to the undersides of the panel with a flexible brass band %-inch wide. This will keep them from knocking about in the bottom of the case, and they may easily be replaced whenever necessary.

To operate the phonograph, place the seven-foot antenna near the back of the portable receiver (where manufacturers usually place the loop antenna). Then turn the transmitter on by means of the switch on the 500,000-ohm volume control, and tune the unit to some free spot on the receiver's dial by rotating the 140 mmfd tuning condenser. Records can then be played on the phonograph, and will be heard over the set's loudspeaker.

#### LIST OF PARTS

Converter tube, 1A7GT.
Volume control and S.P.S.T. switch,
M. megohm.
Crystal pick-up.

Four-prong broadcast coil, 850 to 565 meters.


Tuning condenser, 140 mmfd.
Octal and four-prong wafer sockets.
Carbon resistor, 10,000 ohms, ¼ watt.
Mica condenser, 50 mmfd.
Seven-foot antenna.
Small, brown-striped suitcase,
Masonite panel, 11¼" by 8¼".
Midget "B" battery, 67½ volts.
Standard flashlight cell, 1½ volts.
Spring-wound motor with 8" turn-table.





Anything from short waves to the long-wave a raraft beam signals can be tuned in an this one-tube set

### One-Tube Short-Wave Set

A LL BANDS up to and including the aircraft beam signals can be worked with this one-tube receiver. The tube is a twinpentode 1E7G, operating as a push-pull detector. Its output is sufficient to permit operation of a magnetic speaker on the broadcast band when close to the transmitter. Two 15-volt dry cels supply the "A current. The tube operates satisfactorily with 45 volts on plates and a reens, but hast results are obtained with be on plates and 45 on screens. Two plug-in cons are used on each band, tuned by two .00014-mfd, variable condensers. Any type of antinna will do, though with one longer than 20 feet a trimmer condenser may have to be used in the antenna lead for short waves.







Above, top view; below, bottom view, and left, hook-up of the ane-tube push-pull shart-wave receiver. Two 1.5-volt dry cells supply the A" current: "B" current runs 45 to 90 volts. Any type of antenna, ten to 75 feet, will do



Valentine photographs Jane Frazes, of Universal Pictures, with his 16-mm, movie camera. Illumination: two photoflood lamps near camera and a baby spot

# Movie Lighting to Rival Nature

By JOE VALENTINE

As one of Hollywood's top-flight directors of photography, Joe Valentine has seen 100 film plays unfold before his cameras. These include all of Deanna Durbin's pictures. Both on location and at home he experiments constantly with his 16-mm. home movie camera to discover better ways of lighting his sets at Universal Studio. In the accompanying article he explains his methods in detail and tells how amateurs may improve their pictures by expert use of ordinary lighting equipment.

Too many lights "wash out" the subject's features for close-up photography. Note the blanched look on Miss Frazee's face F YOU are able to approach nature's perfection in lighting home movies, you have wrought a miracle. Lighting requires more than the mechanical steps of placing your illumination at various points and cranking the camera. Through practice your eye should become accustomed to "see" light. This may be achieved by seizing every occasion to study the appearance of faces, as well as inanimate objects, under varied lighting conditions.

When outdoors, note the position of the sun and how faces change appearance as the sun climbs toward the zenith. Similarly, when you observe interesting lighting indoors upon a face or object, always look for the source or sources; then study the

reflecting surfaces.

These accidental observations must not be considered as hit-or-miss arrangements, because they are the real lighting of nature. Your objective in photography by artificial light should, therefore, be to imitate and not falsify them. Unless you seek trick or so-called "effect" lighting, you can do no better than hold the mirror to nature.

For best results, it is a good plan to make tests before proceeding to shoot several hundred feet of film. Hollywood directors of photography make exhaustive tests and shoot close-up after close-up of the stars before the picture starts. We shift our lights until we know exactly the effects you'll see on the screen.

True, we have unlimited numbers of lights of all kinds available for our pictures, complete with scrims and "gobos" and diffusion materials. But don't let our vast equipment dismay you, for you require only a fraction as much. You can get along for close-ups



Placing the 100-watt spot to act as a back light over Miss Frazee's head and illuminate her hair

with two floods and one spot, though I recommend six floods and two spots. These will cover nearly any indoor scene you may wish to photograph. Cost will total less than \$25, especially if you buy clamp-type

floods instead of collapsible standards.

Let's suppose you are ready to film a sequence showing a pretty girl sitting on the davenport. What, you ask, is the secret of lighting her properly? Very simple. Place the lights so as to get balance, contrast, and roundness.

These three elements are essential to the production of pleasing pic-

In spite of 20 years' professional experience, Valentine isn't content to set up his lights and let it go at that. He tries out various effects by moving the key light from side to side around the face



When a subject is posed before a window, it is necessary to take a mater reading of the illumination on the face and another reading into the window. The former should be one-fourth greater

tures, and may be easily achieved by placing two source lights near the camera and
a back light over the subject. Remember to
elevate all lights about 18" above the level
of her head to avoid a washed-out appearance.

If you have no baby spot available, flood lamps will produce excellent back lighting, provided only they are so placed that their rays do not strike the camera lens. The function of back lighting, of course, is to get a visual separation between the person and the background and produce high lights on the head and shoulders. Unless this light is placed behind the subject, undesir-

able hair shadows may be cast down the forehead, or the nose may cast a shadow across the face.

Double source lights should be avoided, because this type of lighting flattens the face and produces double shadows. It is much better procedure to use a single-source key light, with a back light high-lighting the hair. When using photofloods at home, I place a pair of them alongside the camera about six feet from the subject, with the back light, in the form of a 100-watt spot, about 18" above and back of the bead.

For a full-length of your subject, when you need all the illumination possible, lights alone will provide the roundness and soft shadows necessary for proper modeling. When you move in for a close-up, the flat illumina-

tion and sharp shadows rob your subject of her beauty—or masculinity in the case of a man. Then you will need some diffusion to spread the light and yield better shadow effects.

Any of several materials fitted tightly over the source lights will serve the purpose, depending upon the effect you desire. Small squares of silk, either white or black; or tuile, veiling, or netting, with meshes of varying diameters. Not long ago while taking a close-up scene of Deanna Durbin singing beside a piano, I tried several nets. One by one, these were scorched by the hot lamps, with the result that the yellow light

### Portrait Lightray Good and Bad

RESULTS of proper and improper lighting are shown in the accompanying four portraits of Jane Frazee, Universal Pictures featured player. 1. The key light is too high. Ugly shadow under the nose. Laugh lines accentuated, eyes too dark, no high lights in the hair. 2. Source light too far to the left side. Ugly shadow on forehead. Nose flattened and spreading. Chin disappears into neck. Bad shadows and circles under eyes. 3. Still definitely bad. More flat light, with the key light striking from the side. Too much fill light, resulting in a flattening of the face. 4. At last the young player's beauty asserts itself. Key light strikes from a point near the lens, with a back light Illuminating her hair. Ugly shadows and lines have gone.



changed to brown and "dirtied" her face. Suddenly I hit upon the idea of trying ordinary black-wire window acreening. Through it I was able to spread the light, yet retain the desirable shadows.

While your primary photographic interest centers in people, experience will teach you that lighting effects may also be created

to heighten dramatic qualities.

Your script, for example, may call for the heroine of your home drama to descend the stairs. You set up your lights and note she's moving along a blank wall, which gives a monotonous background for otherwise interesting action. Simply place a small spot near the floor so as to cast shadows from the railing against that wall.

You have seen excellent sun effects on the screen, of people moving among the lights and shadows of a curtained window. In Hollywood, we never rely upon the vagaries of the sun for effects when shooting indoors. The formula to follow is simple: Cut a piece of cardboard 16" by 20" in the shape of a window, drape two lengths of cheesecloth to resemble curtains, and place the make-believe window in front of a source light. By varying the distance between light and "window," you can cast a shadow of any desired size.

Both in natural and artificial light, most amateurs generally overexpose their negatives. Therefore, until your eye is able to evaluate light, I advise the use of an exposure meter. For extreme close-ups, except when shooting toward a window or other natural light source, take the reading directly on the face, holding the meter perhaps 12" from the nose, but make sure no shadow is cast by your hand to change the light value. On a full figure, the entire field must be covered, readings being made



For softening the light, many diffusing materials may be used. Here Valentine is experimenting with a small bit of cellulose glass substitute

on the figure and the background on both sides. Take an average of the readings.

Suppose, now, you plan a sequence showing your subject against a window sitting in a chair or playing the plane. You will want the outside illumination, yet, except for a silhouette, desire her face to show up brilliantly. Place the lights as usual, the source beside the camera and a back light over her hair. Take a reading directly into the window, another on her face. Move the light in until the face reading is one-fourth greater than the window reading, as 125 foot candles and 100 foot candles. This ratio will give the necessary balance and provide an effective picture.








DATING KIT. Prints may be dated permanently with a new kit designed for use with any ordinary printer or printing frame. It consists of an overall border mask for negatives and a set of small tabs carrying dates. The date slips are inserted into slots in the large mask and changed as required.

PLASH GUN FOR AMATEUR CAMERAS. Operating on the solenoid principle, the magnetic synchronizer shown at the left is intended for amateur photographers and professionals who are using amateur equipment. It is adaptable to all shutter speeds up to and including 1/500 second, and may be used with multiple lighting systems. The design is suited to cameras with Compur, Compound, Kodamatic, Supermatic, Ilex Acme, and Prontor II shutters. Special fittings may be obtained to adapt the synchronizer to cameras having other shutters than these.

combination Projector and Viewer. By an ingenious tilting arrangement, the projector illustrated below can be instantly changed to an image viewer. The film, projected on a

ground glass 7" by 7", can be seen in broad daylight. The case is heat-resistant plastic, Mounted Kodachromes, glass slides, and dental X-rays may also be projected.





POPULAR SCIENCE



LAMP-TO-SUBJECT DISTANCES for indoor photographs are easily measured with a cord which has cards or tags fastened at distances of 4' and 7' from one end. Each card bears printed exposure data for guidance in taking pictures under artificial light.




the No. 4 photoflood to the PS-52,2,000-watt movie flood, can be focused to center the filament in the reflector of the lighting unit above. A positive-acting clutch yoke connects the housing through a swiveling device to the stand, thus affording a 360-deg, field of focusing. The stand collapses to 18",

A REVERSAL PANCHROMATIC FILM for 35-mm. miniature cameras is now available for amateurs who own small slide projectors. It is used like regular black-and-white films, but yields positive transparencies instead of negatives.

FOR FLATTENING PRINTS, a sturdy, durable, and convenient allmetal press is now being manufactured. Its heavy plates are reenforced with channel irons. Enamel is used on the plates

and handles to prevent rusting, while the screws are cadmium plated. Rubber tips keep the supports from scratching table tops, and springs hold the plattens apart when not under pressure to permit easy insertion or withdrawal of prints. A durable baked-on gray wrinkle finish is used.





ZOOM ATTACHMENT, Many professional Hollywood trick shots can be approximated by the home movie maker with a new quick-shift zoom attachment, designed for the Filmo Turret 8. It makes possible an instant shift from one lens to another. So-called "wipe-one" and "wipeoffs" may also be effected. Moving the lens out of position at the end of a scene causes a wipe-off, while returning the lens to the original photographic position creates a wipe-on. Other bizarre and picturesque shots are possible.

PROPS are an important aid to every photographer who seeks better results than he can get merely by "pointing and shooting." Used with a little ingenuity and a judicious choice of camera angles, they can add pictorial interest and drama to otherwise ordinary subjects.

Here are a few suggestions by an expert in the use of props—Eyre Powell, of Los Angeles, Calif., who has been director of the Powell Press Service for 15 years. Thousands of his pictures have been published as evidence of his photographic skill.


 Note the question mark of chrysanthemums in the accompanying picture. This pointed up the query as to which of these 12 girls, selected from 3,000, would be crowned queen of Pasadena's Tournament of Roses.

The numerals "41" might be similarly used to make an attractive graduation picture. To stage this, string white flowers into two chains, one about 40' long, the other about 13' long. Arrange them on a lawn as block numerals, bringing the ends near the camera close together, and spreading the far ends slightly to form a narrow "V."

# PROPS IMPROVE YOUR PHOTOS

Place the subjects inside the numerals, and have them hold the chains up at the rear so they slope down toward the camera's position. This helps "square up" the picture. Shoot downward at an angle of 45 deg. from the top of a 15' ladder. Be sure to stop down to f/16 or smaller, increasing the exposure time accordingly, to obtain depth of focus and sharp detail.

2, Objects of unusual size, such as tall





Shooting upward streamlines the subject's figure. Taken without a filter; stap, f. 16: time, 1/135 second

corn, prize-winning bogs, or toy dogs, should be shown in contrast to human beings. Each enhances interest in the other. If it s corn, for example, bind about 18 stalks together and support them in an invisible manner, either by means of a ladder or a two by four" sunk into the ground and fitted with horizontal crosspieces. Let some one climb up and peer down from the top. Shoot the picture from near the ground, preferably across the sun.

- 3 For vacation or outing pictures, the prop may be merely an old stump or a rock, upon which your subject stands. Again shoot upward, from a position about two feet below the subject's feet. Note in the accompanying picture of a girl on a wooden pile how two cameramen are shooting from eye level, a position which here affords the desired angle.
- 4 In most households can be found a large discarded picture frame. By placing



This subject was "framed," but with pleasing results. Tilt the frame forward to avoid distortion when shooting from below. Clever variations are possible. Made with a 4" by 5" Graffes on Ponchro Press Film, The exposure was 1/135 second at f/16

the subject so that his head appears within the frame, you can photograph a "living portrait." If the frame is large enough, a fulllength portrait may be taken. Use gold frames for blondes, dark frames for brunettes. Remember to tilt the frame slightly toward the camera to avoid distortion and foreshortening of the top.

For an interesting variation on this, have two persons face each other through a single frame. Place the camera slightly to one side of a line connecting the subjects, and focus for the frame. Arrange your subjects so that one appears to be a reflection of the other.

5. When photographing youngsters, it's best to give them something to do. Have them playing around a miniature house, for example. Place the camera near the ground and shoot at a slight angle upward, thus dodging out the background. To avoid set expressions, let them play naturally.

For best results, Powell says, pictures should be thought out carefully in advance of the actual shooting. Emphasize the central theme by avoiding "fussy" backgrounds, and "tone up" sky shots by using the K-2 filter. Finally, use fast film on such "deep" subjects as the flower numerals so you can shoot at moderate speed to arrest action, yet stop down enough to gain depth of focus.

Children at play provide action oplenty. The low comera angle eliminates unwanted background




## Portable Daylight Screen for Color Slides

This folding daylight screen for showing color slides by rear projection can be quickly made of easily obtainable materials. In a cardboard mat 10" square cut an opening 8%" square, over which tape a piece of thin tracing paper the same size as the mat. Bind with tape carried well over the edges.


The hood consists of three rectangles of black cardboard, each 10" by 16". Bind all edges with tape, and with crépe-type adhesive paper tape fasten these three panels together by the long edges as shown, leaving a gap of %" or more between the pieces so that the hinge action will have free play. With tape fasten one edge of the screen to the center panel of the hood so that, when folded flat, the bottom of the screen lies flush

with the end of the panel. Before finally taping the parts together, it is advisable to
stand them up in their desired positions in
order to check the hinge clearances. Allowance must also be made on the screen panel
for the thickness of the tape hinge itself to
assure proper assembly.




Made of low-priced materials, this screen folds for carrying in a brief case. Slides throw brilliant images on it even in a normally lighted room

Dimensions given may be proportionately increased if desired, but a smaller screen would not be practical for use with most commercial projectors. Slides must be inserted in reverse position in order that they will appear correctly when viewed by rear projection.—Roy L. Peppersurg.



# Tin Pan Used as Table-Top Tripod to Support a Small Camera

A THUMBSCREW and a tilting head will convert a small pudding pan into a camera support for use on a table or for taking angle shots from the floor. The single hole required can be punched with an ice pick or even a nail. A washer should be used under the screw.—ARTHUR TRAUFFER.





# Color Shot TAKEN WITH Pinhole Camera

A PINHOLE was used instead of a lens for taking the photographs from which the accompanying illustrations were made. One is a two-color reproduction of a winter scene taken on daylight Kodachrome with an exposure of two minutes. The distance from pinhole to film was 5".

The illustration at the right is interesting because the dark borders, top and bottom, are the bellows and lens flange of the camera. The bed of the camera, projecting into the foreground from the bottom, is in just as sharp focus as the Pony Express statue

as sharp focus as the Pony Express statue in the middle distance and the building in the background. This was taken on Panatomic X film at 2" with an exposure of four seconds.

Black paper like that used in packing films may be used for a pinhole diaphragm.

Everything is in focus in this view, from the bed of the camero in the lower foreground to the building in the background This winter scene was taken on Kodachrome by using a pinhole instead of a lens. It has been reproduced by a two-color process, but little has been lost except a slight tint of red in the distant chimneys at right

A fine sewing needle (No. 12) is held perpendicularly to the paper and rotated slightly until the point is through. The burr is then removed with a new razor blade. The Kodachrome was taken with a hole of this type. Thin brass also may be used, but for best results the metal should be chemically blackened. The Pony Express picture was taken with such a pinhole.

I mounted the pinhole in a broken down old plate camera, and used plus to sight along in order to determine the edges of the picture because there is not enough light to see an image on the ground glass. I have also used an East-

man pinhole camera, which I changed into a wide-angle camera by curving the film one way around a semicircular block. The focus, of course, stays sharp.—Wesley There.





# On your own home screen—gorgeous full-color "stills"— with KODACHROME—at surprisingly low cost . . .

COLOR "STILLS"—brilliantly gay and breathtakingly beautiful—are today's No. 1 thrill among miniature-camera owners.


With a Kodak Bantam f, 4.5 or a 35-mm, camera such as the Kodak 35, anyone can make these full-color "stills" with Kodachrome Film. They're enormously popular. As easy to make as black-and-white. And you'll be surprised to learn how little they cost.

With Kodachrome, the initial cost is the whole cost—your finished transparencies, in slides which are all ready to project on your own home screen, are paid for when you buy your film.

Your dealer will be glad to show you cameras loading with this wonderful full-color film, and to project a variety of sample "stills" for you with a Kodaslide Projector . . . Eastman Kodak Company, Rochester, N. Y.

## These Kodaks make full-color KODACHROME "stills" as well

as pictures in black-and-white





# \$[4<u>50</u> Kodok 35 f/5.6 (Shown obove)

Compact, smart, convenientto-carry. Precision construction. Kodak 35 f 4.5-\$24.50. Kodak 35 f 3.5 - \$33.50; with Coupled Range Finder, \$47.50.

# \$2250 Kodak Bantam F/4.5 (Shewn below)


So small it fits the palm of your hand; fast, versatile, easy-to-operate, A precision miniature.





## For Projection . . .

Kodaslide Projector Model 1 —small, efficient, thoroughly dependable. Complete with lens, lamp, and 11½-ft. cord—\$18.50.



#### TOUGH ON OIL-PUMPING . CENTLE ON CYLINDER WALLS

When you start using too many quarts of oil between changes—look out? You may be heading into an expensive repair bill, for oilpumping often means that rapid cylinder wear has started. And that can be far more expensive than buying extra oil.

At the first sign of oil-pumping replace your worn rings with Hastings Steel-Vent Piston Rings. They stop oil-pumping and check cylinder wear. Any good mechanic can install them—quickly and economically.



Note to Used Car Suyers: Ask the dester if it's Steel-Vent Reconditioned, it's a better buy if it is,

HASTINGS MANUFACTURING COMPANY Hastings, Michigan - Toronto and Winniege



## Gus Rescues an Amateur

(Continued from page 144)

He did another job of thinking, and then got out and connected a neon-pencil tester and asked the driver to start the engine. He held the pencil on the Number One plug and watched the spark. For a while it came through heavy and even. Then it cut out suddenly. The engine lost its momen-

tum and stopped.

Gus cussed. Then he reopened the distributor, and went over its head very carefully for a dirty contact or a crack that he might have missed on the first checking. He couldn't find anything. Next he took off the rotor, and just as carefully checked it for a loose or dirty contact between the contact spring and the brass brush. But the rotor seemed to be in as perfect condition as the distributor head. He cussed some more, put the rotor down on the still-warm manifold, and went on checking.

Finding nothing wrong anywhere, he began to replace the various parts. When he picked up the rotor he noticed that it was warm. Looking at it closely, he saw that a tiny hairlike crack had appeared across about three quarters of the width of the con-

tact spring.

Gus held the rotor away from the engine, and as it cooled watched the crack disappear. He put the rotor back on the manifold, left it there for a minute, picked it up again, and saw that the crack showed.

"You'll be able to make your delivery tonight, all right, so the country's saved," he told the driver. "Your engine will run as good as new as soon as I put on a new rotor—and that won't take a minute."

"That's swell!" the driver said. He picked up the rotor and stared at it. "But I don't see anything the matter with this-here gad-

get."

"That's what fooled me," Gus said "There's a crack in the spring, but it closes up as soon as the metal cools. That's why your engine runs fine for a minute or so before it stops. When the current flows through the spring it gradually heats it enough to make the crack widen out and leave so little unbroken metal that it can't carry enough current to jump the gaps at the spark plugs. Get it?"

"No, I don't," the truckman admitted frankly. "And I'm blamed if I can see how a crack so little that most of the time you can't see it can lay out a whole truck."

Gus laughed as he started to put on the new rotor. "That's the way it is in this business," he said. "A lot of the big troubles come from mighty small causes!"



# but here is one worry you can avoid

You can silence the cat with a well-aimed slipper but that's small consolation if he's back tomorrow night.

The same is true with your car. You can silence chassis rattles with ordinary grease,

but not for long.

What's needed is Marfak. Because it is made of highly refined, heavy-bodied oils scientifically blended, Marfak is a longer lasting, tougher, more tenacious lubricant. It sticks to its job long after ordinary grease has been jolted off or washed out.

Drive in where you see the red and white sign: "Let Us Marfak Your Car," and get Texaco's famous 40-Point Chassis Lubrication Service by a trained expert who works by chart and not by chance.

Your car will ride like a new one, easier, quieter and you can forget about chassis

lubrication for 1000 miles.

#### TUNE IN FRED ALLEN




Texaco Dealers invite you to enjoy Fred Allen in the full-hour program of the TEXACO STAR THEATRE... with Kenny Baker, AlGoodman's Orchestra and a great cast. Every Wednesday

Night. Columbia Network. 9:00 E.D.T., 8:00 E.S.T., 8:00 C.D.T., 7:00 C.S.T., 9:00 M.S.T., 8:00 P.S.T.



TEXACO'S 40-POINT CHASSIS LUBRICATION SERVICE AT ALL TEXACO AND OTHER GOOD DEALERS



# WITH Cinémaster DUAL 8 MM

Now comes the Cinemaster—hualt by one of America's outstanding precision manufacturers—to give you the thrill of making professional movies—in color—at prices to fit your pocket.

Engineered into the Commaster are the three most needed essentials of successful color photography, a dependable exposure meter, accurate shutter speeds, and correct exposure over the entire picture area.

Compactly built and trimly shaped, the Cinemaster E-8 handles with utmost case, Smartly styled and finished in antique bronze, it is a camera you'll be proud to be seen with. Examine it today! Many dealers offer extended payment terms—which makes your Cinemaster even easier to own!

NO OTHER CAMERA at any price offers all these features

Combined Faposure Meter and Optical View Finder ... Minimized Parallax ... Three Speeds ... Exposure
Calculator ... Continuous Running
... Interchangeable 127, f 18 and
Telephoto Lenses ... Quick, Easy
Londing, Footage Counter Special
Take-Up Sprocket ... Improved Governor ... New Powerful Spring Motor
... Focal Plane Shutter ... Takes
All Makes of Color or Black and
White Film, including the Economy
Univex Straight 2.

	Dept
DHLY	Send
\$27.50	acrab
with Wollensok	Nam
f3.5 me man (	Adde
and \$19.95	Cale

# Dogfighting

(Continued from page 118)

planes, as well as a distinctive insignia, painted on the planes.

All the while he is perfecting himself in dogfighting and gunnery, the young pilot must also be developing as a formation flyer. He is now able to fly in complicated tactical maneuvers with his whole squadron.

There is one maneuver which the pursuit flyers perform to impress foreign dignitaries, and it demonstrates as well as anything the skill that these squadrons attain. "Sandwich fire," as this maneuver is called, is the concentration of all a squadron's guns on a single ground target.

The 18 planes are flying in three flights of six, each in flight front, one above another. The squadron commander is at the left of the top flight. The two flights below trail a little behind, like steps.

Now the squadron commander tilts his formation into a dive toward a three-foot buil's-eye, far below. The steps straighten out into a solid curtain of gun muzzles speeding toward the target. As the planes dive, they are all converging toward a single point, drawing closer together.

At 2,000 feet they open fire, with all machine guns blazing away. At 1,000 feet, still firing, every one still holding true to the bull's-eye, their wing tips are nearly touching; the planes of Flight B, the "meat" of the sandwich, have planes scarcely more than two feet above them and two feet below. The pilot in Flight B cannot see the plane below him, can judge its position only by the planes on either side. In a split second more, all converging toward a single point, they would come together in a tangled mass of wreckage.

At this instant the flight commander awoops his plane upward, in a left turn; and simultaneously his flight makes a similar turn, swinging into string formation. Immediately behind them, but at a lower level, Flight B makes the same upward turn, clearing the way for Flight C to pull out of its dive. In less time than it takes to breathe, they are flying off to the left in normal string formation—echeloned right just enough to keep out of each other's prop streams.

Such a living curtain of machine-gun fire is a horrible thing to contemplate, when you stop to think about its ultimate purpose. But with kids like Phil Cochran and Rush Willard you don't think about things like that. It is fast, thrilling sport. A pursuit squadron is like a football team, only more so.—HICKMAN POWELL.



WITH this Wollensak Vari-Power you always have four different magnifications at your command -5, 10, 15, or 20 power-just by adjusting the power tube. Hunters use low power's wide field to spot game, high power to identify it. Scientists, sportsmen, motorists use Vari-Power for locating, then for

close-ups of people, birds, scenic beauties. High-grade achromatic optical system yields sharp, clear vision. Handsome, life-time durability. Users delighted. Order yours now. In leather case at dealers or direct, postpard (or C. O. D.). Other Vari-Powers, 13 50 to 22.50. Money-back guarantee.

TRESCOPE CLAMP Holds Vari-Power rigid for more accurate observation. With leather case, \$7 50.

WRITE FOR PREE BOOK!

Wallansuk Optical Co., 307 Hudson Avenue, Rochaster, Now York

# WOLLENSAK



# NEW G-E EXPOSURE METER



Even the tough ones won't fool you, when you "set" your camera by the new G-E. With correct exposure

every time you'll save on film and get gorgeom color, sparking movies and stills. You'll like its quick one-hand aperation, its unfailing accuracy; its renattivity in dim light (with the accurate mesdent-light method). General Electric, Schencetady, New York.

At good photo dealers errrywhere





Stight

4.15



# 58,279 Pipe Smokers are still missing!

Among hard-to-please pipe smokers a high percentage naturally enthuse about BOND STREET. Applying this percentage we know that about 58,279 pipe-smoking readers of this magazine—for whom BOND STREET is a "natural"—still have this grand discovery to make.

So come out of hiding—and try BOND STREETI

It contains a rare aromatic tobacco not hitherto used in a popular price mixture. Rich-tasting, bite-free—leaves no tobacco odor in the room-even the ladies approve.



A Product of Philip Morris

## Vent Hole in Small Grease Gun Makes It Easy to Refill

BECAUSE the majority of small grease guns are made with only one removable end. it is almost impossible to fill them from grease cans that are provided with a pressure plate. When the grease is forced through the hole in the pressure plate, air in the barrel prevents the grease from entering and filling the gun completely. This can be overcome by drilling and tapping a 3/16" hole through the casing at the nozzle end of the gun. The air then escapes as the grease enters. When the gun is full, a short machine bolt fitted with a thin leather washer seals the opening. The alteration does not affect the gun's operation,-R. H.



Vent allows air to escape when grease is forced in



When gun is full, a small bolt is scrowed in place

## Question Bee Answers

HERE are the correct answers to the "What Is It?" quiz appearing on pages 120 and 121.

- 1. Cyclotron
- 2. Cirrus
- 3. Air
- 4. Expansive bit plates
- Miter box
- 6. Monarch
- 7. Aircraft carrier
- 8. Lathe face
- 9. The moon
- 10. Dovetail joints
- 11. Diatoms



## 100X TELESCOPE LENS KIT \*1.55 100 Power Complete Lens Kit

Make your own high powered telescope in one evening of easy work All of all parts of prote y finished for 6 ft long reflect age to except kit contains 1'd ame or 75' F. I. ground and polished of me we lens and 2 setronom rate explicate 5 ft and 1thet fee the mountains and cracers on the moon, the raged planet failure, the moons of Jupi er doubts stars etc. Complete lens kit with full direct out for mountmy at the special price of only \$1.95 postpaid

EXTRA LARGE 200X LENS KIT contains complete the state of the state of

BROWNSCOPE CO., Dept. 84, 5 W. 27th St., New York, N.Y.



is Photography your hobby? Do you want a profitable rasy howevers at home? Make PHOTO ENLARGEMENTS for yourself and starts, Year rost Science and team The Ideal Photo Enlarger is AUTOMATIC. No superior co required. Also COPIES may picture. \$2,84 COMPLETS, interesting circular PRES. ANY IDEAL-X, 148 West 23 St., New York SIZE



MONTGOMERY WARD & CO. Photographic Gapt. Ps-641, Chica

\$30.00 in cash awarded every menth . . . CAMERA CRAFT . . . a monthly magazine devoted exclusively to photographyl Sond 10¢ for sample copy and big 32-page, illustrated Photographic Book Catalog.



425 Bush Street See Francisco, Cal.

## PHOTOGRAPHIC VALUES

Et a Big

### QUANDARY AT THE CROSSROADS



Solved with the **BULL STREAMLENC** AUTO COMPASS ACCRECATE VALUE OF THE PARTY NAMED IN

MENSO MAY IN YOUR OLNESS


Make the Late



WARREN - BRID

TOUR GRANDFATHER CLOCK
SEND 25c for \$1MPLE \$40P TESTED COPYRIGHTED ULLEPRINT
The Simple Sensible Red | Kot way as thousands have. DIME brines
FLANS and sixty picture. HOW! Book pricing many fine brans we plu
westmirelief, fune thines, electric and buffery movements showing
simple statiful colonial grandiaffier cases. Buffer now and savehall
RUEMPEL, CHIME CLOCK CO., \$34\$., A-12, Bufferberg, 1000.





WESTON

SHOOT STRAIGHT LEARN TO MADE IN

ACCURATE SHOOTING WITH CHAMBERED AIR Top can use hew model BENJAMIN AJR RIFLES WITH . ITT CEVER HAND PUMP anywhere for practice firing or just stimbing, around the house or camping finding liquid by ric at writ cost Shooting force is adjustable with amazing maximum lewest cost through the force is adjustable with amazing maximum power and activity—be treet, of forward under a distribution of the last through the first power and activity—be treet, of forward under a distribution of the last through the las




Get the Brand new Constantine Manual for Woodworkers and Hig 194 Bargain Book lixting and describing over 100 different kinds of wood in \$60 different kinds of woodworking squares and helpful woodworking alds Printed and Dustrated articles a Bow to Make Ib and Picturest How to Make Venegred Panels How to Finish Different Kinds of Woods A source of supply for you in small sized quant lies every kind of wood you are looking for Bend 10c today in stamps or con "Alleget Constanting & Son, INC., 793-M East 133th \$t., R. Y. C.

Please mention Portlan Science when writing to advertisers.



Black-on-white! The crack-proof white surface is bonded to the steel-protects it from rust. Favorite Wyteface is easy to clean, hard to kink, durable. Guariniteed for one year, 25, 50, 75 and 100 ft. lengths. Mail coupon today for free sample of the line and illustrated folder






J H WINN S big catalog of Chemi-Supplies for High-


school and College Scudents, new idea Chemical kits & Apparatusoutlits, Scientific Books at a discount, Telescopes, Microscopes, Biological needs, Photographic Chemicals, Scales, Send for catalog J. H. WINN MFG. CO.

Dept. 106-124 W. 23 St., N.Y C



Please mention Popular Science when writing to advertisers.

### Guild Sander - Easier, Faster SANDING . . . The "PROFESSIONAL" Way!



Remove old paint, varp sh shel ac fn m , ffy G severviring oumake that exper, finish w h this he it weight tooly B Its ) electric be a sander Page in ay light socker. Tropsands in use, go the 1 and pred to her asera TRYO . dSander Wr ed rec, I or buil toformation, also busies of men es deu ers.

#### GUILDTOOL SYRACUSE

1741-68 M. Saline St.,

Syrecuse, N. Y.

### FOR 27,000 R. P. M. INSIST ON A GENUINE

100 TOOLS IN ONE

His shockproof bahalite man «Fin cound motor asn't

witer no line (all-readed). hy named a

· libraturaless (dynamically bal-



DREMEL MFG. CO., DEPT, T-121-F, RACINE, WIS.

## NEW SANDER READY!

trakers workshops) Mend's principals, model makers, but required a workshops) Mend's principals in the his Signan quickly phases, careers pands and pull his Might his specific principal in the same and a cutars. This has ration pares had a retarn a cutars. This has ration pares had a retarn a cutars. This has ration pares had a retarn to the left of the Nothing the life of the same hand with these lifes or lab Nothing the life of the life of the last man only his far rose Chicago Try is a days. Here I not restortly same said short, return it and we'll resund your \$1450 to become promptly:

REEL Or write for Free Circular describing, I but rating how that ands he new they are a lime boy, (rouble, Write now an post-card will do propey, (rouble.



117.59

323.3ª

Mead Specialties Co., 18 So. Market St. Dept. 88 181 Chicago, U S.A. COMPLETE Florible SHAFT WORKSHOP

WITH PLNCIL SHE HANDPILCE for "FINGER TIP" CONTROL Perioding couplings tasks quick y, efficiently effort easily the the FOREDOM on wrond, metal glass, pitalities, etc. Provides casy accessful ste, the businessed of the properties of the policy of the form plate like the thetad on the sir Acceptancy Set. Order today FREE new complete calalog FOREDOM.

ELECTRIC CO., Dept. 219 27 Fack Pl., N Y C.



Pays Its Own Way. S. Frint Your Own Stationery movie tities greeting eards, church work, etc. Print for Others; Money in it summy press 28, Senior 216, Rold direct only Raised printing like engraving too. East rules. Will in far entaining a all details. Robbing, Ips. H-23, Moridon, Conn.

Corved Hull Kits—Separate Fittings Model Yacht Fittings-Sails & Spinnakers Bend 200 coin for new 48 page catalog



which may "lay you up." Cleanse wound instantly. Then apply effective, inhibitory antiseptic OIL-O-SOL (formerly Oil-of-Sail) I sed for over 40 years in thousands of factories, garages, industrial first aid stations, fire departments and homes. Works four ways: Combats infection, helps theck opting of blood; stimulates healing; quickly being relieve pain. Only 500 at your druggist's, Must satisfy you or your money back, Get Messe's Oll-O-SOL today.



## Miniature Fleet Built from a Single Kit

OU can construct an entire war fleet of nine miniature ships with our kit No. 7M. Only the simplest tools are required. Priced at \$1.50 (\$1.75 west of the Mississippi), the kit includes full-size plans and all instructions.

Send a stamped, self-addressed envelope for a complete list of kits.

D.	Spanish galleon 21" hull 30" overall	\$6.95°
M.	Aircraft corrier SARATOGA, 15" long	
R.	U.S. Craiser Tt SCALOGSA 112," long	1 00
28,	U S. Navy destroyer PRESTON 31 . " long	3 95"
6M.	Fishing schooper WE'RE HERE, 91,7 over-	
		.75
7M.	Fleet of nine modern US fighting ships,	
	including superdreadnought, light cruiser,	
	aircraft carrier submarine and five de-	
	atroyers; scale, 1" equals 190"	
139,	Motor torpedo boat P T. 10' a 13" exhibi-	
_	tion model shaped hall, propellers, etc.	
7,		
	making see captalo 5 1/2" bigh	
13.	Miniature Early Colonial kitchen 21" long	
	7" high, 6" deep, of heavy sardboard, with	
	materials for furniture and fittings	2,00

Note: If you live west of the Musissippi River, add 50 cents to prices marked with an asteriak (\*) and 25 cents to prices marked with a dagger (†).

### Papular Science Monthly, Dept. 61A 353 Fourth Avenue, New York, N. Y.

Please send me Kit.... ..... for which I

inclose \$ .. ... (or send C.O.D. [])

Name - -- -- -- -- --

City State ... (Please print your name and address very elearly)

You save the C.O.D. charge by sending your remittance with this order. Remit by money order, check, or registered mail. This offer is made only in the United States. Also see note above.




# "BASEMENT INDUSTRIES" are booming, too!

Industry needs skilled mechanics. Are you handy at "making things"? Then the home hobby-shop should prove a belpful "training ground" for heading you toward a good-paying job. Building models, "gadgets," electric-motor attachments, small auto and machine parts. . . . Great experience! Splendid opportunity for learning the use of various kinds of files—and especially the im-

portance of high-quality, accurately made files for close fits and exacting finishes!

Nicholson and Black Dinmond brands are "tops"yet cost only a trifle more than lower grades. While Nicholson-world's largest file manufacturer-makes more than 3000 kinds, sizes and cuts, home-shop assortments should primarily include some small-to-mediumsize Mill files (single-cut); fast-working Flats (doublecut); Slim and Extra-slim Tapers (triangular); Rounds and Half-rounds. Good hardware stores and mill-supply houses sell Nicholson and Black Diamond files.



# FILES FOR EVERY



FREE 28-page Book, "A file for Every Purpose." Illustrated. Valuable information on use, care and general variety of files.

PROVIDENCE, R. L. U. S. A.

(Also Canadian Plant, Port Hope, Out )





# Simple AS ABC.

. . . . . Pictures like this in gargeous Kodechrome ere to easy — and inexpensive — to take with Argus COLOR-CAMERA. Write for Free Color Book

OUGHT IN PHOTO ELECTRIC METER 1.4 tens. Shutter speeds to L/150 Price 321 50. Model A 3 milinetion type meter \$1650






features found on the highest perced miniatores. All metal remstruction, leather covered Ultrasharp f 4.5 anastigmat letts, inhar a shutter with speeds up to

1/100 sec. Has exposure connter, telescopic optical view finder, builtin bracket for range finder, and cable release. Loads 18 or 36 exposures of all 35 mm, film including color. Limited quantity at this special price - so order TODAY.

#### ASA, OTH THE LATAVETTE CAMERA AND INCOME. PRINCES Send money order or check with order.





# **Blueprints and Patterns** for Cruising Sailboat

/ITH vacationing in the air, what V better preparation could a boating enthusiast make for a glorious summer and fall than by building the POPULAR SCIENCE cruising sailboat pictured above? This beautiful craft is 19' long, has a 7' beam, and costs about \$175 to construct. Weighing 700 lb., it can be carried on a two-wheel trailer, yet its small but comfortable cabin affords a real home on the water. Full-size patterns save time in getting started, and are drawn to order for readers within ten days at \$3.50 the set. Blueprints are available immediately at \$1.25. The price for both blueprints and patterns is \$4,75.

Plans for other boats, an outdoorsman's trailer, furniture, models, and other projects are also available. For a complete list of our blueprints, send a stamped, self-addressed envelope. A partial list follows:

#### MUSCELLANEOUS

Arbor with Two Seats and Garden Gate—a com- bination resembling a small garden house, 9\$ Birds and Animals, jig-saw patterns, 56	.25
Five Designs for Bird Houses one martin, one	
	D.E.
bluebard, three wren, 366A	.25
Garden Chair, 260A	,25
Garden Trellises-Four trellises and one sundial	
post. 34 and an analysis and an analysi	425
Outdoorsman's Lightweight Trailer, 10' long 4'	
outdotteld a supercoverint states, so some 3	
wide, 4' 9" high, kitchenette on back, 301-	
301 R	.75
Turned Table Lamp, Deringer Pistol, and Weather	
Vane (woman watering garden), 406A	.25
Workbench for Home Shop, 24" by 58" by 34%"	
high, 405	.25
The state of the s	

(Continued on page 227)

# Plans for Tested Projects

(Continued from page 226)

#### BOATS

Camper's Utility Boat, 11' 2" long, canvas-	
covered, for outboard motor or rowing, 281-R.	.50
Canoe, 16' canvas-covered kayak; can be used	purp
with and 100-107-101-D	1 00
with sail, 192-193-194-R.	
Canvas-Covered Duck Boat, 13' 6" long, 279-R	.50
Cruising Sailboat, 19' long, weighs 700 lb., Mar-	
coni atcop rig; can be used with 1 to 4 h.p.	
mater, 400 401-402 403-404	1 35
Fisherman's Outboard Boat, 9' 3" or 11' 6" long,	
weight 115 or 160 ib., for motors from 3 to 16	
h.p.; can also be rowed, 344-345-R.	.75
	+141
Inhoard Boat, 15' long, for muters from 1/2 to	715
5 h.p., can also be rowed, 384-385-R.	.75
Lapatrenk Sk.ff, 13' 9" long, weighs 225 lb., for	
1- to 16-h.p. cutboard motors, 363-R	.50
Midget Boat or Pram, 9' long, weight 75 lb., for	
pars, sail, or outboard motor, 330-R	.50
Motorboat-Rowboat, 13' long, decked hull, for	
use with outboard or inboard drives, 147-R	.50
Pares 14 le f long 148 19	.50
Bame, 14%' long, 148-R.	
Hame, 16' long, 149-R	.50
Plywood Dingby, 9' T' long, weight 60 to 75 lb.:	
can be rowed, soiled, or used with small out-	
board motor, 387-348-R	.75
Racing Runsbout, 13' stepless hydroplane for out-	
board motor, 281 282-R	.75
Sectional Rowboat, 9' 8" long, two sections.	
weight 60 th., all-wood construction; can be	
used with small outboard motor, 340-341 R	.75
men aven servit onthoate indeed, 640-2314516	. 110

MODELS	
Barnegat Lighthouse, 1014" high, 208A	,25
BLUENOBE famous fishing schooner, 17 %" hull,	1 00
Clipper Ship GREAT REPUBLIC, 31% hull,	3 25
Confederate Raider ALABAMA, 21 %" hull, \$35-	
236-337-R Elizabethan Calleon REVENGE, 21" bull, 206-	1 50
Flibing Schooler WE'RE HERE of "Captains	1.00
Courageous." Sh," over all, 351-R.	.50
Miniature Fleet of Nine Modern U. S. Fighting	.25
Bhips (full-size plans), 372-R	.80
Ocean Freighter, 16" httl, 271	.25

#### FURNITURE

Bookease for Holding Copies of Popular Science	
Monthly 353A	.25
Double-Decker Bed. 277A	.25
Early American Round-Top Stand, 191A	50
Fireside Bench. Colonial 187A-198A	.50
Floor Lamp, with tripod base, 243A	.25
Hanging Wall Cabinet, 914" by 24" by 4114", 280A.	.25
Magazine Rack, ladder-back style, 250A	.25
Bilverware Cheet on Stand, 256A	.25
Smoking Stand, modern, 238A	.25
_	

#### LEAFLETS AND BOOKLETS

Hints on Cutting and Deliling Glass.	
Home Workshop Index for 1939.	.10
Home Workshop Index for 1940	.10
How to Build and Operate an Inexpensive Arc	
Welder and Spot Welder	.50
How to Make Your Own Marionettes	.50
Workbenches and Tool Cabinets (leadet)	.10


#### **Popular Science Monthly**

353 Fourth Avenue, New York, N. Y.

Rend me the blueprint, or blueprints, numbered on follows:

I am incl	osing.		7.0	arailob.				cents
Name							-	
Street		 -			-	-		***************************************

City and State (Please print your name and address very clearly )



THERE is always something doing when you own a Harley-Davidson. Fun and thrills come thick and fast — new friendships grow like magic as you pal with other riders at club rallies, races, hill-climbs and other action-packed motor-



cycle events. What a grand and glorious feeling to be able to go places whenever you feel the urge. Get into motorcycling now — it's the greatest of outdoor sports! See your Harley-Davidson dealer — and send the coupon NOW!

# HARLEY-DAVIDSON

HARLEY-DAVIDSON MOTOR CO. Dept. Pt. Milwauker, Wisconsin

Send FREE copy of hig 24 pape "Enthusias!" magninine filled with thri. Higg motorcycle pictures and stories. Also literature on the latest Flacky Davidsons. Stamp is enclosed for mailing cost.

Name

.**≜** वेधोरक

MAKES [ HAMMER . SMITHING

ANVONE without experiroce can now make, for a few cents each, valuable articles from copper, alupittum, pewter, brass or ulyer, and give them a beautiful band hammered finish. A fascinating new hobby or a means to earn

The Arrivas hammers, surfaces, sinks, shapes, forms, pierces, engraves, tiles, and does repouse et. Weight 11/5 Ibs. 800 strokes per minute \$29.50 postpaid, with Accesso-CICS.

# OF IGO! USES

A whole toolshop in your hand. For precision work on metals, always, planties, wood, horn, bone, glass, etc. Original tool of the type, and the favorite today

Uses 300 accessories to grand, drill polash, rout, cut, curve, mad, mw sharpen, engrave. Plum in any socker Wt. 12 oz. 25,000 r p. m. \$18.50 postpaid, with 7 Accessories

### 10 DAYS MONEY-BACK TRIAL

Order either tool for your own holiby enjoyment or as a gift



CHICAGO WHEEL & MFQ. CO., 115 S. Aberdeen St., Chicago, IV.



FREE TRAILER PARTS CATALOG We damp judy passess of Gilles aprillate, Wholele, respectively with the second section of the passess of the passess of the passess of the passes of the pa



Car Owners! Meet Master Glaze—the sensationally different luster for new and used cars! Not a waz - not an oil pulsh -not a paint! -nothing that "smears" over the surface.

MASTER CLAZE CO., 7720-273 W. Harwood Ave., Milwanket, Wit.

AGENTS An unosual opportunity! Quick, f asby demonstrator Big profits, Good territory. Write today!

MASTER GLAZE is a unique discovery — a creamy liquid quick and easy to apply! Gives a hard, glass- ike surface. Even gazolmecannot dull it! Laste my months to a year! Amazing luster -beautiful, sparkling clean and brilhant! Doesn t finger-mark-doesn t smear! A match box full guazes an entire car Seals FREE Coffers | F. T. and FREE TRIAL OF-FER Just send your name and abbress. Write Charge of the Iron Brigade

(Continued from page 125)

that in the so-called boom year of 1929, the American machine-tool industry had produced approximately \$185,000,000 worth of machine tools. This dollar volume represented the peak production since 1918, and therefore could be considered close to the maximum capacity of the industry.

Almost immediately following this boom year, our machine-tool orders fell off rapidly, until for the years 1932 and 1933 our machine-tool production dropped to an average of \$23,500,000-less than one seventh of the 1929 peak. This low volume did not change materially during 1934, when Germany began a high-pressure expansion program of her own machine-tool factories. That year Germany doubled her machinetool production, and continued her policy of doubling it from then on to 1939, when the United States, recovering from the depression, found an export market for \$100,-000,000 worth of machine tools. Most of these were purchased by countries beginning a belated and feverish race to reëquip their arsenals and munitions plants.

There are no reliable figures on Germany's machine-tool production for the year 1940. The American figures for the year just past, both export and domestic production, are a little more than double those for 1939—that is, American machinetoo) production for 1940 reached \$450,000,-000. It is a reasonable assumption that Germany's production did not increase in like proportion. And it is not guessing at all to say that the German high command was seriously perturbed by this unexpected

doubling of American output,

It is no longer a military secret how the American machine-tool industry stole a march on the German high command. In the first place, the American machine-tool industry—of which some 115 companies represent 80 percent of the total capacity of the country-is composed of comparatively small factories closely bound together by common interests and a common pride in their basic importance to all other American industries. If a manufacturer of shoes wishes to erect a new factory, he goes to the shoe-machinery builders for his equipment. But the shoe-machinery manufacturer must in turn go to the machine-tool industry for the necessary lathes and drill presses and other machine tools with which to make shoe machinery. Where does the machinetool builder go for his machinery? Well, he either makes it in his own shop or calls on

(Continued on page 230)





Cuts all gross, weeds, brush where other mowers won't. Write for details and prices. Jerl Products, Inc., 2938 Pilibury Avenue, Department F, Minneapolis, Minnesota.

#### SMALL ARC AND SPOT WELDERS

Free Instructions for building your own welder around our transformer Build welders to sell or learn welding for a big pay job right in your own home in spare time. Completely built outfits low as \$13.00, Write for free literature.

COTTER THERMO-ELECTRIC CO. Dept. Fl, Detroit, Mich. 15368 Baylis,

For 8" to 16" Metal Lathes. Build It Yourself.

At last, a practition grindler withto prove means. Two ware PR by figlishing and some manifest material an year own latter it sure that a sure of paterns are pour own latter it with the province of paterns of the pat

Huron Machino & Tool Co., Dept. C-6, Yale, Mich.



### IG FREE RADIO

Shows hundreds of rad o parts sets accessories amplifiers hunt gear electric appliances and supplies. Both bottom prices fast service guaranteed quality, send for your copy today. Save at Haddeleh.

Bogt. PS-RS, DET W. Rondolph St., Chicago, M.



Complete home-study courses nflueducational tunks a gh yused.
No it tenned eachanged All subje of Money-back guarantee Cash
pa d for used courses Pull de
tals and il usirated 72 page her
fin a cata og Full Write today!
NELSON COMPANY
\$00 Sherman, Dept F 202 Chicago

Our Model Consultant will advise you FREE of charge

complete line of all standard kits and Attings always on hand

Also Ali Types FISHER Model Yacht Fittings JAMES BLISS & CO., INC. Est. 1632 228 State Street Boston, Mass.



DOWET 3 nur present by a WITTE that red es power and habt to 75 A Size for Every A Size for Every Wrie tel v fr NIMI f ance 1 at sterature and a tree of dealer



WITTE ENGINE WORKS, 222-A DAKLAND AVE.





# A GOOD

With a Foley Automatic Saw Filer you don't need to have experience to do expert work easily qui his, without exception. Last year I sharp-good 2 99 hand saws, for which I got \$117 c 40. The holey San hiller has made a good bring for me. I do I need. Calif. Louis I! Wade-h k says. I have 3 ed off saws in space time. The Frey files made, and and clear at saws better than he next hand for The new Monet. F 16 is the result of 40 years, experience in balloing aux Olers, and is upequarted for atentary case of adjustment and ing I te. Paten ed John ing principle makes uneren teeth

SAM FALSA

FREE PLAN shows you how to start your own rush business in spare time with small investment, no cancassing. Send coupon now, -- no obligation, no salvaman will coal

perfect in size, shape, sparing

Mail Coupon for FREE FOLEY MFG. CO., Ninneapolis

Send Free Plan on Saw Filing business no ob-

NAME

ADDRESS

Please mention Portital Science when writing to advertisers,



# Charge of the Iron Brigade

(Continued from page 228)

his brother machine-tool makers to supply it. But the dyed-in-the-wool machine-tool builder takes pride in the fact that, in a pinch, he can make any machine he requires.

The American machine-tool industry, as a consequence, has its finger on the pulse beat of industry the world over. Neither war production nor peacetime production can be planned anywhere about the shores of the seven seas without the American machine-tool industry being the first to learn of it. When war broke out in Europe in September 1939, the American machine-tool builders had long known it was inevitable. Knowing the wretched condition of the French machine-tool plants especially, they foresaw the grave danger menacing the democracies of the world.

Fully a year before the invasion of Poland, American machine-tool builders quietly checked into the available supply of skilled mechanics and foresaw the shortage we are now facing. Acting on this knowledge, machine-tool plants all over the country expanded their apprentice-training programs in anticipation of the demand for skilled mechanics capable of maintaining the high standards of precision and workmanship for which American machine tools have always been famous. The success and extent of this training program is reflected in the fact that approximately half of the mechanics working in American machinetool plants today have been trained on the job since September 1939.

This foresight and initiative exhibited by the American machine-tool builders caught the German high command by surprise when it learned that American machine-tool production for 1940 would exceed \$400,000,-000 instead of the inconsequential \$200,-000,000 which German experts had predicted would be the maximum for at least another year—when the war would be over.

Now the German high command has received a new surprise. American machine-tool production of \$450,000,000 in 1940 was no fluke. It is continuing to expand at an ever-increasing rate, and it is freely predicted that the volume for 1941 will reach \$750,000,000, or even exceed it.

Germany knows full well that a successful general can make all the mistakes in the book but the last one and still win the war. It is possible that the German high command has made that "last mistake"—that of vastly underrating the productive strength of the Iron Brigade of the American machine-tool industry, now on the march!

Please mention Portitar Science when writing to advertisers,



IGHT POWER TOOLS Save Time, Money, Labor



Delta tools are portable, ragged, efficient-yet astonishingly low priced. Ideal for small shops, home shops, and factories. Many new features and improvementa. Complete DELTA line includes: Circular Saws, Scroll Saws, Lather Jointers, Shapers Band Saws, Grinders Drill Presser-and full line of accessories Send today for big 44 page FREE Catalog.

DELTA MFG. CO. (Dopt. 8641) 800 E. Vienna Ave., Milweukee, Wis.



Does He Like GADGETS? SEND A MIH

PROJECTILE TOP

The modern gaming adjunct made of lasting, beautiful Texplits.

Complete with GOOD LUCK

Sont postpaid for only 25c each

55 W. JACKSON BLVD.,

CHICAGO

walkerurne

SPIN-ROLL CO.

METAL AND WOOD WORKING MACHINE TOOLS

Send for new FREE catalog of complete line of Machines, Meters and Accessories

WALKER-TURNER CO., INC+ 281 Berekman St., Plainfield, N.J.

## TRAILER BUILDERS' GUIDE & CATALOG only 10c

Build a Trailer easily in spare time with world's best line of trailer parts, asies, hitches, Com-plete working blue prints only 50c. Universal Draw Bor, readily stlached to say car. SEND 10c TODAY FOR CATALOG.



HAMMER BLOW TOOL COMPANY, Dept. D.S. Wausau, Wis

Dig valuable laboratory catalog sacily worth Edg-FREE-listing thousands of C. P. chamterie, apparatus, inderescapes, eclentific books, biological and laboratory supplies. Rems as low as Sc. Equipment for camplete industrial, professional and home laboratories at bargain prices. Save money! Just write post card—for a short time only there will be so malking charge. Get year copy of bandbook NOW!

KEMKIT SCIENTIFIC CORP.

397A Bridge 51.

Breeklyn, New York



See the new 3-Way Personal Portables, new Home Recorders and Phono-Radio Combinations, Auto Radios, low-cost All-Wave models; Amateur Re-ceivers; new 7-75 watt Sound Systems; dozens of new Radio Builders' Kits; new testers, tools, books—Everything in Radio at Lowest Prices!



### ALLIED RADIO CORP.

233 W. Jackson Blvd., Dept. 7-F-1 Chicago, Illinois

Rush me your FREE 180 Page Ontalog.

Enclosed is 100 for Builders' Handbook,

Enclosed in 10c for Radio Dictionary.

Mame.

Address


## FOR JOINTING & CUTTING MOULDINGS With our six inch tool steel cutters make

mouldings, casings, drop-leaf tables, groves leading & jointing.

Moulding cutters, A 1 in, wide \$1.25, 1% in, \$1.50, Jointing cutters, B 1 in, \$1.23, 1% in, \$1.50, E 1 in, for drop-leaf tables, \$1.25 E 1% in, Makes % in, cote & Guarter, \$1.50 Postpaid. Guaranteed, Sinte size bole. List & Folder free, John A. Sandstrem, Dept. S, Jamestawn, H. Y.



# MACHINE WILL DO YOUR This SANDING FASTER & BETTER



Adjustments are easy and practical, Sander can be used in horizontal or vertical positions.

Send today for Catalog E-41-A for full information about Duro Tools, DURO METAL PRODUCTS CO. Dept. HH-IS, 2649 N. Kildare Ave.

CHICAGO, ILLINOIS

OURO Belt Sander

# Earn \$150 to \$300 Monthly with "Simplified"

Liberal Trial Try this new "Simplified" Welder an your own work, in your own shop for 30 days at our risk. It pays for itself.



EULD A PROFITABLE BUSINESS of your own with new 40-Volt Arc Welding. Get big pay jobs-that mean real profit. Hobert welders are easier to

operate, factor, do a better welding job. FREE Welding Book.


NO INVESTMENT TERMS—profits pay for it. Savings make it easy to own a Hobart Welder without expense.

PATS FOR ITSELY in short time. Profit on single job often pays small monthly payments. Write for detach.


BOBART SROS. CO., Bex P-61, Troy, O.J.



Copyrighted inside pl.



# SOUTH BEND LATHES FOR PRECISION WORK



#### DOUBLE WALL APRON

Back view of the Double Wall Apron showing the rigid, one-piece box type construction that provides a substantial support for both ends of the quar shafts.

Gears in the apron are of steel and have a reservoir and felt wick automatic oiling system. Worm drive assures smooth operation of feeds on all classes of work.

South Bend Lathes have been giving users dependable service on the most exacting classes of precision machine work for thirty-live years,

### SIZES AND TYPES

Manufactured in 9", 10", 13", 141/2" and 16" swing, bed lengths 3' to 12', in Motor Drive and Countershaft Drive. Attachments are available for production, tool room and general machine work.

#### ON DISPLAY IN ALL PRINCIPAL CITIES

Baltimore ... Carry Mach. & Sup. Boston ... So, Bend Lathe Works Bridgeport A. C. Bisgood Buffele R. C. Neal Co. Chicago So. Betsd Lathe Works† Cleveland ..... Reynolds Mach. Detroit ..... Lee Machinery Co. Houston .... Wessendorff, Nelma Los Angeles . . . . Eccles & Davies \*Boston Sales Office, 67 Broadway, Kendall, Square, Cambridge, Mass., Telephone Trowbridge 6369.

S & N & E.

Milwaukes. W. A. Voeil Mach. Newark. J. R. Edwards Mach. New York. A. C. Colby Mach. Philadelphia. W. B. Rapp Co. Providence. Geo. T. Reynokis Rochester ... Ogden R. Adams Sen Francisco ... .. Moore Mach. Star Machinery Seattle ..... Toronto ... A. R. Williams Mach.

† Chicago Sales Office, Room 308 Machinery Sales Bldg; Tel., State 7283.

823 EAST MADISON STREET, SOUTH BEND, INDIANA, U.S.A.



I L D

# NOW...The MIRACLE WORLD OF in this Big Volume of Nearly 1,000 P

WHETHER science is your hobby or profession—or whether you simply want to keep your knowledge of the world's progress up-to-date, you will be thrilled by this sensational new volume. All the startling discoveries and inventions of modern science are here spread before you in story and picture by five outstanding authorities—offered to you at a bargain price!

Do you want to know how "3 Dimensional Movies" are made, projected and viewed by "polarized" light—how a military range-finder is operated—how the spectroscope tells what stars are made of—how the velocity of light is measured—how ocean depths are measured with sound echoes—and the answers to a thousand and one other scientific miracles? You will find them in

# THE MARVELS AND MYSTERIES OF SCIENCE

On almost every page you will find a picture or diagram which vividly illustrates some marvel of Nature, or some miracle of man's conquest over Nature. Just to thumb through the nearly 1,000 fascinating pages, examine the pictures, and read their illuminating captions, will give you, without effort, a bird's eye view of five great fields of modern science—THE WONDERS OF THE HEAVENS, or Astronomy; THE HISTORY OF OUR EARTH, or Geology; THE CONSTITUTION OF MATTER, or Chemistry and Physics; THE MARVEL OF LIVING THINGS, or Biology; and THE STORY OF MAN'S LIFE ON EARTH, or Anthropology. And when you read the interesting articles that go with the pictures, you will have the revealing answers to hundreds of absorbing questions about science and its applications in manufacturing, industry, and every day events.



The Microscope Enlarges on Object by Magnifying it Twice.

In the compound microscope, the powerful objective lens at the bottom forms an enlarged image of the object, part way up the tube, and this is further magnified by the eye-piece lens, as if the image were a real object.





T. T. QUIRKE, Ph.D., Professor of Geology at the University of Illinois, is responsible for the section of this great book called "Our Home, the Earth."

JOHN H. GEROULD, Ph.D., and JAMES P. POOLE, Ph.D., of the Biology Department at Dartmouth College, have edited the section on "The Marvel of Living Things."

CLARK WISSLER, Ph. D., Curator in Anthropology at the American Museum of Natural History in New York, has produced, especially for this volume, a new section on Anthropology, or the science of man's development on earth.

CLYDE FISHER, Ph.D., Curator in Astronomy and head of the Hayden Planetarium, in New York, is responsible for the section on Astronomy, and also for a survey of the whole field of science.

at Yale University, has edited the section on "The

Constitution of Matter," embracing Physics and Chemistry.

Whether your knowledge of scientific wonders and achievements is confined to what you read about them in your daily paper, or whether you are a more advanced scientific student, The Marvels and Mysteries of Science offers you the clearest, most interesting and up-to-date account ever prepared of the five great fields summed up below.

## Everything You Want to Know About 5 Great Fields of Science

Planets, Comets and Meteors, The Stars, Section II, Our Hoad, the tages, How the Earth Began. Time and Temperature. The Crust of the Earth. The Atmosphere, Water in All Its Forms,

STORION III. THE CONSTITUTION OF MAT-

THINGS. The Animal World. Birds. Fisher and Reptiles. Insects and Other Lowly Creatures. The Plant World.

man Palacontology-Fossil Man, Ori-

gins of Modern Man. Cave Man and His Cultures. Neolithic Man-the New Stone Age. Origin of City-States. Modern Cultures.

The Marvels and Mysteries of Science comes to you in a single, large, handsome volume 6 by 9 by 114 inches—bound in beautiful marroon red cloth, with title design gilt-stamped. Bargain price only \$2.95. Or, if you prefer, you can have a specially selected arteraft binding, very rich and durable, for only \$1.00 extra.

Wm. H. Wise & Co., 50 W. 47th St., N. Y.





Yes, you will quickly like everything about Chesterfields...they're cooler and milder with plenty of good taste. You are entitled to all these things in a cigarette and you get them in Chesterfield's right combination of the world's best cigarette tobaccos.

EVERYWHERE YOU GO ... They Satisfy